


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1995

[Full Table of Content](#)



## 95/R/CS/10 and 95/W/CS/10 Long Term Liming - W. Wheat

### Rothamsted Research

Rothamsted Research (1996) *95/R/CS/10 and 95/W/CS/10 Long Term Liming - W. Wheat ; Yields Of The Field Experiments 1995*, pp 51 - 55 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

## 95/R/CS/10 and 95/W/CS/10

### LONG TERM LIMING

**Object:** To study the effects of different amounts of lime, phosphate and sulphur on the yields and compositions of a sequence of crops - Rothamsted (R) Sawyers I and Woburn (W) Stackyard C.

**Sponsor:** S.P. McGrath.

The 34rd year, w. wheat.

For previous years see 'Details' 1967, 1973 and 74-94/R&W/CS/10.

**Design:** 2 randomised blocks of 16 plots split into 2 sub-plots.

**Whole plot dimensions:** 6.0 x 16.1 (R), 6.0 x 16.1 (W).

**Treatments:** All combinations of:-

Whole plots

1. **CHALK** Residual effects of ground chalk (tonnes CaCO<sub>3</sub>)  
(total applied 1962-87):

R	W	Rothamsted total		Woburn total	
		1962-78	1982-87	1962-78	1982-87
0	0	0	0	0	0
15	9	7	8	6	3
24.5	25.5	15	9.5	14	11.5
52.5	45.5	30	22.5	23	22.5

2. **P** Residual effects of P fertilizer applied:

	Until 1978 R & W	1981 R & W	1982 R & W	1983		1988	
				R	W	R	W
0	0	0	0	0	0	0	0
P1	0	P1	P1	0	P2	P1	P1
P2	P	P1	0	P2	P2	P1	P1
P3	P	P3	P1	P2	P4	P3	P3

Rates 1981-83 and 1988 P1, P2, P3, P4 = 25, 50, 75, 100 kg P as superphosphate

Sub-plots

3. **SULPHUR** Sulphur (kg S, as calcium sulphate), applied cumulatively since 1991:

0
30

95/R/CS/10 and 95/W/CS/10

**NOTES:** (1) Until 1978 test P was applied cumulatively, rates varied with crop, none in 1979 and 1980. K was also applied cumulatively, to P1 and P3 plots. Since 1981 K has been applied basally (none in 1986, 1987, 1989, 1990, 1993, 1994 and 1995).  
(2) Test manganese was applied cumulatively, 1987-90.

**Experimental diary:**

Sawyers I (R):

06-Sep-94 : B : Barclay Gallup at 4.0 l in 200 l.  
12-Sep-94 : B : Topped.  
14-Sep-94 : B : Ploughed.  
29-Sep-94 : B : Disced, heavy spring-tine cultivated.  
30-Sep-94 : B : Rotary harrowed, Genesis, dressed Rappor, drilled at 380 seeds per m<sup>2</sup>.  
24-Nov-94 : B : Alpha Isoproturon 500 at 2.5 l with Stomp 400 at 2.5 l in 200 l.  
13-Apr-95 : B : 34.5% N at 435 kg.  
01-May-95 : T : **SULPHUR** 30: Gypsum (17.5% S) at 171 kg.  
10-May-95 : B : Halo at 2.0 l in 200 l.  
16-Jun-95 : B : Halo at 2.0 l with Patrol at 0.5 l in 300 l.  
02-Aug-95 : B : Combine harvested.

Stackyard C (W):

23-Sep-94 : B : Ploughed  
30-Sep-94 : B : Rotary harrowed, Genesis, dressed Rappor, drilled at 300 seeds per m<sup>2</sup>. Rolled.  
28-Nov-94 : B : Panther at 2.0 l with Decis at 0.20 l in 200 l.  
13-Mar-95 : T : **SULPHUR** 30: Gypsum (17.5% S) at 171 kg.  
15-Mar-95 : B : 34.5% N at 116 kg.  
21-Apr-95 : B : 34.5% N at 348 kg.  
28-Apr-95 : B : Halo at 2.0 l in 200 l.  
01-Jun-95 : B : Cyclone at 1.0 l with Mallard at 0.3 l in 200 l.  
30-Jun-95 : B : Pirimicarb 50 DG at 280 g in 300 l.  
04-Aug-95 : B : Combine harvested.

**N.B.** At Rothamsted, **CHALK** 0 plots failed, and have been omitted from the analyses.

95/R/CS/10 SAWYERS I (R)

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

P <b>CHALK</b>	-	P1	P2	P3	Mean
15	5.97	6.84	7.27	7.15	6.81
24.5	7.35	7.27	8.17	8.26	7.76
52.5	6.80	7.88	8.20	8.46	7.83
Mean	6.71	7.33	7.88	7.96	7.47

95/R/CS/10 SAWYERS I (R)

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

SULPHUR CHALK	0	30	Mean
15	6.76	6.85	6.81
24.5	7.66	7.87	7.76
52.5	7.78	7.89	7.83
Mean	7.40	7.54	7.47

SULPHUR P	0	30	Mean
-	6.81	6.60	6.71
P1	7.15	7.51	7.33
P2	7.78	7.98	7.88
P3	7.85	8.07	7.96
Mean	7.40	7.54	7.47

CHALK	P	SULPHUR	0	30
15	-	6.36	5.58	
	P1	6.63	7.05	
	P2	7.24	7.30	
	P3	6.82	7.49	
24.5	-	7.36	7.34	
	P1	6.93	7.62	
	P2	7.89	8.45	
	P3	8.46	8.06	
52.5	-	6.71	6.88	
	P1	7.89	7.86	
	P2	8.22	8.18	
	P3	8.28	8.65	

\*\*\* Standard errors of differences of means \*\*\*

CHALK	P	SULPHUR	CHALK
0.321	0.370	0.159	0.641
SULPHUR	SULPHUR	P	P
0.375	0.433	0.750	
CHALK	0.275		
P		0.318	
CHALK. P			0.551

**95/R/CS/10 SAWYERS I (R)**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	11	0.641	8.6
BLOCK.WP.SP	12	0.551	7.4

GRAIN MEAN DM% 90.2

SUB PLOT AREA HARVESTED 0.00150

**95/W/CS/10 STACKYARD C (W)**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

P <b>CHALK</b>	-	P1	P2	P3	Mean
0	1.12	0.82	2.24	1.38	1.39
9	7.37	7.74	8.25	7.78	7.78
25.5	7.10	7.13	7.72	7.52	7.37
45.5	6.48	8.12	7.21	7.52	7.33
Mean	5.52	5.95	6.36	6.05	5.97
SULPHUR <b>CHALK</b>	0	30	Mean		
0	1.45	1.32	1.39		
9	7.76	7.81	7.78		
25.5	7.30	7.44	7.37		
45.5	7.14	7.52	7.33		
Mean	5.91	6.02	5.97		
SULPHUR P	0	30	Mean		
-	5.33	5.71	5.52		
P1	5.86	6.05	5.95		
P2	6.38	6.33	6.36		
P3	6.09	6.01	6.05		
Mean	5.91	6.02	5.97		

95/W/CS/10 STACKYARD C (W)

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CHALK	P	SULPHUR	
		0	30
0	-	0.89	1.34
	P1	0.63	1.00
	P2	2.28	2.21
	P3	2.01	0.74
9	-	6.94	7.79
	P1	8.01	7.47
	P2	8.27	8.24
	P3	7.84	7.72
25.5	-	7.12	7.09
	P1	6.93	7.33
	P2	7.67	7.77
	P3	7.48	7.57
45.5	-	6.36	6.61
	P1	7.86	8.37
	P2	7.32	7.10
	P3	7.04	8.00

\*\*\* Standard errors of differences of means \*\*\*

CHALK	P	SULPHUR	CHALK
SULPHUR	SULPHUR	SULPHUR	P
0.244	0.244	0.128	0.489
0.304	0.304	0.608	
0.255	0.255	0.510	
CHALK.P			

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	15	0.489	8.2
BLOCK.WP.SP	16	0.510	8.5

GRAIN MEAN DM% 91.1

SUB PLOT AREA HARVESTED 0.00143