

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1995

[Full Table of Content](#)



95/R/CS/438 Take-all Control - W. Wheat

Rothamsted Research

Rothamsted Research (1996) *95/R/CS/438 Take-all Control - W. Wheat* ; Yields Of The Field Experiments 1995, pp 93 - 94 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/CS/438

TAKE-ALL CONTROL

Object: To test seed treatments for the control of take-all in w. wheat
- Long Hoos I/II.

Sponsors: G.L. Bateman, J.F. Jenkyn, R.J. Gutteridge.

The first year, w. wheat.

Design: 4 randomised blocks of 3 x 3 plots.

Whole plot dimensions: 3.0 x 10.0.

Treatments: All combinations of :-

1. SEED TRT	Seed treatment:
UT	None
BY	Fuberidazole and triadimenol as 'Baytan'
NT	New treatment

NOTE: NT is under commercial development, composition undisclosed.

2. **N RATE** Rate and timing of nitrogen (kg N):

	Early	Later	Total
N1	-	120	120
N2	40	80	120
N3	40	160	200

Experimental diary:

- 26-Sep-94 : B : Ploughed and furrow pressed.
17-Oct-94 : B : Rotary harrowed, twice.
: T : **SEED TRT** UT: Rotary harrowed, Hussar, undressed, drilled at 380 seeds per m².
: T : **SEED TRT** BY: Rotary harrowed, Hussar, dressed Baytan, drilled at 380 seeds per m².
: T : **SEED TRT** NT: Rotary harrowed, Hussar, dressed N, drilled at 380 seeds per m².
21-Nov-94 : B : Draza at 5.5 kg.
24-Nov-94 : B : Alpha Isoproturon 500 at 3.0 l in 200 l.
: B : Stomp 400 at 3.3 l in 200 l.
27-Feb-95 : T : **N RATE** N2, N3: 34.5% N at 116 kg.
10-Apr-95 : T : **N RATE** N3: 34.5% N at 464 kg.
: T : **N RATE** N1: 34.5% N at 348 kg.
: T : **N RATE** N2: 34.5% N at 232 kg.
11-Apr-95 : B : Barclay Eyetak at 1.1 l in 200 l.
31-May-95 : B : Barclay Hurler at 1.0 l in 300 l.
09-Aug-95 : B : Combine harvested.

Previous crops: W. wheat 1993, s. wheat 1994.

NOTE: Samples to assess root and stem base diseases were taken in January, April and July.

95/R/CS/438

GRAIN TONNES/HECTARE

***** Tables of means *****

N RATE SEED TRT	N1	N2	N3	Mean
UT	6.13	6.76	7.96	6.95
BY	6.64	7.21	8.02	7.29
NT	7.12	7.54	8.68	7.78
Mean	6.63	7.17	8.22	7.34

*** Standard errors of differences of means ***

SEED TRT	N RATE	SEED TRT N RATE
0.161	0.161	0.279

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	24	0.395	5.4

GRAIN MEAN DM% 89.4

PLOT AREA HARVESTED 0.00227