

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1996

[Full Table of Content](#)



96/W/BW/1 Rhynchosporium Study - W. Barley

Rothamsted Research

Rothamsted Research (1997) *96/W/BW/1 Rhynchosporium Study - W. Barley* ; Yields Of The Field Experiments 1996, pp 119 - 119 - DOI: <https://doi.org/10.23637/ERADOC-1-51>

96/W/BW/1

WINTER BARLEY

RHYNCHOSPORIUM STUDY

Object: To characterise two geographically separated *Rhynchosporium* populations and to assess their susceptibility to fungicides - Woburn, Butt Close I - IV. The experiment was repeated at Long Ashton Research Station, Bristol.

Sponsor: D.W. Holloman, Long Ashton Research Station.

Design: 2 randomised blocks of 4 plots.

Whole plot dimensions: 20.0 x 24.0.

Treatments:

FUNGCIDE	Fungicide:
-	None
CARB	Carbendazim (Bavistin DF)
CARB+DTB	Carbendazim and diethofencarb (Sumico)
DTB	Diethofencarb

Experimental diary:

20-Sep-95 : B : Ploughed.
24-Nov-95 : B : Rotary harrowed, Chariot, dressed Wireworm FS Seed Treatment, drilled at 440 seeds per m².
19-Mar-96 : B : 34.5% N at 116 kg.
10-May-96 : B : 34.5% N at 290 kg.
02-Jun-96 : B : Ally at 30 g in 200 l.
14-Jun-96 : T : FUNGCIDE CARB: Bavistin DF at 0.5 kg in 300 l.
 : T : FUNGCIDE DTB: Diethofencarb at 2.0 kg in 300 l.
 : T : FUNGCIDE CARB+DTB: Sumico at 2.0 kg in 300 l.
05-Aug-96 : B : Combine harvested.

Previous crops: Various 1994, potatoes 1995.

NOTE: Leaf samples were taken on three occasions and isolates of *Rhynchosporium* were tested for sensitivity to fungicides.

GRAIN TONNES/HECTARE

***** Tables of means *****

FUNGCIDE	-	CARB	CARB+DTB	DTB	Mean
	2.12	3.27	3.43	2.74	2.89

GRAIN MEAN DM% 89.8

PLOT AREA HARVESTED 0.00440