

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1996

[Full Table of Content](#)



96/R/LP/4 Fusarium Study on Lupins

Rothamsted Research

Rothamsted Research (1997) *96/R/LP/4 Fusarium Study on Lupins* ; Yields Of The Field Experiments 1996, pp 145 - 146 - DOI: <https://doi.org/10.23637/ERADOC-1-51>

96/R/LP/4

LUPINS

FUSARIUM STUDY ON LUPINS

Object: To assess the effects of fungicidal seed treatments on plant survival and *fusarium* infection - Appletree.

Sponsors: G.L. Bateman, J.F. Jenkyn.

Design: 4 randomised blocks of 2 x 4 plots.

Plot dimensions: 2.88 x 9.0.

Treatments: All combinations of:-

- | | |
|------------|---------------------------|
| 1. INOC | Inoculation: |
| I- | None |
| IF | <i>Fusarium avenaceum</i> |
| 2. SEED TR | Seed treatment: |
| - | None |
| IC | Iprodione and carbendazim |
| FEN | Fenpiclonil |
| FLU | Fludioxinil |

Experimental diary:

- 26-Jul-95 : B : Straw removed.
04-Aug-95 : B : Ploughed and furrow pressed, rolled.
12-Sep-95 : T : INOC IF: Inoculum applied.
13-Sep-95 : B : Rotary harrowed twice, CH304/70 drilled, at 40 seeds per m².
14-Sep-95 : B : Stomp 400 SC at 5.0 l in 200 l, Spannit at 1.5 l in 200 l.
18-Oct-95 : B : Laser at 0.75 l with Atlas Adjuvant Oil at 1.6 l in 200 l.
29-Mar-96 : B : Atlas Simazine at 2.3 l in 200 l.
10-Jul-96 : B : Mistral at 1.0 l in 260 l.
18-Jul-96 : B : Benlate Fungicide at 1.1 kg with Pirimicarb 50 DG at 280 g and Vassgro Spreader at 78 ml in 260 l.
03-Sep-96 : B : Reglone at 3.0 l in 390 l.
11-Sep-96 : B : Combine harvested.

Previous crops: W. rape 1994, w. barley 1995.

- NOTES:** (1) Inoculum was applied on oat seed at 2 kg per plot.
(2) Plants were counted and diseases assessed.

96/R/LP/4

GRAIN TONNES/HECTARE

***** Tables of means *****

SEED TR	-	IC	FEN	FLU	Mean
INOC					
I-	0.99	1.04	1.14	0.81	0.99
IF	0.87	0.59	0.61	0.67	0.69
Mean	0.93	0.82	0.87	0.74	0.84

*** Standard errors of differences of means ***

INOC	SEED TR	INOC SEED TR
0.107	0.151	0.214

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	21	0.302	36.0

GRAIN MEAN DM% 84.3

PLOT AREA HARVESTED 0.00227