


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1996

[Full Table of Content](#)



---

### 96/R/LP/15 Nitrogen and Ripening - Lupins

#### Rothamsted Research

Rothamsted Research (1997) *96/R/LP/15 Nitrogen and Ripening - Lupins* ; Yields Of The Field Experiments 1996, pp 163 - 164 - DOI: <https://doi.org/10.23637/ERADOC-1-51>

96/R/LP/15

LUPINS

NITROGEN AND RIPENING

**Object:** To study the effects of nitrogen supply and premature crop senescence by desiccation upon time of ripening, yield and quality - Sawyers I E.

**Sponsors:** I. Shield, D. Newton (Newcastle University).

**Design:** 4 randomised blocks of 3 x 2 plots.

**Whole plot dimensions:** 3.0 x 9.0.

**Treatments:** All combinations of:-

1. **NITROGEN**                      Foliar N (kg):  
    N0                                None  
    N1                                30 in one application  
    N2                                60 in two applications of 30, one week apart
  
2. **DESCCANT**                    Desiccant:  
    -                                 None  
    G                                 Glyphosate

**NOTE:** LP/15 was sited over a previous experiment testing chemicals for insect control, which was discontinued owing to a lack of insects. No residual effects were evident.

**Experimental diary:**

- 08-Sep-95 : B : Rotary harrowed, CH304/70, dressed Germipro and Promet, drilled at 40 seeds per m<sup>2</sup>.
- 14-Sep-95 : B : Stomp 400 SC at 5.0 l in 200 l.
- 12-Oct-95 : B : Draza at 5.5 kg.
- 02-Apr-96 : B : Atlas Simazine at 2.3 l in 200 l.
- 20-Jun-96 : B : Mistral at 1.0 l in 200 l.
- 27-Jun-96 : T : **NITROGEN** N1, N2: 46% N at 65.2 kg in 400 l.
- 05-Jul-96 : T : **NITROGEN** N2: 46% N at 65.2 kg in 400 l.
- 18-Jul-96 : B : Benlate Fungicide at 1.1 kg with Pirimicarb 50 DG at 280 g and Vassgro Spreader at 80 ml in 260 l.
- 08-Aug-96 : T : **DESCCANT** G: Roundup at 3.0 l in 220 l.
- 02-Sep-96 : B : Combine harvested.

Previous crops: W. wheat 1994, fallow 1995.

**NOTE:** Components of yield were assessed at harvest. Nitrogen and oil content of grain was measured.

96/R/LP/15

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

DESCCANT NITROGEN	-	G	Mean
N0	1.68	1.67	1.67
N1	1.77	1.68	1.73
N2	1.41	1.24	1.32
Mean	1.62	1.53	1.57

\*\*\* Standard errors of differences of means \*\*\*

NITROGEN	DESCCANT	NITROGEN DESCCANT
0.108	0.088	0.152

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	15	0.215	13.7
GRAIN MEAN DM%	83.5		
PLOT AREA HARVESTED	0.00197		