


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1996

[Full Table of Content](#)



96/R/MA/1 Maize and Nitrogen - Maize

Rothamsted Research

Rothamsted Research (1997) *96/R/MA/1 Maize and Nitrogen - Maize* ; Yields Of The Field Experiments 1996, pp 167 - 168 - DOI: <https://doi.org/10.23637/ERADOC-1-51>

96/R/MA/1

MAIZE

MAIZE AND NITROGEN

Object: To assess the yield response to nitrogen fertilizer and to assess harvest methods and removal of discards of a forage maize crop - Long Hoos III 4, 5 & 6.

Sponsors: G.N. Talbot, P.R. Poulton.

Design: 3 randomised blocks of 4 plots.

Whole plot dimensions: 6.0 x 25.0.

Treatments:

N	Nitrogen fertilizer (kg N):
N0	0
N1	70
N2	140
N3	210

Experimental diary:

08-Dec-95 : B : Ploughed.

01-May-96 : B : Heavy spring-tine cultivated.

02-May-96 : B : Spring-tine cultivated, rotary harrowed, Hudson, dressed thiram and methiocarb, drilled at 11 seeds per m², rolled.

26-May-96 : B : Gesaprim 500SC at 2.0 l with Stomp 400 SC at 3.7 l in 200 l.

11-Jun-96 : T : N N1, N2, N3: 34.5% N applied at 203, 406 and 609 kg respectively.

20-Sep-96 : B : Harvested by hand.

Previous crops: Set-aside 1994, s. wheat 1995

NOTE: Samples of whole crop maize were taken for chemical analysis.

96/R/MA/1

WHOLE CROP FORAGE (AT 100% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

	N
N0	10.74
N1	11.66
N2	11.93
N3	12.74
Mean	11.77

*** Standard errors of differences of means ***

N
0.463

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.567	4.8

GRAIN MEAN DM% 29.6

PLOT AREA HARVESTED 0.00036