Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1996



Full Table of Content

# 96/R/CS/326 and 96/W/CS/326 Amounts of Straw - W. Wheat

# **Rothamsted Research**

Rothamsted Research (1997) 96/R/CS/326 and 96/W/CS/326 Amounts of Straw - W. Wheat; Yields Of The Field Experiments 1996, pp 72 - 74 - DOI: https://doi.org/10.23637/ERADOC-1-51

#### 96/R/CS/326 and 96/W/CS/326

#### AMOUNTS OF STRAW

```
Object: To study the effects of different amounts of straw, incorporated
  into the soil, on w.wheat - Rothamsted (R) Great Knott III, Woburn (W)
  Far Field I.
```

Sponsors: N.J. Bradbury, M.J. Glendining, J.F. Jenkyn.

The tenth year, w. wheat.

For previous years see 87-95/R & W/CS/326.

Design: 4 randomised blocks of 4 plots (R).
3 randomised blocks of 4 plots (W).

Whole plot dimensions:  $3.0 \times 13.5$  (R).  $3.0 \times 14.5$  (W).

#### Treatments:

STRAW Amounts of straw incorporated into the seedbed (t per ha 85% DM), cumulative to previous annual dressings:

		R	W
NONE	None	-	-
NORMAL	Normal	9.2	7.9
2 NORMAL	Twice normal	18.4	15.8
4 NORMAL	Four times normal	36.7	31.6

#### Experimental diary:

```
Great Knott III (R):
```

```
10-Aug-95 : T : STRAW NORMAL, 2 NORMAL, 4 NORMAL: Straw applied.
```

: T : STRAW NONE: Straw removed.

15-Aug-95 : B : Straw chopped.

29-Sep-95 : B : Ploughed.

05-Oct-95 : B : Heavy spring-tine cultivated.

06-Oct-95 : B : Rotary harrowed, Soissons, dressed Sibutol, drilled at  $400 \text{ seeds per } m^2$ .

30-Oct-95 : B : Avadex BW Granular at 22.5 kg.

14-Nov-95 : B : Draza at 5.5 kg.

07-Mar-96 : B : 34.5% N at 116 kg.

16-Apr-96 : B : 34.5% N at 174 kg.

25-Apr-96 : B : Ally at 30 g with Cheetah Super at 1.25 1 in 200 1.

06-Jun-96 : B : Monicle at 1.0 1 in 320 1.

08-Aug-96 : B : Combine harvested.

Far Field I (W):

10-Aug-95 : T : STRAW NORMAL, 2 NORMAL, 4 NORMAL: Straw applied.

: T : STRAW NONE: Straw removed.

11-Aug-95 : B : Straw chopped.

13-Sep-95 : B : Ploughed. Rolled.

02-Oct-95 : B : Harvest at 3.0 1 in 300 1.

09-Oct-95 : B : Rotary harrowed, Soissons, dressed Sibutol, drilled at  $400 \text{ seeds per } m^2$ .

#### 96/R/CS/326 and 96/W/CS/326

#### Experimental diary:

```
Far Field I (W):
```

13-Nov-95 : B : Trump at 5.5 1 in 200 1.

08-Mar-96 : B : 34.5% N at 116 kg.

25-Apr-96 : B : 34.5% N at 348 kg.

30-Apr-96 : B : Halo at 1.5 1 in 200 1.

06-Jun-96 : B : Halo at 2.0 1 in 300 1.

08-Aug-96 : B : Combine harvested.

NOTE: Straw was sampled for nitrogen content, grain was sampled for

nitrogen content, quality and thousand grain weights.

#### 96/R/CS/326 GREAT KNOTT III (R)

#### GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

STRAW

NONE 6.92 NORMAL 7.14

2 NORMAL 7.19

4 NORMAL 7.33

> Mean 7.14

\*\*\* Standard errors of differences of means \*\*\*

# STRAW

0.090

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum

d.f.

s.e. CV8

0.128

BLOCK.WP

9

1.8

GRAIN MEAN DM% 87.2

PLOT AREA HARVESTED 0.00311

## 96/W/CS/326 FAR FIELD I (W)

## GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

STRAW

NONE 8.81 NORMAL 8.37 2 NORMAL 8.25 4 NORMAL 8.73

Mean 8.54

\*\*\* Standard errors of differences of means \*\*\*

STRAW

0.330

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum d.f. s.e.

BLOCK.WP 6 0.404 4.7

GRAIN MEAN DM% 86.4

PLOT AREA HARVESTED 0.00319