Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1997



Full Table of Content

97/R/CS/326 and 97/W/CS/326 Amounts of Straw - W. Wheat

Rothamsted Research

Rothamsted Research (1998) 97/R/CS/326 and 97/W/CS/326 Amounts of Straw - W. Wheat; Yields Of The Field Experiments 1997, pp 67 - 69 - DOI: https://doi.org/10.23637/ERADOC-1-53

97/R/CS/326 and 97/W/CS/326

AMOUNTS OF STRAW

Object: To study the effects of different amounts of straw, incorporated into the soil, on w.wheat - Rothamsted (R) Great Knott III, Woburn (W) Far Field I.

Sponsors: M.J. Glendining, N.J. Bradbury, J.F. Jenkyn.

The eleventh year, w. wheat.

For previous years see 87-96/R & W/CS/326.

Design: 4 randomised blocks of 4 plots (R).
3 randomised blocks of 4 plots (W).

Whole plot dimensions: 3.0 x 13.5 (R). 3.0 x 14.5 (W).

Treatments:

STRAW Amounts of straw incorporated into the seedbed (t per ha 85% DM), cumulative to previous annual dressings:

		R	W
NONE	None	-	_
NORMAL	Normal	4.5	4.6
2 NORMAL	Twice normal	9.0	9.2
4 NORMAL	Four times normal	18.0	18.4

Experimental diary:

Great Knott III (R):

```
20-Aug-96 : T : STRAW NORMAL, 2 NORMAL, 4 NORMAL: Straw applied and chopped.
```

: T : STRAW NONE: Straw removed.

23-Sep-96 : B : Sting CT at 2.0 1 in 200 1.

01-Oct-96 : B : Ploughed.

02-Oct-96 : B : Spring-tine cultivated, rotary harrowed, Hereward, dressed Beret Gold, drilled at 380 seeds per m².

03-Oct-96 : B : Rolled.

09-Oct-96 : B : Draza at 5.5 kg.

14-Nov-96 : B : Avadex BW Granular at 22.1 kg.

16-Dec-96 : B : Isoproturon 500 at 4.2 l with Stomp 400 SC at 3.1 l in 200 l.

18-Apr-97 : B : Starane 2 at 0.75 1 in 300 1.

04-Jun-97 : B : Folicur at 0.3 1 with Pointer at 0.5 1 in 300 1.

19-Aug-97 : B : Combine harvested.

Far Field I (W):

21-Aug-96 : T : STRAW NORMAL, 2 NORMAL, 4 NORMAL: Straw applied.

: T : STRAW NONE: Straw removed.

22-Aug-96 : B : Straw chopped.

02-Oct-96 : B : Scythe LC at 3.0 1 in 200 1.

03-Oct-96 : B : Rotary harrowed, Hereward, dressed Sibutol, drilled at

325 seeds per m2.

22-Nov-96 : B : Avadex Excel 15G at 15 kg.

97/R/CS/326 and 97/W/CS/326

Experimental diary:

Far Field I (W):

12-Dec-96 : B : Stomp 400 SC at 2.5 l with Isoproturon 500 at 1.0 l in

200 1.

16-May-97 : B : Halo at 2.0 1 in 300 1.

08-Aug-97 : B : Barclay Gallup at 2.0 1 in 300 1.

15-Aug-97 : B : Combine harvested.

NOTES: (1) No nitrogen fertilizer was applied in 1997.

(2) Crop and soil samples were taken in March and August for nitrogen

and carbon content.

97/R/CS/326 GREAT KNOTT III (R)

GRAIN TONNES/HECTARE

***** Tables of means *****

STRAW

NONE 2.26 NORMAL 2.65 2.58 2 NORMAL 2.78 4 NORMAL

> Mean 2.57

*** Standard errors of differences of means ***

STRAW

0.158

***** Stratum standard errors and coefficients of variation *****

Stratum

d.f.

s.e.

CV%

BLOCK.WP

9

0.223 8.7

GRAIN MEAN DM% 89.4

STRAW TONNES/HECTARE

***** Tables of means *****

STRAW

1.10 NONE NORMAL 0.93 2 NORMAL 0.64 4 NORMAL 1.08

> 0.94 Mean

STRAW MEAN DM% 92.4

PLOT AREA HARVESTED 0.00324

97/W/CS/326 FAR FIELD I (W)

GRAIN TONNES/HECTARE

***** Tables of means *****

STRAW

NONE 2.60 NORMAL 2.21 2 NORMAL 2.02 4 NORMAL 2.02

Mean 2.21

*** Standard errors of differences of means ***

STRAW

0.347

***** Stratum standard errors and coefficients of variation *****

Stratum

d.f.

s.e.

CV%

BLOCK.WP

6

0.425

19.2

GRAIN MEAN DM% 89.0

STRAW TONNES/HECTARE

**** Tables of means ****

STRAW

NONE 1.45 NORMAL 0.97 2 NORMAL 1.32 4 NORMAL 1.21

Mean 1.24

STRAW MEAN DM% 61.3

PLOT AREA HARVESTED 0.00319