

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1997

[Full Table of Content](#)



### 97/R/CS/477 Continuous Maize - Maize, S. Barley

#### Rothamsted Research

Rothamsted Research (1998) *97/R/CS/477 Continuous Maize - Maize, S. Barley* ; Yields Of The Field Experiments 1997, pp 96 - 97 - DOI: <https://doi.org/10.23637/ERADOC-1-53>

97/R/CS/477

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter -  
Hoosfield.

**Sponsors:** P.R. Poulton, J. Gaunt.

The first year, maize and s. barley.

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0.

**Treatments:-**

CROP	Crop and straw treatments:
BM	Spring barley, straw removed then maize after three years
BTM	Continuous spring barley, straw removed plus 10 t maize tops incorporated, then s. barley after five years
B	Continuous spring barley, straw removed
M	Continuous maize, stubble incorporated
MB	Maize, stubble incorporated then s. barley after five years
MTB	Maize, stubble plus 10 t maize tops incorporated, then s. barley after five years

**Experimental diary:**

17-Dec-96 : B : Ploughed.  
12-Mar-97 : B : Spring-tine cultivated.  
13-Mar-97 : T : CROP BM, BTM, B: Rotary harrowed, Cooper, dressed  
Raxil S, drilled at 350 seeds per m<sup>2</sup>.  
22-Apr-97 : B : 34.5% N at 290 kg.  
23-Apr-97 : T : CROP M, MB, MTB: Rotary harrowed, Hudson, dressed  
MesuroI, drilled at 11 seeds per m<sup>2</sup>.  
09-Jun-97 : T : CROP M, MB, MTB: Barclay Mutiny at 1.5 l in 300 l.  
24-Jul-97 : B : Hand rogued wild oats.  
21-Aug-97 : T : CROP BM, BTM, B: Combine harvested.  
17-Sep-97 : T : CROP M, MB, MTB: Hand harvested.

Previous crops: Linseed 1995 and 1996.

**NOTE:** Samples of forage maize (whole crop) and barley grain were taken for  
chemical analysis.

97/R/CS/477 MAIZE

WHOLE CROP YIELD TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
M	9.25
MB	10.71
MTB	9.18
Mean	9.71

\*\*\* Standard errors of differences of means \*\*\*

CROP
0.802

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	4	0.983	10.1
CROP MEAN DM%	29.7		
PLOT AREA HARVESTED	0.00108		

BARLEY

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
BM	6.56
BTM	6.46
B	6.34
Mean	6.45

\*\*\* Standard errors of differences of means \*\*\*

CROP
0.263

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	4	0.323	5.0
GRAIN MEAN DM%	87.5		
PLOT AREA HARVESTED	0.00600		