

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1997

[Full Table of Content](#)



### 97/W/CS/478 Continuous Maize - Maize, S. Barley

#### Rothamsted Research

Rothamsted Research (1998) *97/W/CS/478 Continuous Maize - Maize, S. Barley* ; Yields Of The Field Experiments 1997, pp 98 - 99 - DOI: <https://doi.org/10.23637/ERADOC-1-53>

97/W/CS/478

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter -  
Woburn, Stackyard A I.

**Sponsors:** P.R. Poulton, J. Gaunt.

The first year, maize and s. barley.

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 9.0 x 25.0.

**Treatments:**

<b>CROP</b>	Crop and straw treatments:
BM	Spring barley, straw removed then maize after three years
BTM	Continuous spring barley plus 10 t maize tops incorporated, then s. barley after five years
B	Continuous spring barley, straw removed
M	Continuous maize, stubble incorporated
MB	Maize, stubble incorporated then s. barley after five years
MTB	Maize, stubble plus 10 t maize tops incorporated, then s. barley after five years

**Experimental diary:**

28-Jan-97 : B : Scythe LC at 3.0 l in 200 l.  
14-Mar-97 : B : Ploughed.  
17-Mar-97 : B : PK as (0:24:24) at 145 kg, muriate of potash at 91.6 kg  
and gypsum (17.5% S) at 171 kg.  
18-Mar-97 : B : Rotary harrowed.  
18-Mar-97 : T : CROP BM, BTM, B: Cooper, dressed Raxil S, drilled at 375  
seeds per m<sup>2</sup>.  
08-Apr-97 : T : CROP BM, BTM, B: Scythe LC at 3.0 l in 300 l.  
09-Apr-97 : T : CROP BM, BTM, B: Rotary harrowed, Cooper, dressed Raxil S,  
re-drilled at 420 seeds per m<sup>2</sup>.  
01-May-97 : T : CROP M, MB, MTB: Rotary harrowed, Hudson, dressed Mesuro1,  
drilled at 11.5 seeds per m<sup>2</sup>.  
13-May-97 : B : 34.5% N at 278 kg.  
29-May-97 : T : CROP BM, BTM, B: MSS Optica at 2.0 l with Vindex at 1.0 l  
in 200 l.  
17-Jun-97 : T : CROP M, MB, MTB: Mutiny at 2.4 l in 300 l.  
24-Jun-97 : T : CROP BM, BTM, B: Dorin at 1.0 l in 300 l.  
20-Aug-97 : T : CROP BM, BTM, B: Combine harvested.  
01-Sep-97 : T : CROP BM, BTM, B: Straw removed.  
16-Sep-97 : T : CROP M, MB, MTB: Hand harvested.  
29-Sep-97 : T : CROP MTB, BTM: Spread chopped maize at 10 t.

Previous crops: Lupins 1995, w. wheat 1996.

**NOTE:** Samples of whole crop maize and barley grain were taken for chemical  
analysis.

97/W/CS/478 MAIZE

WHOLE CROP YIELD TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
M	9.16
MB	10.04
MTB	11.15
Mean	10.12

\*\*\* Standard errors of differences of means \*\*\*

CROP
0.457

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	4	0.560	5.5

CROP MEAN DM% 41.8

PLOT AREA HARVESTED 0.00108

BARLEY

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
BM	4.32
BTM	4.75
B	4.38
Mean	4.49

\*\*\* Standard errors of differences of means \*\*\*

CROP
0.089

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	4	0.109	2.4

GRAIN MEAN DM% 89.9

PLOT AREA HARVESTED 0.00550