


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1998

[Full Table of Content](#)



---

### 98/W/CS/482 Diagnosis of S Deficiency - W. Wheat

#### Rothamsted Research

Rothamsted Research (1999) *98/W/CS/482 Diagnosis of S Deficiency - W. Wheat* ; Yields Of The Field Experiments 1998, pp 106 - 107 - DOI: <https://doi.org/10.23637/ERADOC-1-52>

98/W/CS/482

### DIAGNOSIS OF S DEFICIENCY

**Object:** To develop reliable diagnostic methods for the prediction of sulphur deficiency - Woburn, Butt Close I.

**Sponsors:** F.J. Zhao, M.M.A. Blake-Kalff, S.P. McGrath.

The first year, w. wheat.

**Design:** 4 randomised blocks of 6 plots.

**Plot dimensions:** 3.0 x 12.0.

**Treatments:-**

SULPHUR	Kg of sulphur:
S0	None
S1	5
S2	10
S3	20
S4	40
S5	80

**Experimental diary:**

16-Sep-97 : B : Ploughed. Rolled.  
14-Oct-97 : T : **SULPHUR** S1, S2, S3, S4, S5: Gypsum applied at 29, 57, 114, 229 and 457 kg respectively.  
: B : Rotary harrowed. Riband, dressed Sibutol, drilled at 385 seeds m<sup>2</sup>.  
29-Jan-98 : B : Panther at 1.0 l with Atlas IPU at 1.0 l in 200 l.  
12-Feb-98 : B : 34.5% N at 145 kg.  
31-Mar-98 : B : 34.5% N at 377 kg.  
04-May-98 : B : Alto 100 SL at 0.6 l in 200 l.  
31-May-98 : B : Opus at 0.8 l in 200 l.  
12-Jun-98 : B : Folicur at 0.3 l with Bavistin DF at 0.3 kg in 200 l.  
02-Aug-98 : B : Roundup Biactive at 3.0 l in 200 l.  
13-Aug-98 : B : Combine harvested.

**NOTES:** (1) Plant samples were taken in April, May and June and analysed for glutathione and sulphur content. At harvest grain and straw were analysed for sulphur content.  
(2) Because of rabbit damage the yield of one plot with **SULPHUR** S2 was lost. An estimated value was used in the analysis.

98/W/CS/482

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

**SULPHUR**

S0	5.32
S1	6.75
S2	6.13
S3	5.47
S4	6.13
S5	6.32

Mean 6.02

\*\*\* Standard errors of differences of means \*\*\*

**SULPHUR**

0.541

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
---------	------	------	-----

BLOCK.WP	14	0.766	12.7
----------	----	-------	------

GRAIN MEAN DM% 87.8

PLOT AREA HARVESTED 0.00276