

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1998

[Full Table of Content](#)



### 98/R/RAW/1 Growth of Weeds and Rape - W. Oilseed Rape

#### Rothamsted Research

Rothamsted Research (1999) *98/R/RAW/1 Growth of Weeds and Rape - W. Oilseed Rape* ; Yields Of The Field Experiments 1998, pp 139 - 141 - DOI: <https://doi.org/10.23637/ERADOC-1-52>

98/R/RAW/1

WINTER OILSEED RAPE

GROWTH OF WEEDS AND RAPE

**Object:** To investigate factors influencing the vigour of winter rape grown in competition with chickweed and barley - Summerdells II.

**Sponsors:** P.J.W. Lutman.

**Design:** 48 plots single replicate.

**Whole plot dimensions:** 3.0 x 16.0.

**Treatments:** All singly and certain combinations of:

1. **BARL DEN** Barley (cultivar Gleam), target plants per m<sup>2</sup>:

B0	0
B1	20
B2	40
B3	60
B4	80
B5	100
B6	120
B7	150
B8	180
B9	220
B10	260
B11	300
B12	400

2. **CHCK DEN** Chickweed (*stellaria media*), target plants per m<sup>2</sup>:

C0	0
C1	30
C2	60
C3	90
C4	120
C5	150
C6	180
C7	220
C8	280
C9	340
C10	400
C11	600
C12	800

**NOTE:** B0.C0 combination was quadruplicated.

**Experimental diary:**

11-Aug-97 : B : Discd.  
15-Aug-97 : B : Ploughed and furrow pressed.  
01-Sep-97 : B : Rotary harrowed.

98/R/RAW/1

**Experimental diary:**

01-Sep-97 : T : Barley and chickweed seed broadcast as treatment.  
          : B : Apex, dressed Vitavax RS, drilled at 120 seeds per m<sup>2</sup>.  
24-Sep-97 : B : Cyperkill 10 at 250 ml in 200 l.  
29-Oct-97 : T : **CHCK DEN** C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11,  
                  C12 **BARL DEN** B0 **CHCK DEN** C0: Laser at 1.0 l with Atlas  
                  Adjuvant Oil at 1.8 l in 220 l.  
          : T : : **BARL DEN** B0 **CHCK DEN** C0: Clayton Metazachlor at 1.5 l  
                  in 220 l.  
07-Nov-97 : B : Punch C at 0.4 l in 200 l. Cyperkill 10 at 250 ml in  
                  200 l.  
04-Feb-98 : B : 34.5% N at 290 kg.  
17-Feb-98 : B : Folicur at 0.5 l in 200 l.  
02-Mar-98 : B : 34.5% N at 350 kg.  
27-Apr-98 : B : Ronilan FL at 1.0 l in 200 l.  
08-May-98 : B : Fastac at 200 ml in 260 l.  
15-Jul-98 : B : Reglone at 3.0 l with Headland Enhance LF at 400 ml in  
                  400 l.  
24-Jul-98 : B : Combine harvested.

Previous crops: W. wheat 1996, w. barley 1997.

- NOTES:**
- (1) Plant populations were assessed in autumn. Plant samples were taken in November, March, May and July to measure relative amounts of biomass. Number of rape flower heads were estimated in April and before harvest an assessment of lodging was made.
  - (2) The grain yields from all plots contained weed seeds. A sample weighing over 2 kg was taken from each plot. This sample was weighed before and after the removal of weed seeds. These figures were used to estimate the cleaned grain yield.
  - (3) Two plots were removed from the analysis; B8.C3 because of animal damage; B8.C10 because of severe early lodging.

98/R/RAW/1

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CHCK DEN	C0	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12
<b>BARL DEN</b>													
B0	4.91	4.49	4.40	4.29	4.37	5.04	4.78	4.54	4.23	4.72	4.61	4.58	4.22
B1	4.47			4.53		4.03		4.58			4.49		
B2	4.79			4.47		4.41		3.91			3.48		
B3	5.11												
B4	4.92			5.16		4.52		4.62			3.93		
B5	4.76												
B6	4.41			3.27		3.87		3.87			3.76		
B7	4.51												
B8	5.25					3.60		4.11					
B9	4.37												
B10	5.56												
B11	4.60												
B12	5.00												

GRAIN MEAN DM% 88.7

**CLEAN GRAIN TONNES/HECTARE, AFTER REMOVING WEED SEEDS**

\*\*\*\*\* Tables of means \*\*\*\*\*

CHCK DEN	C0	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12
<b>BARL DEN</b>													
B0	4.81	4.31	4.21	4.18	4.29	4.96	4.73	4.40	4.18	4.66	4.55	4.42	4.14
B1	3.73			4.40		3.87		4.25			4.37		
B2	3.94			4.17		4.29		3.61			3.26		
B3	3.48												
B4	4.69			4.73		4.29		4.29			2.62		
B5	4.09												
B6	4.12			2.96		2.90		2.92			2.45		
B7	4.07												
B8	4.19					2.60		2.60					
B9	3.85												
B10	5.11												
B11	3.96												
B12	3.91												

PLOT AREA HARVESTED 0.00301