


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1998

[Full Table of Content](#)



98/R/TR/1 Pest Control in Turnip Rape - Turnip Rape

Rothamsted Research

Rothamsted Research (1999) *98/R/TR/1 Pest Control in Turnip Rape - Turnip Rape* ; Yields Of The Field Experiments 1998, pp 158 - 159 - DOI: <https://doi.org/10.23637/ERADOC-1-52>

98/R/TR/1

TURNIP RAPE

PEST CONTROL IN TURNIP RAPE

Object: To monitor pest infestation in turnip rape and their control with conventional and novel insecticides - Great Harpenden I.

Sponsor: B.J. Pye, L.E. Smart.

Design: 4 blocks of 3 plots.

Whole plot dimensions: 10.0 x 3.0.

Treatments:

PESTCONT	Pest control:
	None
	Insecticide (Decis)
	<i>Metarhizium anisopliae</i>

Experimental diary:

26-Aug-97 : B : Ploughed and furrow pressed. Rolled.
27-Aug-97 : B : Rotary harrowed, Salut undressed, drilled at 4.4 kg.
03-Oct-97 : B : Clayton Metazachlor at 1.5 l in 200 l.
14-Oct-97 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
22-Oct-97 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
27-Oct-97 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
29-Oct-97 : T : **PESTCONT** I: Decis at 0.5 kg in 200 l.
07-Nov-97 : B : Punch C at 0.4 l in 200 l.
12-Nov-97 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
17-Feb-98 : B : Folicur at 0.5 l in 200 l.
19-Feb-98 : B : Laser at 0.75 l with Chiltern Cropoil at 1.0 l in 100 l.
02-Mar-98 : B : 34.5% N at 350 kg.
27-Mar-98 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
02-Apr-98 : T : **PESTCONT** I: Decis at 0.5 kg in 200 l.
08-Apr-98 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
17-Apr-98 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
27-Apr-98 : T : **PESTCONT** U: *Metarhizium anisopliae* in 10 l.
16-Jul-98 : B : Reglone at 3.0 l with Headland Enhance LF at 400 ml in
400 l.
24-Jul-98 : B : Combine harvested.

Previous crops: S. barley 1996, w. wheat 1997.

NOTE: Plant samples were taken in December and February to assess cabbage stem flea beetle and stem weevil damage. Raceme samples were taken in April to assess pollen beetle damage. Pod samples were taken in June to assess seed weevil damage.

98/R/TR/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

PESTCONT	
-	0.59
I	1.05
U	0.50
Mean	0.71

*** Standard errors of differences of means ***

PESTCONT
0.139

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.196	27.7
GRAIN MEAN DM%	82.8		
PLOT AREA HARVESTED	0.00230		