


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1998

[Full Table of Content](#)



98/R/BES/5 Induction Agent and Spring Beans - S. Beans

Rothamsted Research

Rothamsted Research (1999) *98/R/BES/5 Induction Agent and Spring Beans - S. Beans* ; Yields Of The Field Experiments 1998, pp 164 - 165 - DOI: <https://doi.org/10.23637/ERADOC-1-52>

98/R/BES/5

SPRING BEANS

INDUCTION AGENT AND SPRING BEANS

Object: To test in the field an 'induction agent' on the control of aphids in spring beans - Highfield VI.

Sponsor: B.J. Pye, J. Martin, L.E. Smart.

Design: 6 x 6 quasi-complete Latin square.

Whole plot dimensions: 6.0 x 6.0.

Treatments:

TREATMNT	Induction agent
C	None (triplicated)
R1	AJH/8/158 on 22-May-98
R2	AJH/8/158 on 22-May-98 and 01-Jun-98
R3	AJH/8/158 on 22-May-98 and 19-Jun-98

NOTE: Agent AJH/8/158 is under commercial development, composition undisclosed.

Experimental diary:

05-Nov-97 : B : Farmyard manure at 25 t.
07-Nov-97 : B : Ploughed.
06-Feb-98 : B : Rotary harrowed, Alfred, undressed, drilled at 40 seeds per m².
13-Feb-98 : B : Opogard 500 SC at 3.4 l in 200 l.
08-May-98 : B : Standon Bentazone at 1.5 l in 200 l. Folio 575 SC at 2.0 l in 200 l.
22-May-98 : T : TREATMNT R1, R2, R3: AJH/8/158 at 50 g in 200 l.
01-Jun-98 : T : TREATMNT R2: AJH/8/158 at 50 g in 200 l.
08-Jun-98 : B : Folio 575 SC at 2.0 l in 200 l.
19-Jun-98 : T : TREATMNT R3: AJH/8/158 at 50 g in 200 l.
16-Jul-98 : B : Bavistin DF at 0.5 l with Bravo 500 at 2.0 l in 200 l.
28-Aug-98 : B : Combine harvested.

Previous crops: W. barley 1996 and 1997.

NOTE: Aphid infestation was assessed weekly mid-May to end of June.

98/R/BES/5

GRAIN TONNES/HECTARE

***** Tables of means *****

TREATMNT

C	2.04
R1	2.10
R2	2.05
R3	1.99

Mean	2.04
------	------

*** Standard errors of differences of means ***

TREATMNT

0.358	min.rep
0.292	max-min

TREATMNT

min.rep	Any of the remainder
max-min	C v any of the remainder

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
ROW.COL	22	0.620	30.4

GRAIN MEAN DM% 80.2

PLOT AREA HARVESTED 0.00138