
Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1998



Full Table of Content

# 98/R/BN/7 Barnfield - Ley

### **Rothamsted Research**

Rothamsted Research (1999) 98/R/BN/7 Barnfield - Ley; Yields Of The Field Experiments 1998, pp 33 - 36 - DOI: https://doi.org/10.23637/ERADOC-1-52

#### BARNFIELD

Object: The experiment was designed to study the effects of organic and inorganic manures on continuous root crops. It was progressively modified to study effects on other crops.

Sections 1 and 2, 4th year of clover. Sections 3-6, 4th year of grass/clover.

For previous years see 'Details' 1967 and 1973 and 74-97/R/BN/7.

Plot dimensions: 10.7 x 55.9.

Treatments to grass/clover, Sections 3-6: All combinations of:-

Whole plots

#### MANURE Fertilizers and organic manures:

(D)	(D)
(D) PK	(D) P K
PKMG	P K (Na) Mg
P	P
PK	PK
PMG	P (Na) Mg
0	Λ.

P: 35 kg P as triple superphosphate in 1974 and since 1987, single superphosphate in other years

K: 225 kg K as sulphate of potash

(Na): 90 kg Na as sodium chloride until 1973, none since

Mg: 90 kg Mg as kieserite every fourth year since 1974 (sulphate of magnesia until 1973)

(D): Farmyard manure at 35 t until 1975, none since

Sub-plots

2. 1	N	PERCUT	Nitrogen fertilizer in 1998 (kg N per cut) as 34.5% N,
			cumulative to previous dressings and residues of
			forms of N previously each supplying 96 kg N per
			annum:

75	75, previously nitrate of soda, section 3
100	100, previously sulphate of ammonia, section 4
125	<pre>125, previously sulphate of ammonia + castor meal,     section 5</pre>
	Section 5
150	150, previously castor meal, section 6

No nitrogen fertilizer applied in 1995. Castor meal last applied 1971, nitrate of soda and sulphate of ammonia until 1959.

Plus one plot MANURE KMG 100

Treatments to clover, sections 1 and 2 (not given nitrogen fertilizer):

MANURE Fertilizers and organic manures as for grass/clover above, excluding KMG.

NOTES: (1) P, K and D treatments were applied to Sections 1 and 2 until 1980. None were applied subsequently until the resumption of P and K treatments only, from 1985.

(2) Yields were not taken from section 2.

#### Experimental diary:

04-Dec-97 : T : P applied.

21-Jan-98: T: K and Mg applied.

26-Feb-98 : **T** : N applied. 18-Mar-98 : B : Rolled.

17-Jun-98 : B : Cut, herbage removed.

10-Jul-98 : T : Sections 1 & 2 only: Checkmate at 1.75 1 in 400 1.

05-Sep-98 : T : Sections 1 & 2 only: Topped.

08-Dec-98 : T : Cut, herbage removed.

NOTE: Herbage samples were taken for chemical analysis.

#### GRASS/CLOVER

#### 1ST CUT (17/6/98) DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

N PERCUT MANURE	75	100	125	150	Mean
(D)	5.63	5.43	4.14	5.62	5.21
(D) PK	6.74	7.76	7.11	5.79	6.85
PKMG	6.89	5.83	5.66	6.25	6.16
P	4.16	3.24	2.49	3.98	3.47
PK	6.06	5.92	6.08	6.36	6.10
PMG	4.49	3.84	3.28	3.94	3.89
0	4.95	3.90	3.34	4.33	4.13
Mean	5.56	5.13	4.59	5.18	5.12

MANURE KMG 100 5.29

Grand mean 5.12

1ST CUT MEAN DM% 18.9

#### GRASS/CLOVER

#### 2ND CUT (8/12/98) DRY MATTER TONNES/HECTARE

\*\*\*\* Tables of means \*\*\*\*

N	PERCUT	75	100	125	150	Mean
	MANURE					
	(D)	1.95	3.29	3.39	4.70	3.33
	(D) PK	3.11	3.72	3.49	3.70	3.51
	PKMG	2.74	3.50	3.30	3.06	3.15
	P	0.70	1.95	1.83	1.44	1.48
	PK	2.84	3.02	3.12	2.86	2.96
	PMG	1.54	2.26	1.52	1.67	1.75
	0	1.21	1.72	1.51	2.73	1.79
	Mean	2.01	2.78	2.59	2.88	2.57

MANURE KMG 100 2.82

Grand mean 2.58

2ND CUT MEAN DM% 15.9

## TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

N PERCUT	75	100	125	150	Mean
(D)	7.58	8.72	7.54	10.32	8.54
(D) PK	9.85	11.48	10.60	9.50	10.36
PKMG	9.63	9.34	8.95	9.30	9.30
P	4.86	5.19	4.31	5.42	4.95
PK	8.90	8.94	9.20	9.22	9.06
PMG	6.03	6.10	4.80	5.61	5.63
0	6.16	5.62	4.85	7.06	5.92
Mean	7.57	7.91	7.18	8.06	7.68

MANURE KMG 100 8.11

Grand mean 7.70

TOTAL OF 2 CUTS MEAN DM% 17.4

#### CLOVER

#### 1ST CUT (17/6/98) DRY MATTER TONNES/HECTARE

\*\*\*\* Tables of means \*\*\*\*

 MANURE
 (D)
 (D) PK
 PKMG
 P
 PK
 PMG
 0
 Mean

 3.33
 4.39
 4.16
 3.93
 4.04
 3.83
 2.26
 3.71

1ST CUT MEAN DM% 15.1

#### 2ND CUT (8/12/98) DRY MATTER TONNES/HECTARE

\*\*\*\* Tables of means \*\*\*\*

 MANURE
 (D)
 (D) PK
 PKMG
 P
 PK
 PMG
 0
 Mean

 0.38
 0.62
 0.20
 0.14
 0.21
 0.24
 0.16
 0.28

2ND CUT MEAN DM% 15.2

#### TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\* Tables of means \*\*\*\*

 MANURE
 (D)
 (D) PK
 PKMG
 P
 PK
 PMG
 0
 Mean

 3.71
 5.02
 4.36
 4.07
 4.25
 4.07
 2.42
 3.99

TOTAL OF 2 CUTS MEAN DM% 15.2

PLOT AREA HARVESTED 0.00155