


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/R/CS/511 Management of Herbicide Resistant Crops - W. Rape

Rothamsted Research

Rothamsted Research (2000) *99/R/CS/511 Management of Herbicide Resistant Crops - W. Rape* ; Yields Of The Field Experiments 1999, pp 111 - 112 - DOI:

<https://doi.org/10.23637/ERADOC-1-34>

99/R/CS/508

GRAIN TONNES/HECTARE

***** Tables of means *****

S1999	
-99	9.72
F99	9.74
Mean	9.73

*** Standard errors of differences of means ***

S1999
0.149

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	59	0.596	6.1
GRAIN MEAN DM%	81.8		
PLOT AREA HARVESTED	0.00227		

99/R/CS/511

MANAGEMENT OF HERBICIDE RESISTANT CROPS

Object: To identify possible benefits and potential management problems that may arise in farm rotations that include herbicide resistant rape and beet - Black Horse.

Sponsors: P.J.W. Lutman.

The first year, w. rape.

Design: 2 replicates of 2 plots split into 4 sub-plots.

Whole plot dimensions: 96.0 x 120.0.

Sub-plot dimensions: 24.0 x 120.0.

Treatments: All combinations of:-

1. **CROP ROT** Crop rotations in 1999, 2000, 2001 and 2002:
R1 Rape, cereal, cereal, rape
R2 Rape, cereal, beet, cereal
2. **RESIST** Herbicide resistance or none:
RR Glyphosate resistant
LL Glufosinate resistant
IME Imazamox resistant
CON Conventional

Experimental diary:

08-Aug-98	: B :	: Baled, started.
09-Aug-98	: B :	: Carted bales, completed.
20-Aug-98	: B :	: Shakerated, started.
21-Aug-98	: B :	: Shakerated, completed.
29-Aug-98	: B :	: Rolled.
01-Sep-98	: B :	: Ploughed and furrow pressed, started.
02-Sep-98	: B :	: Ploughed and furrow pressed, completed.
04-Sep-98	: T : CON	: Combination drilled, Apex, tr. Lindex-Plus FS Seed Treatment, at 120 seeds/m ² with the Accord drill.
	: T : IME	: Combination drilled at 120 seeds/m ² with the Accord drill.
	: T : LL	: Combination drilled at 120 seeds/m ² with the Accord drill.
	: T : RR	: Combination drilled at 120 seeds/m ² with the Accord drill.
07-Sep-98	: B :	: Hardy at 7.5 kg.
18-Sep-98	: B :	: Stefes Cypermethrin 2 at 250 ml in 200 l.
	: B :	: Hardy at 7.5 kg.
24-Sep-98	: B :	: 34.5% N at 120 kg.
28-Sep-98	: T : CON	: Butisan S at 1.5 l in 200 l.
09-Oct-98	: T : IME	: Imazamox at 1.75 l in 200 l.
11-Nov-98	: T : RR	: Roundup Biactive at 3.0 l in 200 l.
	: T : LL	: tm)Harvest at 0.6 l in 200 l.
	: T : LL	: tm)Liberty at 2.4 l in 200 l.
	: T : CON	: tm)Laser at 0.5 l in 200 l.
	: T : CON	: tm)Cropoil at 2.0 l in 200 l.
	: B :	: tm)Punch C at 0.4 l in 200 l.
	: B :	: tm)Stefes Cypermethrin 2 at 250 ml in 200 l.
13-Nov-98	: T : R2 IME	: tm)Laser at 0.5 l in 200 l.