

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/W/WW/1 Crop Density and Light Interception - W. Wheat

Rothamsted Research

Rothamsted Research (2000) *99/W/WW/1 Crop Density and Light Interception - W. Wheat* ; Yields Of The Field Experiments 1999, pp 114 - 115 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/R/CS/512

MANAGEMENT OF RESISTANT VOLUNTEER RAPE

Object: To identify possible benefits and potential management problems that may arise in farm rotations that include herbicide resistant rape -Black Horse.

Sponsors: P.J.W. Lutman.

The first year, w. wheat.

Design: 3 randomised blocks of 4 plots.

Plot dimensions: 12.0 x 48.0.

Treatments:

RESIST	Rape; conventional or herbicide resistant undersown into w. wheat
RR	Glyphosate
LL	Glufosinate
IME	Imazamox
CON	Conventional

Experimental diary:

20-Aug-98 : B : : Shakerated, started.
21-Aug-98 : B : : Shakerated, completed.
29-Aug-98 : B : : Rolled.
02-Sep-98 : B : : Ploughed and furrow pressed.
 : T : CON : Apex, recleaned, hand broadcast at 10,000 seeds/m².
 : T : IME : Hand broadcast at 10,000 seeds/m².
 : T : LL : Hand broadcast at 10,000 seeds/m².
 : T : RR : Hand broadcast at 10,000 seeds/m².
07-Sep-98 : B : : Hardy at 7.5 kg.
16-Sep-98 : B : : Combination drilled, Hereward, tr. Beret Gold, at 260 seeds/m² with the Nordsten drill.
17-Sep-98 : B : : Rolled.
18-Sep-98 : B : : Hardy at 7.5 kg.
03-Dec-98 : B : : tm)Isoguard at 2.0 l in 200 l.
 : B : : tm)Stomp 400 SC at 3.0 l in 200 l.
04-Mar-99 : B : : 34.5% N at 145 kg.
15-Apr-99 : B : : 34.5% N at 435 kg.
30-Apr-99 : B : : tm)Ally at 30 g in 200 l.
 : B : : tm)Duplosan at 2.0 l in 200 l.
 : B : : tm)Opus at 1.0 l in 200 l.
14-May-99 : B : : tm)Grasp at 1.0 l in 200 l.
 : B : : tm)Output at 1.0 l in 200 l.
25-May-99 : B : : tm)Amistar at 0.8 l in 200 l.
 : B : : tm)Folicur at 0.5 l in 200 l.
17-Jun-99 : B : : tm)Amistar at 0.25 l in 100 l.
 : B : : tm)Magnesium sulphate at 5.0 kg in 100 l.
31-Jul-99 : B : : Combine harvested, started.
01-Aug-99 : B : : Combine harvested, completed.

Previous crops: W. wheat 1997, w. oats 1998.

NOTE: Because of contractual reasons the yields are not published in this edition.

99/W/WW/1

WINTER WHEAT

CROP DENSITY AND LIGHT INTERCEPTION

Object: To study the timing of canopy closure and measure light interception at different crop densities - Woburn, Broad Mead I/IV.

Sponsors: J. Storkey, J.W. Cussans.

Design: 3 randomised blocks of 4 plots

Plot dimensions: 4.0 x 10.0.

Treatments:

DENSITY	Crop density, plants/m ² :
D0	0
D1	50
D2	125
D3	320

Experimental diary:

23-Sep-98 : B : : tm)Alpha Glyphogan at 3.0 l in 200 l.
: B : : tm)Codacide Oil at 0.5 l in 200 l.
02-Oct-98 : B : : Hardy at 7.5 kg.
13-Oct-98 : B : : Rotary harrowed.
: T : D1,D2,D3 : Drilled Consort, tr Beret Gold, as treatment with
the Nordsten drill.
14-Oct-98 : B : : Hardy at 7.5 kg.
09-Feb-99 : B : : Muriate of potash at 600 kg.
17-Feb-99 : B : : tm)Isoguard at 2.0 l in 200 l.
: B : : tm)Platform S at 1.0 kg in 200 l.
19-Feb-99 : B : : 34.5% N at 145 kg.
02-Apr-99 : B : : 34.5% N at 377 kg.
03-Apr-99 : B : : tm)Topik at 125 ml in 200 l.
: B : : tm)Ally at 30 g in 200 l.
: B : : tm)Cropoil at 2.5 l in 200 l.
08-Apr-99 : B : : tm)Folicur at 0.5 l in 200 l.
: B : : tm)Atlas Chlormequat 700 at 2.0 l in 200 l.
: B : : tm)Marshland Liquid Manganese Complex at 2.0 l in 200 l.
: B : : tm)Profol Copper 500 at 0.2 l in 200 l.
30-Apr-99 : B : : Starane 2 at 0.5 l in 200 l.
26-May-99 : B : : Folicur at 1.0 l in 200 l.
10-Jun-99 : B : : Folicur at 0.25 l in 200 l.
22-Aug-99 : B : : Combine harvested.

Previous crops: W. wheat 1998, lupins 1997.