


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/R/LNW/1 Winter Linseed Diseases - Linseed

Rothamsted Research

Rothamsted Research (2000) *99/R/LNW/1 Winter Linseed Diseases - Linseed* ; Yields Of The Field Experiments 1999, pp 143 - 144 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/R/RAW/9

WINTER OILSEED RAPE

FUNGICIDES AND STEM CANKER

Object: To study the epidemiology of stem canker (*leptosphaeria maculans*) under a one- and two-spray regime - Great Knott I.

Sponsors: J.S. West.

Design: 4 blocks of 2 plots.

Whole plot dimensions: 3.0 x 15.0.

Treatments:

FUNGICIDE

J Applied twice, autumn and late winter
N Applied once in autumn

Experimental diary:

13-Aug-98 : B : : Ploughed and furrow pressed, started.
14-Aug-98 : B : : Ploughed and furrow pressed, completed.
21-Aug-98 : : : : Rolled.
27-Aug-98 : B : : Combination drilled, Capitol, tr. Lindex-Plus FS Seed Treatment, at 120 seeds/m² with the Accord drill.
28-Aug-98 : B : : Rolled.
29-Aug-98 : B : : Doff Agricultural Slug Killer with Animal Repellent at 7.5 kg.
11-Sep-98 : B : : tm)Katamaran at 2.0 l in 200 l, started.
: B : : tm)Decis at 0.25 l in 200 l, started.
16-Sep-98 : B : : Hardy at 7.5 kg.
17-Sep-98 : B : : tm)Katamaran at 2.0 l in 200 l, completed.
: B : : tm)Decis at 0.25 l in 200 l, completed.
24-Sep-98 : B : : 34.5% N at 120 kg.
06-Nov-98 : B : : tm)Laser at 0.5 l in 200 l.
: B : : tm)Cropoil at 2.0 l in 200 l.
13-Nov-98 : B : : tm)Punch C at 0.4 l in 200 l.
: B : : tm)Stefes Cypermethrin 2 at 250 ml in 200 l.
16-Dec-98 : B : : Draza at 5.5 kg.
08-Feb-99 : B : : 34.5% N at 300 kg.
25-Feb-99 : T : J : Punch C at 0.4 l in 220 l.
05-Mar-99 : B : : 34.5% N at 300 kg.
30-Apr-99 : B : : Hallmark at 100 ml in 200 l.
09-Jul-99 : B : : tm)Reglone at 3.0 l in 400 l.
: B : : tm)Enhance at 400 ml in 400 l.
17-Jul-99 : B : : Combine harvested.

Previous crops: W. oats 1997, s. barley 1998.

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

| FUNGICIDE | |
|-----------|------|
| J | 4.88 |
| N | 4.66 |
| Mean | 4.77 |

GRAIN MEAN DM% 88.9

PLOT AREA HARVESTED 0.00345

99/R/LNW/1

LINSEED

WINTER LINSEED DISEASES

Object: To assess the effects of diseases on the growth and yield of winter linseed by using fungicides to control them - Webbs.

Sponsors: B.D.L. Fitt, S.A.M Perryman.

Design: 3 blocks of 10 plots.

Plot dimensions: 3.0 x 15.0.

Treatments:

| DIS CONT | Fungicides and timing: |
|----------|----------------------------------------------------------------------------|
| - | None |
| AF | Tebuconazole in autumn |
| BM | Benomyl mid-flowering |
| BMC | Benomyl mid-flowering and at capsule development |
| AM | Iprodione mid-flowering |
| AMC | Iprodione mid-flowering and at capsule development |
| CM | Iprodione with thiophanate-methyl mid-flowering |
| CMC | Iprodione with thiophanate-methyl mid-flowering and at capsule development |
| PM | Benomyl pre-flowering and mid-flowering |
| APM | Tebuconazole with Benomyl pre-flowering and mid-flowering |

Experimental diary:

| | | |
|-----------|--------------|--------------------------------------------------------------------------------------------------------|
| 17-Sep-98 | : B : | : Farmyard manure at 4.0 t. |
| 23-Sep-98 | : B : | : Ploughed and furrow pressed. |
| 24-Sep-98 | : B : | : Ploughed, completed. |
| 09-Oct-98 | : B : | : Combination drilled, Oliver, tr. Prelude 20 LF, at 950 seeds/m ² with the Nordsten drill. |
| 13-Oct-98 | : B : | : Hardy at 10.0 kg. |
| 09-Dec-98 | : T : AF,APM | : Folicur at 0.5 l in 220 l. |
| 24-Mar-99 | : B : | : 34.5% N at 348 kg. |
| 25-Mar-99 | : B : | : tm)Laser at 1.0 l in 200 l. |
| | : B : | : tm)Cropoil at 2.0 l in 200 l. |
| 08-Apr-99 | : B : | : Eagle at 40 g in 200 l. |
| 14-May-99 | : T : APM,PM | : Benlate Fungicide at 1.1 kg in 220 l. |
| 07-Jun-99 | : T : AM,AMC | : Rovral Flo at 2.0 l in 220 l. |
| | : T : BM,BMC | : Benlate Fungicide at 1.1 kg in 220 l. |
| | : T : CM,CMC | : Compass at 3.0 l in 220 l. |
| | : T : APM,PM | : Benlate Fungicide at 1.1 kg in 220 l. |
| 23-Jun-99 | : T : AMC | : Rovral Flo at 2.0 l in 220 l. |
| | : T : BMC | : Benlate Fungicide at 1.1 kg in 220 l. |
| | : T : CMC | : Compass at 3.0 l in 220 l. |
| 09-Jul-99 | : B : | : tm)Reglone at 3.0 l in 400 l. |
| | : B : | : tm)Enhance at 400 ml in 400 l. |
| 24-Jul-99 | : B : | : Combine harvested. |

Previous crops: Maize 1997, w. barley 1998.