


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/R/LP/4 Genotype Evaluation - Lupins

Rothamsted Research

Rothamsted Research (2000) *99/R/LP/4 Genotype Evaluation - Lupins* ; Yields Of The Field Experiments 1999, pp 163 - 164 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/R/LP/3

Experimental diary:

18-Jun-99 : B : : tm)Aphox at 280 g in 200 l.
 : B : : tm)Enhance at 50 ml in 200 l.
 23-Jun-99 : T : I : Irrigated 24 mm, one half block (plots 19-24) flooded
 due to burst pipe.
 30-Jun-99 : T : : tm)Corbel at 0.2 l in 220 l, all except E plots.
 : T : : tm)Opus at 1.0 l in 220 l, all except E plots.
 : T : E : Mantra at 1.0 l in 220 l.
 02-Jul-99 : T : FN : 46% N at 240 kg.
 13-Jul-99 : T : I : Irrigated 15 mm.
 16-Jul-99 : T : I : Irrigated 25 mm.
 19-Jul-99 : T : I : Irrigated 8 mm.
 26-Aug-99 : B : : Combine harvested.

Previous crops: W. rape 1997, w. rye, s. wheat and w. wheat 1998.

GRAIN TONNES/HECTARE

***** Tables of means *****

N STRUCT IRRIGATN	-	SN	FN	E	Mean
O	2.39	2.79	2.92	2.99	2.64
I	2.36	2.68	2.46	2.64	2.48
Mean	2.38	2.73	2.69	2.82	2.56

*** Standard errors of differences of means ***

N STRUCT	IRRIGATN*	N STRUCT
0.182	0.257	min.rep
0.148	0.210	max-min

* Within the same level of IRRIGATN only

N STRUCT
 min.rep -
 max-min - v any of the remainder

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	14	0.257	10.0
GRAIN MEAN DM%	64.6		
PLOT AREA HARVESTED	0.00207		

99/R/LP/4

LUPINS

GENOTYPE EVALUATION

Object: To test further the best new dwarf determinate genotypes - Bones Close.

Sponsors: I.F. Shield, H.J. Stevenson, J.E. Leach, T. Scott.

Design: 3 blocks of 14 plots.

Whole plot dimensions: 2.0 x 5.5.

Treatments:

GENOTYPE

01	DTN108
02	DTN19A
03	DTN19B
04	DTN78
05	DTN01
06	DTN11
07	DTN31
08	DTN84
09	DTN10
10	DTN04
11	CH304-73
12	DTN12
13	DTN20
14	CH304-70

Experimental diary:

29-Aug-98 : B : : Ploughed and pressed.
17-Sep-98 : B : : Rotary harrowed.
: T : : Genotypes drilled at 40 seeds/m² with the Oyjord drill.
: B : : Spannit at 1.5 l in 200 l.
29-Jan-99 : B : : tm)Carbetamex at 3.0 kg in 200 l.
: B : : tm)Stomp 400 SC at 5.0 l in 200 l.
16-Mar-99 : B : : Aplha Simazine 50 SC at 2.3 l in 200 l.
17-Mar-99 : B : : tm)Folicur at 0.5 l in 200 l.
: B : : tm)Rovral Flo at 1.0 l in 200 l.
15-Apr-99 : B : : Lo-Gran 20 WG at 18.75 g in 200 l.
18-Jun-99 : B : : Alto 240 EC at 0.33 l in 200 l.
: B : : tm)Aphox at 280 g in 200 l.
: B : : tm)Enhance at 50 ml in 200 l.
26-Aug-99 : T : : Combine harvested, genotypes 6, 11 & 14. Chopped
straw.
27-Aug-99 : T : : Combine harvested all remaining genotypes. Chopped
straw

Previous crops: W. rape 1997, w. rye, s. wheat and w. wheat 1998.