


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/W/RN/12 Organic Manuring - W. Wheat

Rothamsted Research

Rothamsted Research (2000) *99/W/RN/12 Organic Manuring - W. Wheat* ; Yields Of The Field Experiments 1999, pp 46 - 47 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/W/RN/3

W. RYE

GRAIN TONNES/HECTARE

***** Tables of means *****

FYMRES62	NONE	FYM	Mean
ROTATION			
LLN 8	7.99	8.23	8.11
LN 3	7.96	7.93	7.95
LLC 8	8.66	8.27	8.47
LC 3	8.04	8.78	8.41
AF	5.34	5.09	5.22
AB	5.40	6.16	5.78
Mean	7.23	7.41	7.32

N	0	40	80	120	Mean
ROTATION					
LLN 8	5.74	7.74	9.31	9.65	8.11
LN 3	5.39	7.49	9.14	9.76	7.95
LLC 8	5.40	9.14	9.42	9.91	8.47
LC 3	5.64	8.96	9.35	9.69	8.41
AF	2.62	4.44	6.16	7.65	5.22
AB	3.03	4.50	7.07	8.51	5.78
Mean	4.64	7.05	8.41	9.20	7.32

N	0	40	80	120	Mean
FYMRES62					
NONE	4.66	7.05	8.13	9.09	7.23
FYM	4.61	7.05	8.68	9.31	7.41
Mean	4.64	7.05	8.41	9.20	7.32

	N	0	40	80	120
ROTATION	FYMRES62				
LLN 8	NONE	5.64	8.27	9.16	8.89
	FYM	5.85	7.21	9.45	10.42
LN 3	NONE	5.48	7.68	9.00	9.68
	FYM	5.30	7.30	9.28	9.85
LLC 8	NONE	5.59	9.81	9.07	10.19
	FYM	5.21	8.47	9.78	9.64
LC 3	NONE	5.52	7.71	9.17	9.76
	FYM	5.75	10.21	9.53	9.62
AF	NONE	2.76	4.74	6.13	7.74
	FYM	2.48	4.13	6.19	7.56
AB	NONE	3.00	4.06	6.28	8.25
	FYM	3.05	4.94	7.86	8.78

GRAIN MEAN DM% 85.9

PLOT AREA HARVESTED 0.00183

99/W/RN/12

ORGANIC MANURING

Object: To study, from crop yields and soil analyses, the effects of a range of types of organic matter - Woburn, Stackyard B.

Sponsor: P.R. Poulton.

The 35th year, w. wheat.

For previous years see 'Details' 1973 and 74-98/W/RN/12.

Design: 4 blocks of 8 plots.

Whole plot dimensions: 8.0 x 30.5.

Treatments: From 1966 to 1971 the experiment had a preliminary period designed to build up organic matter from different sources. An arable rotation was started on two blocks in 1972 and the remaining two blocks in 1973. After a period of testing the residues, a further period of accumulation was started; on two blocks (which included ley sown in 1979) in 1981 and on the other two (which included ley sown in 1980) in 1982. A second test phase began when leys on the first pair of blocks were ploughed for the 1st test crop in 1987 and on the second pair for the 1st test crop in 1988. From 1988 two blocks, and 1989 the other two, to 1994, plots were split into 6 sub-plots to test five levels of nitrogen and nil. From 1995 to 1997 residual effects of that nitrogen were measured. In 1998 and 1999 yields were taken from whole plots only.

Whole blocks

1. CROPSEQ

Crop sequence:

WHEAT A

W. wheat, after w. wheat 1988, potatoes 1989, w. wheat 1990, w. beans 1991, w. wheat 1992-6, w. rye 1997, w. wheat 1998

WHEAT B

W. wheat, after w. wheat 1987, potatoes 1988, w. wheat 1989, w. beans 1990, w. wheat 1991-6, w. rye 1997, w. wheat 1998

Whole plots

2. TREATMNT

Previous treatments:

LC 8 GM

Eight-year clover/grass ley until 1987 (WHEAT A) or 1986 (WHEAT B), green manure in the preliminary period

LC 8 PT

As above, peat in the preliminary period

LC 6 LC

Six-year clover/grass ley until 1987 (WHEAT A) or 1986 (WHEAT B), clover/grass ley in the preliminary period

LC 6 LN

As above, grass ley with N in the preliminary period

FYM

Farmyard manure annually 1981 to 1986 (WHEAT A) or 1985 (WHEAT B) and in the preliminary period

STRAW

Straw in both periods