


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/R/CS/429 Winter Rye As an Energy Crop - W. Rye

Rothamsted Research

Rothamsted Research (2000) *99/R/CS/429 Winter Rye As an Energy Crop - W. Rye* ; Yields Of The Field Experiments 1999, pp 75 - 76 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/W/CS/428

GRAIN TONNES/HECTARE

***** Tables of means *****

SLUDGE

T21	1.83
T22	1.85
T23	2.55
T24	2.80
T25	2.37
T26	2.42
T27	1.85
T28	1.62
T29	2.40
T30	2.81
T31	1.71

Mean 2.14

*** Standard errors of differences of means ***

SLUDGE

0.569	min.rep
0.492	max-min
0.402	max.rep

SLUDGE

max-min	T21 or T22 v any of the remainder
min.rep	Any of the remainder
max.rep	T21 v T22 only

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	26	0.696	32.5
GRAIN MEAN DM%	89.1		
PLOT AREA HARVESTED (MEAN)	0.00043		

99/R/CS/429

WINTER RYE AS AN ENERGY CROP

Object: To measure the effects of rates of nitrogen fertilizer on the biomass yield of w. rye - Road Piece West.

Sponsor: D.G. Christian.

The sixth year, w. rye.

For previous years see 94-98/R/CS/429.

Design: 3 randomised blocks of 5 plots.

Plot dimensions: 3.0 x 15.0.

Treatments:

N	Nitrogen fertilizer (kg N), cumulative to previous dressings:
-	None
N1	30
N2	60
N3	90
N4	120

Experimental diary:

25-Aug-98 : B : : Alpha Glyphogan at 4.0 l in 220 l.
18-Sep-98 : B : : Ploughed.
25-Sep-98 : B : : Cambridge rolled.
 : B : : Combination drilled, Esprit, undressed, at 350 seeds/m² with the Accord drill.
26-Sep-98 : B : : Cambridge rolled.
02-Oct-98 : B : : Hardy at 15 kg.
20-Oct-98 : T : : Hand broadcast Esprit, undressed, at 380 seeds/m² to all misses.
21-Oct-98 : B : : Hardy at 7.5 kg.
04-Nov-98 : B : : Decoy at 7.5 kg.
07-Apr-99 : B : : Decoy at 15 kg.
09-Apr-99 : B : : Quantum at 0.03 kg in 200 l.
23-Apr-99 : T : N1,N2,N3,N4 : 34.5% N applied as treatment.
27-May-99 : B : : Folicur at 1.0 l in 200 l.
03-Aug-99 : B : : Combine harvested.