


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1999

[Full Table of Content](#)



---

### 99/R/CS/477 Continuous Maize - Forage Maize, Barley

#### Rothamsted Research

Rothamsted Research (2000) *99/R/CS/477 Continuous Maize - Forage Maize, Barley* ; Yields Of The Field Experiments 1999, pp 85 - 86 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/R/CS/476

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>FUNG98</b>	(F98)	(-98)	Mean
<b>FUNG97</b>			
(F97)	6.26	6.00	6.13
(-97)	5.95	6.01	5.98
Mean	6.10	6.01	6.06

<b>FUNG99</b>	F99	-99	Mean
<b>FUNG97</b>			
(F97)	6.45	5.81	6.13
(-97)	6.24	5.72	5.98
Mean	6.35	5.77	6.06

<b>FUNG99</b>	F99	-99	Mean
<b>FUNG98</b>			
(F98)	6.44	5.76	6.10
(-98)	6.25	5.77	6.01
Mean	6.35	5.77	6.06

<b>FUNG97</b>	<b>FUNG99</b>	F99	-99
<b>FUNG98</b>	<b>FUNG98</b>		
(F97)	(F98)	6.26	6.26
	(-98)	6.65	5.36
(-97)	(F98)	6.63	5.26
	(-98)	5.84	6.18

\*\*\* Standard errors of differences of means \*\*\*

<b>FUNG97</b>	<b>FUNG98</b>	<b>FUNG99</b>	<b>FUNG97</b>
			<b>FUNG98</b>
0.359	0.359	0.359	0.508
<b>FUNG97</b>	<b>FUNG98</b>	<b>FUNG97</b>	
<b>FUNG99</b>	<b>FUNG99</b>	<b>FUNG98</b>	<b>FUNG99</b>
0.508	0.508	0.718	

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	21	1.015	16.8
GRAIN MEAN DM%	87.0		
PLOT AREA HARVESTED	0.00227		

99/R/CS/477

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

**Sponsors:** P.R. Poulton, J. Gaunt.

The third year, forage maize and s. barley.

For previous years see 97-98/R/CS/477

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0.

**Treatments:-**

CROP	Crop and straw treatments:
M	Continuous maize, stubble incorporated
MB	Maize, stubble incorporated then s. barley after five years
MTB	Maize, stubble plus 10 t maize tops incorporated, then s. barley after five years
BM	Spring barley, straw removed then maize after three years
BTM	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

**Experimental diary:**

17-Sep-98	: T : BTM,MTB	: 10 t maize tops spread, finished 18-Sep.
23-Sep-98	: B :	: Muriate of potash at 167 kg.
	: B :	: Triple superphosphate at 171 kg.
20-Oct-98	: B :	: Ploughed, started.
21-Oct-98	: B :	: Ploughed, completed.
06-Apr-99	: B :	: Spring-tined.
16-Apr-99	: T : B,BM,BTM	: Combination drilled, Cooper, tr. Raxil S, at 350 seeds per m <sup>2</sup> with the Accord drill.
05-May-99	: B :	: 34.5% N at 275 kg.
	: T : M,MB,MTB	: Rotary harrowed.
	: T : M,MB,MTB	: Hudson, tr. Mesuro1, drilled at 11 seeds/m <sup>2</sup> with the Nodet Gougis drill
06-May-99	: B : B,BM,BTM	: Punch C at 0.4 l in 200 l.
15-May-99	: T : B,BM,BTM	: tm)Ally at 30 g in 200 l.
	: T : B,BM,BTM	: tm)Duplosan at 1.0 l in 200 l.
01-Jun-99	: T : B,BM,BTM	: Punch C at 0.5 l in 200 l.
23-Jun-99	: T : M,MB,MTB	: tm)Gesaprim at 3.0 l in 200 l.
	: T : M,MB,MTB	: tm)Cropoil at 5.0 l in 200 l.
25-Aug-99	: T : B,BM,BTM	: Combine harvested.
20-Sep-99	: T : M,MB,MTB	: Hand harvested.