

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/CS/505 Break Crops and Take-all - W. Wheat, W. Oats, W. Rape, W. Linseed, W. Beans, W. Peas, W. Lupins

Rothamsted Research

Rothamsted Research (2001) *00/R/CS/505 Break Crops and Take-all - W. Wheat, W. Oats, W. Rape, W. Linseed, W. Beans, W. Peas, W. Lupins* ; Yields Of The Field Experiments 2000, pp 102 - 104 -

DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/CS/505

BREAK CROPS AND TAKE-ALL

Object: To test the effects of growing different break crops on take-all (*Gaeumannomyces graminis*) in the following wheat - Bones Close.

Sponsors: J.F. Jenkyn, G.L. Bateman, R.J. Gutteridge.

Design: 4 randomised blocks of 7 plots.

The first year, w. wheat, w. oats, w. rape, w. linseed, w. beans, w. peas, and w. lupins

Whole plot dimensions: 6.0 x 10.0.

Treatments:

CROP

BEW	Winter beans
LNW	Winter linseed
LP	Winter lupins
OW	Winter oats
PEW	Winter peas
RAW	Winter rape
WW	Winter wheat

Experimental diary:

28-Aug-99 : B : : Ploughed.
01-Sep-99 : T : RAW : Combination drilled, Apex, tr. Lindex-Plus FS Seed Treatment, at 120 seeds/m² with the Accord drill.
03-Sep-99 : T : RAW : tm)Alpha Trifluralin 48 EC at 1.0 l in 200 l.
: T : RAW : tm)Katamaran at 2.0 l in 200 l.
13-Sep-99 : T : LP : Combination drilled, DTN 12, tr. Promet and Germipro, at 40 seeds/m² with the Accord drill.
14-Sep-99 : T : RAW : PBI Slug Pellets at 8.0 kg.
17-Sep-99 : T : WW : Combination drilled, Hereward, tr. Sibutol, at 380 seeds/m² with the Accord drill.
23-Sep-99 : T : RAW : PBI Slug Pellets at 7.0 kg.
30-Sep-99 : T : RAW : Genesis at 5.0 kg.
06-Oct-99 : T : LNW : Combination drilled, Oliver, tr. Prelude 20 LF, at 950 seeds/m² with the Accord drill.
: T : OW : Combination drilled, Gerald, tr. Sibutol, at 350 seeds/m² with the Accord drill.
14-Oct-99 : T : RAW : tm)Punch C at 0.4 l in 200 l.
: T : RAW : tm)Hallmark with Zeon Technology at 100 ml in 200 l.
19-Oct-99 : T : RAW : 34.5% N at 87 kg.
28-Oct-99 : T : BEW : Drilled, Clipper, recleaned, at 40 seeds/m² with the Carrier drill.
29-Oct-99 : T : PEW : Drilled, Victor, tr. Wakil, at 100 seeds/m² with the Carrier drill.
03-Nov-99 : T : BEW : tm)Alpha Simazine 50 SC at 2.0 l in 220 l.
: T : BEW : tm)Kerb 50 W at 1.5 kg in 220 l.
: T : OW,WW : tm)Cyperkill 10 at 250 ml in 220 l.
: T : OW,WW : tm)Lexus Class WSB at 60 g in 220 l.
18-Nov-99 : T : LNW : Eagle at 10 g in 220 l.
22-Nov-99 : T : BEW,PEW : PDQ at 3.0 l in 220 l.
25-Nov-99 : T : LP : Lo-Gran 20 WG at 12 g in 220 l.
10-Dec-99 : T : LP : Hand weeded.
14-Dec-99 : T : LP : Stomp 400 SC at 5.0 l in 220 l.
20-Jan-00 : T : RAW : Punch C at 0.4 l in 220 l.
14-Feb-00 : T : RAW : Sulphan (30% N, 7.6% S) at 166 kg, by hand.

00/R/CS/505

Experimental diary:

09-Mar-00 : T : WW : 34.5% N at 145 kg.
13-Mar-00 : T : LNW : Eagle at 40 g in 220 l.
 : T : LNW,LP,PEW : Falcon at 0.3 l in 220 l.
15-Mar-00 : T : RAW : Sulphan (30.0% N, 7.6% S) at 433 kg, by hand.
17-Mar-00 : T : OW : Orka at 0.5 l in 200 l.
01-Apr-00 : T : LNW : Eagle at 20 g in 220 l.
 : T : LP : Lo-Gran 20 WG at 18 g in 220 l.
19-Apr-00 : T : OW : 34.5% N at 145 kg, by hand.
 : T : LNW : 34.5% N at 262 kg, by hand.
 : T : WW : 34.5% N at 377 kg, by hand.
 : T : PEW : Basagran SG at 1.65 kg in 330 l.
25-Apr-00 : T : BEW,PEW : Hand rogued rape plants.
28-Apr-00 : T : WW : tm)Ally at 30 g in 220 l.
 : T : WW : tm)Starane 2 at 1.0 l in 220 l.
 : T : WW : tm)Punch C at 0.8 l in 220 l.
 : T : LP : tm)Bravo 500 at 0.5 l in 220 l.
 : T : LP : tm)Folicur at 0.5 l in 220 l.
09-May-00 : T : RAW : tm)Bavistin DF at 1.0 kg in 100 l.
 : T : RAW : tm)Hallmark with Zeon Technology at 75 ml in 100 l.
22-May-00 : T : WW : Opus at 0.75 l in 220 l.
 : T : BEW : tm)Bravo 500 at 1.0 l in 220 l.
 : T : BEW : tm)Folicur at 0.5.1 in 220 l.
 : T : PEW : tm)Bravo 500 at 2.0 l in 220 l.
 : T : PEW : tm)Ronilan FL at 0.75 l in 220 l.
24-May-00 : T : OW : 27.0% N at 259 kg, by hand.
16-Jun-00 : T : OW,WW : Folicur at 0.75 l in 200 l.
 : T : PEW : tm)Compass at 3.0 l in 200 l.
 : T : PEW : tm)Aphox at 280 g in 200 l.
04-Jul-00 : T : LP : tm)Folicur at 0.5 l in 200 l.
 : T : LP : tm)Aphox at 280 g in 200 l.
 : T : LP : tm)Enhance Low Foam at 50 ml in 200 l.
12-Jul-00 : T : RAW : Azural at 4.0 l in 200 l.
23-Jul-00 : T : RAW : Combine harvested.
25-Jul-00 : T : RAW : Baled straw.
26-Jul-00 : T : LNW : tm)Enhance Low Foam at 400 ml in 400 l.
 : T : LNW : tm)Reglone at 3.0 l in 400 l.
31-Jul-00 : T : PEW : Combine harvested.
01-Aug-00 : T : LNW : Combine harvested.
02-Aug-00 : T : OW : Combine harvested.
 : T : LNW,OW,PEW : Baled straw.
06-Aug-00 : T : WW : Combine harvested.
13-Aug-00 : T : WW : Baled straw.
17-Aug-00 : T : BEW : Combine harvested.
06-Sep-00 : T : LP : Combine harvested.

Previous crops: W. wheat 1998 and 1999.

NOTE: Wheat samples were taken in June to assess root and stem base diseases.
Soil was sampled after harvest and used in bioassays to measure the take-all infectivity.

00/R/CS/505

GRAIN TONNES/HECTARE

***** Tables of means *****

CROP	
BEW	4.28
LNW	1.12
LP	1.51
OW	9.50
PEW	3.96
RAW	4.66
WW	5.96

Mean 4.43

*** Standard errors of differences of means ***

CROP
0.495

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	18	0.699	15.8

GRAIN MEAN DM% 78.8

PLOT AREA HARVESTED 0.00240 (EXCEPT BEANS 0.00150)