

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 2000

[Full Table of Content](#)



---

### 00/W/CS/530 Effects of Take-all of Various Strobilurins

#### Rothamsted Research

Rothamsted Research (2001) *00/W/CS/530 Effects of Take-all of Various Strobilurins* ; Yields Of The Field Experiments 2000, pp 112 - 113 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/W/CS/530

### EFFECTS ON TAKE-ALL OF VARIOUS STROBILURINS

**Object:** To measure effects on take-all (*Gaeumannomyces graminis*) of various strobilurin fungicides - Woburn, Broad Mead I-IV.

**Sponsors:** J.F. Jenkyn, R.J. Gutteridge.

**Design:** 4 randomised blocks of 8 plots.

**Plot dimensions:** 3.0 x 10.0.

**Treatments:-**

#### FUNGICIDE

-	None (duplicated)
A	Azoxystrobin at 250 g a.i.
K	Kresoxim-methyl at 250 g a.i.
F	Trifloxystrobin at 250 g a.i.
X	HGCA X at 250 g a.i.
Y	HGCA Y at 250 g a.i.
Z	HGCA Z at 250 g a.i.

**NOTE:** HGCA X, Y and Z are under commercial development, composition disclosed in confidence.

#### Experimental diary:

04-Sep-99	: B :	: Ploughed and furrow pressed.
10-Sep-99	: B :	: Discd.
15-Sep-99	: B :	: Discd.
16-Sep-99	: B :	: Combination drilled, Consort, tr. Sibutol, at 300 seeds/m <sup>2</sup> with the Nordsten drill.
12-Oct-99	: B :	: Cyperkill 10 at 250 ml in 200 l.
05-Mar-00	: B :	: tm)Hawk at 2.5 l in 200 l.
	: B :	: tm)Lexus 50 DF at 20 g in 200 l.
	: B :	: tm)Cropoil at 1.0 l in 200 l.
27-Apr-00	: T :	A, K, F, X, Y, Z : Treatments applied.
30-Apr-00	: B :	: tm)Profol 500 at 0.5 l in 200 l.
	: B :	: tm)Vytel Copper at 0.4 l in 200 l.
	: B :	: Opus at 0.5 l in 200 l.
	: B :	: tm)BASF 3C Chlormequat 720 at 2.0 l in 200 l.
	: B :	: tm)Moddus at 0.2 l in 200 l.
02-May-00	: B :	: Sulphan (30.0% N, 7.6% S) at 500 kg.
20-May-00	: B :	: tm)Opus at 0.75 l in 200 l.
	: B :	: tm)Sipcam UK Rover 500 at 1.0 l in 200 l.
	: T :	A, K, F, X, Y, Z : Treatments applied.
18-Aug-00	: B :	: Combine harvested.

Previous crops: W. wheat 1998 and 1999.

**NOTE:** Plant samples were assessed in June for root and stem base diseases.

00/W/CS/530

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNGICIDE

-	7.31
A	8.42
K	7.69
F	8.03
X	7.51
Y	7.94
Z	8.45
Mean	7.83

\*\*\* Standard errors of differences of means \*\*\*

FUNGICIDE

0.451	min.rep
0.391	max-min

FUNGICIDE

max-min - v any of the remainder  
min.rep Any of the remainder

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	22	0.638	8.1
GRAIN MEAN DM%	84.5		
PLOT AREA HARVESTED	0.00237		