


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/W/WW/25 Strobilurins and Take-all - W. Wheat

Rothamsted Research

Rothamsted Research (2001) *00/W/WW/25 Strobilurins and Take-all - W. Wheat* ; Yields Of The Field Experiments 2000, pp 141 - 142 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/W/WW/25

WINTER WHEAT

STROBILURINS AND TAKE-ALL

Object: To measure the effects on take-all (*Gaeumannomyces graminis*) of various fungicides - Woburn, Broad Mead.

Sponsors: J.F. Jenkyn, R.J. Gutteridge.

Design: 4 randomised blocks of 8 plots.

Plot dimensions: 3.0 x 10.0.

Treatments:-

FUNGICIDE	Fungicide and rate of active ingredient:
-	None
F1	Trifloxystrobin at 125 g
F2	Trifloxystrobin at 250 g
A1	Azoxystrobin at 125 g
A2	Azoxystrobin at 250 g
C	Cyprodinil at 500 g
CA	Cyprodinil at 500 g and azoxystrobin at 125 g
KE	Kresoxim-methyl at 125 g and epoxiconazole at 125 g

Experimental diary:

04-Sep-99 : B : : Ploughed and furrow pressed.
10-Sep-99 : B : : Discd.
15-Sep-99 : B : : Discd.
16-Sep-99 : B : : Combination drilled, Consort, tr. Sibutol, at 300 seeds/m² with the Nordsten drill.
12-Oct-99 : B : : Cyperkill 10 at 250 ml in 200 l.
05-Mar-00 : B : : tm)Hawk at 2.5 l in 200 l.
: B : : tm)Lexus 50 DF at 20 g in 200 l.
: B : : tm)Cropoil at 1.0 l in 200 l.
27-Apr-00 : T : : Treatments applied in 220 l.
30-Apr-00 : B : : tm)Profol 500 at 0.5 l in 200 l.
: B : : tm)Vytel Copper at 0.4 l in 200 l.
: B : : Opus at 0.5 l in 200 l.
: B : : tm)BASF 3C Chlormequat 720 at 2.0 l in 200 l.
: B : : tm)Moddus at 0.2 l in 200 l.
02-May-00 : B : : Sulphan (30.0% N, 7.6% S) at 500 kg.
20-May-00 : B : : tm)Opus at 0.75 l in 200 l.
: B : : tm)Sipcam UK Rover 500 at 1.0 l in 200 l.
: T : : Treatments applied in 220 l.
20-Aug-00 : B : : Combine harvested.

Previous crops: W. wheat 1998 and 1999.

NOTE: Plant samples were assessed in June for root and stem base diseases.

00/W/WW/25

GRAIN TONNES/HECTARE

***** Tables of means *****

FUNGCIDE	
-	6.23
F1	6.40
F2	6.84
A1	6.79
A2	7.44
C	7.22
CA	6.94
KE	6.58
Mean	6.80

*** Standard errors of differences of means ***

FUNGCIDE
0.416

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	21	0.588	8.6
GRAIN MEAN DM%	83.1		
PLOT AREA HARVESTED	0.00233		