


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/RAW/4 Control of Stem Canker - W. Oilseed Rape

Rothamsted Research

Rothamsted Research (2001) *00/R/RAW/4 Control of Stem Canker - W. Oilseed Rape* ; Yields Of The Field Experiments 2000, pp 148 - 150 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/RAW/4

WINTER OILSEED RAPE

CONTROL OF STEM CANKER

Object: To test fungicides to control stem canker (*Leptosphaeria maculans*) - Great Knott II.

Sponsors: B.D.L. Fitt, J. Steed, J.S. West, S.J. Welham.

Design: 3 randomised blocks of 15 + 4 + 2 plots.

Whole plot dimensions: 3.0 x 20.0.

Treatments:

FUNGICIDE	Fungicide combinations and timing							
	05-Oct-99	25-Oct	29-Oct	3-Nov	13-Dec	20-Jan-00	3-Feb	18-Feb
1	-	-	-	-	-	-	-	-
2	✓	-	-	-	-	-	-	-
3	-	-	-	✓	-	-	-	-
4	-	-	-	-	✓	-	-	-
5	-	-	-	-	-	✓	-	-
2+3	✓	-	-	✓	-	-	-	-
2+4	✓	-	-	-	✓	-	-	-
2+5	✓	-	-	-	-	✓	-	-
3+4	-	-	-	✓	✓	-	-	-
3+5	-	-	-	✓	-	✓	-	-
4+5	-	-	-	-	✓	✓	-	-
2+3+4	✓	-	-	✓	✓	-	-	-
2+3+5	✓	-	-	✓	-	✓	-	-
2+4+5	✓	-	-	-	✓	✓	-	-
3+4+5	-	-	-	✓	✓	✓	-	-
2+3+4+5	✓	-	-	✓	✓	✓	-	-
2WKS>2+3+4+5	-	✓	-	✓	✓	✓	-	-
4WKS>2+3+4+5	-	-	✓	✓	✓	✓	-	-
2+3+4+2WKS>5	✓	-	-	✓	✓	-	✓	-
2+3+4+4WKS>5	✓	-	-	✓	✓	-	-	✓

NOTE: All fungicide treatments were difenoconazole at 62.5 g with carbendazim at 125 g as Plover 250 EC and Bavistin DF in 220 l.

Experimental diary:

15-Jul-99 : B : : Subsoiled.
 16-Jul-99 : B : : Ploughing and furrow pressing started.
 19-Jul-99 : B : : Ploughing and furrow pressing completed.
 26-Jul-99 : B : : Rolled.
 05-Aug-99 : B : : Rotary harrowed.
 27-Aug-99 : B : : Combination drilled, Apex, tr. Lindex-Plus FS Seed Treatment, at 120 seeds/m² with the Accord drill.
 : B : : tm)Scythe at 2.0 l in 200 l.
 : B : : tm)Enhance Low Foam at 100 ml in 200 l.
 28-Aug-99 : B : : Rolled.
 29-Aug-99 : B : : tm)Alpha Trifluralin 48 EC at 2.0 l in 200 l.
 : B : : tm)Katamaran at 2.0 l in 200 l.
 30-Aug-99 : B : : PBI Slug Pellets at 8.0 kg.

00/R/RAW/4

Experimental diary:

05-Oct-99 : T : : Spray treatments applied.
08-Oct-99 : B : : Genesis at 5.0 kg.
14-Oct-99 : B : : tm)Hallmark at 100 ml in 200 l.
: B : : tm)Enhance Low Foam at 60 ml in 200 l.
20-Oct-99 : B : : 34.5% N at 87 kg.
25-Oct-99 : T : : Spray treatment applied.
29-Oct-99 : T : : Spray treatment applied.
03-Nov-99 : T : : Spray treatments applied.
13-Dec-99 : T : : Spray treatments applied.
20-Jan-00 : T : : Spray treatments applied.
03-Feb-00 : T : : Spray treatment applied.
09-Feb-00 : B : : Sulphan (30.0% N, 7.6% S) at 166 kg.
18-Feb-00 : T : : Spray treatment applied.
15-Mar-00 : B : : Sulphan (30.0% N, 7.6% S) at 433 kg.
: B : : Hallmark with Zeon Technology at 75 ml in 200 l.
12-Jul-00 : B : : tm)Enhance Low Foam at 400 ml in 400 l.
: B : : tm)Reglone at 3.0 l in 400 l.
20-Jul-00 : B : : Combine harvested.

Previous crops: Peas 1998, set-aside 1999.

NOTE: Samples were taken in October, November, January, February, March, June and July for assessments of diseases, particularly light leaf spot, phoma and stem canker.

00/R/RAW/4

GRAIN TONNES/HECTARE

***** Tables of means *****

FUNGCIDE	
1	3.75
2	3.65
3	3.91
4	3.67
5	3.85
2+3	4.22
2+4	3.96
2+5	4.12
3+4	4.46
3+5	4.40
4+5	4.41
2+3+4	4.51
2+3+5	4.35
2+4+5	3.99
3+4+5	4.54
2+3+4+5	4.57
2WKS>2+3+4+5	4.59
4WKS>2+3+4+5	4.64
2+3+4+2WKS>5	4.45
2+3+4+4WKS>5	4.34
Mean	4.20

*** Standard errors of differences of means ***

FUNGCIDE	
0.219	min.rep
0.190	max-min

FUNGCIDE
 Min.rep Any of the remainder
 Max-min 1 v any of the remainder

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	41	0.269	6.4
GRAIN MEAN DM%	89.0		
PLOT AREA HARVESTED	0.00408		