


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/EX/4 Exhaustion Land - W. Wheat

Rothamsted Research

Rothamsted Research (2001) *00/R/EX/4 Exhaustion Land - W. Wheat* ; Yields Of The Field Experiments 2000, pp 23 - 25 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1876-1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since - Hoosfield.

The 145th year, w. wheat.

For previous years see 'Details' 1977, 1973 and 74-99/R/EX/4.

Treatments: All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876-1901:
- | | |
|---------|--|
| O | None |
| D | Farmyard manure at 35 t |
| N | 96 kg N as ammonium salts |
| P | 34 kg P as superphosphate |
| NPKNAMG | N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia |
2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P in the soil. (P1) (P2) and (P3) are residues of P applied annually 1986-1992:
- | | | |
|-------|---------|----------|
| | 2000 | 1986-92 |
| O | None | None |
| P(P1) | 20 kg P | 44 kg P |
| P(P2) | 20 kg P | 87 kg P |
| P(P3) | 20 kg P | 131 kg P |

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

plus

Whole plots (K test, previously N test until 1991)

- OLD RES** Residues of manures applied annually 1876-1901:
- | | |
|------|---|
| O | None |
| D | Farmyard manure at 35 t |
| N* | 96 kg N as nitrate of soda |
| PK | 34 kg P as superphosphate, 137 kg K as sulphate of potash |
| N*PK | N, P and K as above |

Experimental diary:

P test:

- 10-Sep-99 : **T** : Muriate of potash at 250 kg.
 : **T** : Triple superphosphate at 300 kg.

K test:

- 10-Sep-99 : **T** : Triple superphosphate at 300 kg.

All plots:

- 12-Sep-99 : **B** : Ploughed.
15-Sep-99 : **B** : Combination drilled, Hereward, tr. Sibutol, at 300 seeds/m² with the Accord drill.
14-Dec-99 : **B** : Lexus 50 DF at 20 g with Stomp 400 SC at 2.5 l and Toppel 10 at 250 ml in 200 l.
03-May-00 : **B** : 34.5% N at 580 kg.

00/R/EX/4

Experimental diary:

All plots:

09-May-00 : B : Opus at 0.7 l in 100 l.
 24-May-00 : B : Amistar at 0.8 l with Folicur at 0.75 l in 100 l.
 17-Jul-00 : B : Hand rogued wild oats.
 12-Aug-00 : B : Combine harvested.

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

	P	O	P(P1)	P(P2)	P(P3)	Mean
OLD RES						
O		0.58	3.51	3.97	3.77	2.96
D		2.11	3.59	3.95	4.00	3.41
N		0.79	3.91	3.43	3.92	3.01
P		1.71	3.75	4.07	3.81	3.33
NPKNAMG		1.87	3.64	3.83	3.68	3.25
Mean		1.41	3.68	3.85	3.84	3.19

GRAIN MEAN DM% 84.4

STRAW TONNES/HECTARE

***** Tables of means *****

	P	O	P(P1)	P(P2)	P(P3)	Mean
OLD RES						
O		0.34	3.98	5.27	4.21	3.45
D		2.27	4.15	4.49	4.29	3.80
N		0.89	3.07	3.83	3.61	2.85
P		2.06	4.20	4.36	4.65	3.82
NPKNAMG		2.47	4.77	4.17	4.45	3.96
Mean		1.60	4.03	4.42	4.24	3.58

STRAW MEAN DM% 81.8

PLOT AREA HARVESTED 0.00614

00/R/EX/4

K TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

OLD RES

O	3.52
D	3.25
N*	3.08
PK	4.21
N*PK	3.39

Mean 3.49

GRAIN MEAN DM% 84.9

STRAW TONNES/HECTARE

***** Tables of means *****

OLD RES

O	3.44
D	3.99
N*	2.97
PK	3.83
N*PK	4.08

Mean 3.66

STRAW MEAN DM% 85.2

PLOT AREA HARVESTED 0.00614