


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/CS/311 Effects of Shallow Straw Incorporation - W. Wheat, S. Oilseed Rape

Rothamsted Research

Rothamsted Research (2001) *00/R/CS/311 Effects of Shallow Straw Incorporation - W. Wheat, S. Oilseed Rape* ; Yields Of The Field Experiments 2000, pp 60 - 61 - DOI:

<https://doi.org/10.23637/ERADOC-1-55>

00/R/CS/311

EFFECTS OF SHALLOW STRAW INCORPORATION

Object: To study the effects on eyespot of incorporating wheat and rape debris using non-inversion tillage - West Barnfield I.

Sponsors: J.F. Jenkyn, R.J. Gutteridge, A.D. Todd.

The 16th year, w. wheat, s. oilseed rape.

For previous years see 85-99/R/CS/311.

Design: 6 plots of 3 treatments (duplicated) split into 8.

Whole plot dimensions: 4.5 x 12.0.

Treatments: Combinations of:-

1. **STRAW** (on 'columns') Treatments to straw of previous crop:
 - BU Burnt (duplicated)
 - BA Baled and removed (duplicated)
 - CH Chopped and incorporated (duplicated)

2. **GLYPHOS** (on 'rows') Glyphosate and crop:
 - S. rape
 - G8 W. wheat after glyphosate in 1998
 - (RA) W. wheat after s. rape in 1999
 - G9 W. wheat after glyphosate in 1999

NOTE: In diary **GLYPHOS** treatments are referred to by crop; s. rape as RA and w. wheat as WW.

Experimental diary:

- 20-Aug-99 : T : BA : Wheat straw baled and removed.
- : T : CH : Wheat straw chopped and incorporated.
- 23-Aug-99 : T : BU : Wheat straw burnt and ash incorporated with discs to 10 cm.
- 24-Aug-99 : B : : Muriate of potash at 600 kg.
- 26-Aug-00 : T : BA : Rape straw baled and removed.
- 06-Sep-00 : T : CH : Rape straw chopped and incorporated.
- : T : BU : Rape straw burnt and ash incorporated with discs to 10 cm.
- 21-Sep-99 : B : : tm)PDQ at 3.0 l in 200 l.
- : B : : tm)Enhance Low Foam at 100 ml in 200 l.
- 11-Oct-99 : B : : Discd twice.
- 14-Oct-99 : T : WW : Combination drilled, Hereward, tr. Sibutol, at 380 seeds/m² with the Accord drill.
- 15-Oct-99 : T : WW : Rolled.
- : T : WW : Prebane at 3.0 l in 200 l.
- 12-Nov-99 : T : WW : tm)Lexus 50 DF at 20 g in 200 l.
- : T : WW : tm)Stomp 400 SC at 2.5 l in 200 l.
- : T : WW : tm)Toppel 10 at 250 ml in 200 l.
- 07-Mar-00 : T : WW : 34.5% N at 232 kg.
- 15-Mar-00 : T : RA : Sting CT at 4.0 l in 200 l.
- 21-Mar-00 : T : RA : Discd. Combination drilled, Starlight, recleaned, at 180 seeds/m², with the Accord drill. Rolled.

00/R/CS/311

Experimental diary:

21-Mar-00 : T : RA : Butisan S at 1.0 l in 200 l.
 08-Apr-00 : B : : Hallmark with Zeon Technology at 75 ml in 200 l.
 23-Apr-00 : B : : Hallmark with Zeon Technology at 75 ml in 200 l.
 27-Apr-00 : T : WW : 34.5% N at 348 kg.
 : T : WW : tm)Opus at 0.5 l in 200 l.
 : T : WW : tm)BASF 3C Chlormequat 720 at 2.0 l in 200 l.
 29-Apr-00 : T : RA : Genesis at 7.0 kg.
 10-May-00 : T : RA : 34.5% N at 435 kg.
 22-May-00 : T : WW : Opus at 0.75 l in 100 l.
 27-Jun-00 : B : : Hand rogued wild oats, started.
 29-Jun-00 : B : : Hand rogued wild oats, completed.
 17-Aug-00 : T : WW : Combine harvested.
 06-Sep-00 : T : RA : Combine harvested.

Previous crops: W. wheat 1998, s. rape and w. wheat 1999.

NOTE: All plots were sampled in July to assess root and stem base diseases.

W. WHEAT

GRAIN TONNES/HECTARE

***** Tables of means *****

GLYPHOS	G8	G9	(RA)	Mean
STRAW				
BU	8.65	9.33	9.18	9.05
BA	6.67	7.77	8.67	7.70
CH	7.04	8.63	8.29	7.98
Mean	7.46	8.58	8.71	8.25

GRAIN MEAN DM% 86.0

SUB-PLOT AREA HARVESTED 0.00288

S. RAPE

GRAIN TONNES/HECTARE

***** Tables of means *****

STRAW	
BU	1.22
BA	1.03
CH	0.86
Mean	1.04

GRAIN MEAN DM% 73.8

SUB-PLOT AREA HARVESTED 0.00288