


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 2000

[Full Table of Content](#)



---

### 00/R/CS/478 Continuous Maize - Forage Maize, S. Barley

#### Rothamsted Research

Rothamsted Research (2001) *00/R/CS/478 Continuous Maize - Forage Maize, S. Barley* ; Yields Of The Field Experiments 2000, pp 84 - 85 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/CS/477

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

**Sponsors:** P.R. Poulton, J. Gaunt.

The fourth year, forage maize and s. barley.

For previous years see 97-99/R/CS/477

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0.

**Treatments:-**

<b>CROP</b>	Crop and straw treatments:
M	Continuous maize, stubble incorporated
MB	Maize, stubble incorporated then s. barley after five years
MTB	Maize, stubble plus 10 t maize tops incorporated, then s. barley after five years
(B)M	Maize, after three years of s. barley with straw removed
BTM	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

**Experimental diary:**

27-Sep-99 : T : MTB,BTM : Maize tops at 300 kg per plot.  
18-Oct-99 : B : : Sulphate of potash at 217 kg.  
          : B : : Triple superphosphate at 171 kg.  
19-Oct-99 : B : : Ploughed.  
07-Mar-00 : B : : Rotary harrowed.  
          : T : B,BTM : Combination drilled, Optic, tr. Raxil S, at 350 seeds/m<sup>2</sup> with the Accord drill. Rolled.  
          : T : M,MB,MTB,(B)M: Sting ECO at 4.0 l in 200 l.  
11-May-00 : B : : 34.5% N at 278 kg.  
16-May-00 : T : M,MB,MTB,(B)M : Rotary harrowed. Drilled, Hudson, tr. Mesuro, at 10.2 seeds/m<sup>2</sup> with the Nodet Gougis drill.  
17-May-00 : T : M,MB,MTB,(B)M : Rolled.  
24-May-00 : T : B,BTM : tm)Opus at 0.3 l in 100 l.  
          : T : B,BTM : tm)Unix at 0.5 kg in 100 l.  
03-Jun-00 : T : B,BTM : tm)Ally at 30 g in 200 l.  
          : T : B,BTM : tm)Duplosan at 1.0 l in 200 l.  
20-Jun-00 : T : B,BTM : Opus at 0.3 l in 200 l.  
26-Jun-00 : T : M,MB,MTB,(B)M : tm)Gesaprim at 3.0 l in 220 l.  
          : T : M,MB,MTB,(B)M : tm)Toil at 1.5 l in 220 l.  
17-Jul-00 : B : : Hand rogued wild oats.  
24-Aug-00 : T : B,BTM : Combine harvested.  
02-Oct-00 : T : M,MB,MTB,(B)M : Hand harvested

00/R/CS/477

**MAIZE**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
M	10.91
MB	12.00
MTB	11.69
(B)M	12.77
Mean	11.84

\*\*\* Standard errors of differences of means \*\*\*

CROP	
	0.670

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.821	6.9
GRAIN MEAN DM%	27.6		
PLOT AREA HARVESTED	0.00108		

**SPRING BARLEY**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
BTM	4.53
B	4.49
Mean	4.51

GRAIN MEAN DM% 87.5

PLOT AREA HARVESTED 0.00600