


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 2000

[Full Table of Content](#)



---

### 00/R/CS/499 Panicum Virgatum and Nitrogen - Grass

#### Rothamsted Research

Rothamsted Research (2001) 00/R/CS/499 *Panicum Virgatum and Nitrogen - Grass* ; Yields Of The Field Experiments 2000, pp 96 - 97 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/CS/499

**PANICUM VIRGATUM AND NITROGEN**

**Object:** To test cultivars of *Panicum* with and without nitrogen for biomass production - Road Piece West.

**Sponsors:** D.G. Christian.

The third year, grass.

**Design:** 3 randomised blocks of 5 x 2 + 3 + 1.

**Whole plot dimensions:** 5.0 x 8.0.

**Treatments:** All combinations of:-

1. **CULTIVAR**

B	Blackwell
CT	Carthage
CR	Cave-in-Rock
P	Pangburn
S	Summer

2. **NITROGEN** Kg N:

N-	None
N3	75

**EXTRA** Cultivar Cave-in-Rock, nitrogen kg N:

N1	25
N2	50
N4	150

Plus an extra plot per block for destructive sampling, no yields

**Experimental diary:**

01-Apr-00 : T : : Alpha Glyphogan at 4.0 l in 220 l, spot sprayed canary grass.  
: T : : Duplosan at 2.0 l in 220 l, spot sprayed nettles.  
08-May-00 : T : : Spannit at 1.5 l in 200 l, spot sprayed phalaris volunteers.  
12-May-00 : B : : tm)Gesaprim at 3.0 l in 200 l.  
: B : : tm)Toil at 5.0 l in 200 l.  
19-May-00 : B : : Muriate of potash at 262 kg.  
25-May-00 : T : N1 : 34.5% N at 72.5 kg.  
: T : N2 : 34.5% N at 144.9 kg.  
: T : N3 : 34.5% N at 217 kg.  
: T : N4 : 34.5% N at 434.8 kg.  
23-Jun-00 : B : : Dow Shield at 1.0 l in 220 l, spot sprayed thistles.  
13-Feb-01 : B : : Cut.

**NOTE:** Soil water was sampled during the winter for nitrate and ammonium content. Harvest samples were analysed for chemical content.

00/R/CS/499

**TOTAL DRY WEIGHT TONNES/HECTARE**

\*\*\*\* Tables of means \*\*\*\*

<b>NITROGEN CULTIVAR</b>	N-	N3	Mean
B	16.35	10.79	13.57
CT	17.20	12.03	14.61
CR	14.94	12.79	13.86
P	11.39	11.15	11.27
S	12.64	13.39	13.02
Mean	14.50	12.03	13.27

<b>EXTRA</b>	N1	N2	N4	Mean
	12.10	11.06	9.80	10.99

Grand mean 12.74

\*\*\* Standard errors of differences of means \*\*\*

<b>CULTIVAR</b>	<b>NITROGEN</b>	<b>CULTIVAR NITROGEN &amp; EXTRA</b>
1.824	1.154	2.580

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	24	3.160	24.8
GRAIN MEAN DM%	74.3		
PLOT AREA HARVESTED	0.00108		