

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/CS/503 Winter Rape and Take-all

Rothamsted Research

Rothamsted Research (2001) *00/R/CS/503 Winter Rape and Take-all* ; Yields Of The Field Experiments 2000, pp 98 - 99 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/CS/503

WINTER RAPE AND TAKE-ALL

Object: To test effects of different management regimes for winter oilseed rape on take-all (*Gaeumannomyces graminis*) in the following wheat - Great Harpenden II.

Sponsors: J.F. Jenkyn, G.L. Bateman, R.J. Gutteridge.

Design: 4 blocks of 4 x 2.

The second year.

Whole plot dimensions: 3.0 x 10.0.

Treatments: All combinations of:-

1. **W VOLUNT** Wheat volunteers in previous rape:
 - (P) Prevented
 - (EE) Encouraged then destroyed early
 - (EL) Encouraged then destroyed late
 - (E) Encouraged

2. **N** Nitrogen in 1999 (kg N):
 - (N1) 41 in autumn and 104 in February
 - (N2) 41 in autumn, 104 in February and 104 in March

Experimental diary:

19-Aug-98 : B : : Shakerated
20-Aug-98 : B : : Ploughing and furrow pressing started.
21-Aug-98 : B : : Ploughing and furrow pressing completed.
28-Aug-98 : T : W VOLUNT EE,EL,E : Combination drilled, Abbot, tr. Beret Gold, at 60 seeds/m², (wheat volunteers).
 : B : : Combination drilled, Apex, tr. Lindex-Plus FS Seed Treatment, at 120 seeds/m².
29-Aug-98 : B : : Hardy at 7.5 kg.
16-Sep-98 : B : : Hardy at 7.5 kg.
17-Sep-98 : B : : Decis at 250 ml in 200 l.
25-Sep-98 : B : : 34.5% N at 120 kg.
28-Sep-98 : T : W VOLUNT P : tm) Laser at 0.7 l in 220 l.
 : tm) Cropoil at 2.0 l in 220 l.
13-Oct-98 : B : : Hardy at 7.5 kg.
04-Nov-98 : T : W VOLUNT EE : tm) Laser at 0.75 l in 220 l.
 : tm) Cropoil at 2.0 l in 220 l.
04-Dec-98 : B : : tm) Punch C at 0.4 l in 200 l.
 : tm) Stefes Cypermethrin 2 at 250 ml in 200 l.
08-Feb-99 : T : W VOLUNT P, EE, EL : tm) Laser at 1.0 l in 220 l.
 : tm) Cropoil at 2.0 l in 220 l.
10-Feb-99 : B : : 34.5% N at 300 kg.
15-Mar-99 : B : : Punch C at 0.4 l in 200 l.
17-Mar-99 : T : W VOLUNT P, EE, EL : tm) Laser at 2.25 l in 220 l.
 : tm) Cropoil at 2.0 l in 220 l.
23-Mar-99 : T : N N2 : 34.5% N at 300 kg.
29-Apr-99 : B : : tm) Bavistin DF at 1.0 kg in 200 l.
 : tm) Ronilan FL at 0.5 l in 200 l.
 : tm) Hallmark at 100 ml in 200 l.
07-Jul-99 : B : : tm) Reglone at 3.0 l in 400 l.
 : tm) Enhance Low Foam at 400 ml in 400 l.
17-Jul-99 : B : : Combine harvested.
19-Jul-99 : B : : Straw removed.

00/R/CS/503

Experimental diary:

01-Sep-99 : B : : Ploughing and furrow pressing started.
 02-Sep-99 : B : : Ploughing and furrow pressing completed.
 14-Sep-99 : B : : Disced, rolled.
 15-Sep-99 : B : : Disced.
 17-Sep-99 : B : : Combination drilled, Hereward, tr. Sibutol, at 380
 seeds/m², with the Accord drill.
 22-Sep-99 : B : : Genesis at 5.0 kg.
 26-Oct-99 : B : : tm)Lexus 50 DF at 20 g in 200 l.
 : B : : tm)Stomp 400 SC at 2.5 l in 200 l.
 : B : : tm)Cyperkill 10 at 250 ml in 200 l.
 09-Mar-00 : B : : 34.5% N at 145 kg.
 06-Apr-00 : B : : tm)Topik at 125 ml in 200 l.
 : B : : tm)Toil at 0.5 l in 200 l.
 19-Apr-00 : B : : 34.5% N at 377 kg.
 27-Apr-00 : B : : Opus at 0.4 l in 200 l.
 01-May-00 : B : : Moddus at 0.2 l in 200 l.
 07-May-00 : B : : tm)Sypex at 1.0 l in 200 l.
 : B : : tm)Enhance Low Foam at 80 ml in 200 l.
 22-May-00 : B : : Opus at 0.75 l in 100 l.
 10-Aug-00 : B : : Combine harvested.

Previous crops: W. wheat 1998, w. rape 1999.

NOTE: Plant samples were taken in April and June to assess root and stem base diseases.

GRAIN TONNES/HECTARE

***** Tables of means *****

	N	(N1)	(N2)	Mean
W VOLUNT				
(P)		7.03	7.35	7.19
(EE)		6.87	6.98	6.93
(EL)		6.61	6.36	6.49
(E)		6.57	6.64	6.60
Mean		6.77	6.83	6.80

*** Standard errors of differences of means ***

W VOLUNT	N	W VOLUNT
		N
0.267	0.189	0.378

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	21	0.534	7.9

GRAIN MEAN DM% 83.1

PLOT AREA HARVESTED 0.00237