

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2002

[Full Table of Content](#)

Yields of the
Classical
and other
Long-term Experiments
2002

IACR - Rothamsted

02/R/CS/477 - Rothamsted Continuous Maize

Rothamsted Research

Rothamsted Research (2003) 02/R/CS/477 - Rothamsted Continuous Maize ; Yields Of The Field Experiments 2002, pp 51 - 52 - DOI: <https://doi.org/10.23637/ERADOC-1-259>

02/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

Sponsors: P.R. Poulton, J. Gaunt.

The sixth year, forage maize and s. barley.

For previous years see 97-01/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0.

Treatments:-

CROP	Crop and straw treatments:
M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

Experimental diary:

06-Nov-01 : B : Sulphate of potash at 217 kg.
 : B : Triple superphosphate at 171 kg.
 : T : BT, MT: Maize tops at 300 kg per plot.

12-Nov-01 : B : Ploughed, started.
13-Nov-01 : B : Ploughed, completed.

08-Apr-02 : B : (M)B, BT, B: Sting ECO at 4.0 l in 200 l.
09-Apr-02 : T : (M)B, BT, B: Combination drilled, Optic, tr. Raxil S, at 350 seeds/m² with the Accord 2 drill.

10-Apr-02 : T : (B)M, MT, M: Flexitined.
 : T : (M)B, BT, B: Rolled.

02-May-02 : B : 33.5% N at 284 kg.
03-May-02 : T : (B)M, MT, M: Rotary harrowed.
 : T : (B)M, MT, M: Drilled, Hudson, tr. Mesuro1, at 102,000 seeds/ha with the Nodet Gougis drill.
 : T : (M)B, BT, B: tm)Ally at 30 g in 200 l.
 : T : tm)Duplosan KV at 1.0 l in 200 l.
 : T : tm)Amistar at 0.4 l in 200 l.
 : T : tm)Unix at 0.5 kg in 200 l

19-Jun-02 : T : (B)M, MT, M: tm)Lentagran WP at 1.5 kg in 200 l.
 : T : tm)Mutiny at 0.6 l in 200 l.

27-Aug-02 : T : (M)B, BT, B: Combine harvested plots for yield. Swathed straw.

28-Aug-02 : T : (M)B, BT, B: Combine harvested discards, started. Swathed straw.

02-Sep-02 : B : (M)B, BT, B: Combine harvested all remaining barley. Swathed straw. Baled straw.

03-Sep-02 : B : (M)B, BT, B: Carted bales.

11-Sep-02 : T : (B)M, MT, M: Cut discard maize. Cut sample areas by hand, weighed and sampled.

NOTE: Forage maize and barley grain samples were taken for N analysis.

02/R/CS/477 MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

Treatment	
M	9.22
(B)M	9.29
MT	9.40
Mean	9.30

*** Standard errors of differences of means ***

Treatment
1.412

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.729	18.6

GRAIN MEAN DM% 25.1

PLOT AREA HARVESTED 0.00108

S. BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
(M)B	3.57
BT	2.76
B	2.55
Mean	2.96

*** Standard errors of differences of means ***

Treatment
0.237

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.290	9.8

GRAIN MEAN DM% 83.9

PLOT AREA HARVESTED 0.00525