

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2003

[Full Table of Content](#)

Results of the  
Classical  
and other  
Long-term Experiments  
2003

Rothamsted Research

---

## 03/W/CS/478 - Woburn Continuous Maize

### Rothamsted Research

Rothamsted Research (2004) *03/W/CS/478 - Woburn Continuous Maize* ; Yields Of The Field Experiments 2003, pp 49 - 50 - DOI: <https://doi.org/10.23637/ERADOC-1-260>

03/W/CS/478

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter -  
Woburn, Stackyard A I.

**Sponsors:** P.R. Poulton.

The sixth year, forage maize and s. barley.

For previous years see 97-02/W/CS/478.

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 9.0 x 25.0.

**Treatments:**

<b>CROP</b>	Crop and straw treatments:
M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize after three years of spring barley, straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

**Experimental diary:**

13-Sep-02 : **T** : BT, MT: Maize tops applied at 225 kg per plot.  
19-Sep-02 : **B** : CleanCrop Egret at 4.0 l in 200 l.  
20-Sep-02 : **B** : Muriate of potash at 180 kg.  
: **B** : Triple superphosphate at 171 kg.  
30-Oct-02 : **B** : Ploughed 25 cm wide furrows.  
20-Mar-03 : **B** : Power harrowed.  
21-Mar-03 : **T** : (M)B, BT, B: Drilled, Optic, tr. Raxil S plus Aventis  
Manganese 500, at 425 seeds/m<sup>2</sup> with the Accord  
drill.  
22-Mar-03 : **T** : (M)B, BT, B: Rolled.  
12-May-03 : **T** : (B)M, MT, M: Rotary harrowed.  
: **T** : (B)M, MT, M: Drilled, Hudson, tr. Mesurool, at 10.2  
seeds/m<sup>2</sup> with the Nodet drill.  
14-May-03 : **B** : Sulphur Gold (30% N, 7.6% S) at 320 kg.  
15-May-03 : **B** : (M)B, BT, B: tm)Ally at 30 g in 220 l.  
: **B** : tm)Starane 2 at 0.75 l in 220 l.  
13-Jun-03 : **B** : (B)M, MT, M: tm)Gesaprim at 3.0 l in 220 l.  
: **B** : tm)Phase II at 2.0 l in 220 l.  
10-Aug-03 : **T** : (M)B, BT, B: Combine harvested plots for yield.  
12-Aug-03 : **T** : (M)B, BT, B: Baled.  
27-Aug-03 : **T** : (B)M, MT, M: Cut sample areas, weighed, and sampled.  
04-Sep-03 : **T** : (B)M, MT, M: Cut discards.

**NOTE:** Forage maize and barley grain samples were taken for N analysis.

03/W/CS/478

**MAIZE**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
M	2.93
MT	3.81
(B)M	3.06
Mean	3.27

\*\*\* Standard errors of differences of means \*\*\*

CROP  
1.188

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.455	44.5

GRAIN MEAN DM% 32.5

PLOT AREA HARVESTED 0.00108

**SPRING BARLEY**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
(M)B	4.74
BT	3.97
B	3.29
Mean	4.00

\*\*\* Standard errors of differences of means \*\*\*

CROP  
0.150

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.184	4.6

GRAIN MEAN DM% 91.6

PLOT AREA HARVESTED 0.00525