
Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



04/R/EX/4 - Exhaustion Land

Rothamsted Research

Rothamsted Research (2005) 04/R/EX/4 - Exhaustion Land ; Results Of The Classical And Other Long-Term Experiments 2004, pp 18 - 20 - DOI: https://doi.org/10.23637/ERADOC-1-261

	04/R/EX/4					
	EXHAUSTION LAND					
of additional pho	Object: To study the residual effects of manures applied 1876-1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since - Hoosfield.					
The 149th year, w. w	The 149th year, w. wheat.					
For previous years s	ee 'Details' 1977, 1973 and 74-03/EX/4.					
Treatments: All comb	inations of:-					
Whole plots (P test)						
1. OLD RES	Residues of manures applied annually 1876-1901:					
O D N P NPKNAMG	None Farmyard manure at 35 t 96 kg N as ammonium salts 34 kg P as superphosphate N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia					
2. P	Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P in the soil. (P1) (P2) and (P3) are residues of P applied annually 1986-1992:					
O P(P1) P(P2) P(P3)	2000-04 1986-92 None None 20 kg P 44 kg P 20 kg P 87 kg P 20 kg P 131 kg P					
NOTE: P treatments we	ere applied at 61.5 kg P in error in 2000.					
plus						
Whole plots (K test,	previously N test until 1991)					
OLD RES	Residues of manures applied annually 1876-1901:					
0 D N* PK N*PK	None Farmyard manure at 35 t 96 kg N as nitrate of soda 34 kg P as superphosphate, 137 kg K as sulphate of potash N, P and K as above					
first to GS31/mi	N as ammonium sulphate (to supply sufficient S) during wo weeks in March, 200kg N as ammonium nitrate at d-April (whichever comes first) and 50 kg N as ammonium at GS37 (not later than mid-May)					
Experimental diary: K test: 26-Sep-03 : T : P P test: 26-Sep-03 : T : K : T : P	 4, 6, 8 & 10. : K basal/100 kg (muriate of potash at 250 kg), plots 1, 3, 5, 7 & 9. : P test:(triple superphosphate at 98 kg), plots 					
All plots 26-Sep-03 : B : 27-Sep-03 : B :	011-013, 031-033, 051-053, 071-073, & 091-093. : Ploughed 30 cm wide furrows. : Cultipress.					

10-Oct-03	:	в	:	:	Combination drilled, Xi 19, tr. Sibutol Secur at 380 seeds/m ² .
	:	В	:	:	Rolled.
16-Dec-03	:	В	:		tm)Arelon 500 at 4.0 l in 200 l.
	:	В	:		tm)Stomp 400 SC at 2.5 l in 200 l.
30-Mar-04	:	В	:	:	Ammonium sulphate (21% N) at 238 kg
14-Apr-04	:	В	:	:	tm)Ally at 30 g in 200 l.
		В	:	:	tm)Oxytril CM at 0.5 l in 200 l.
29-Apr-04	:	В	:	:	34.5% N at 580 kg.
13-May-03	:	В	:	:	tm)Opus at 0.75 l in 200 l.
	:	В	:	:	tm)Moddus at 0.15 l in 200 l.
24-May-04	:				Rotavate down paths.
25-May-04	:	В	:	:	34.5% N at 145 kg.
07-Jun-04	:	В	:	:	tm)Opus at 0.75 l in 200 l.
	:	В	:	:	tm)Twist at 0.75 l in 200 l.
14-Jun-04	:	В	:		Dursban 4 at 0.45 l in 200 l.
02-Sep-04	:	В	:	:	Combine harvested, plots for yield.
03-Sep-04	:	В	:	:	Straw sampled and weighed.
07-Sep-04	:	В	:	:	Combine harvested discards, Swathed and baled
-					straw.

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST

GRAIN TONNES/HECTARE

```
***** Tables of means *****
```

Р	0	P(P1)	P(P2)	P(P3)	Mean
OLD_RES					
0	1.35	6.18	7.38	6.80	5.43
D	2.89	7.31	7.70	7.92	6.46
N	0.88	6.99	7.98	7.07	5.73
Р	3.14	7.51	8.32	7.92	6.72
NPKNAMG	2.82	7.54	7.76	8.59	6.68
Mean	2.22	7.11	7.82	7.66	6.20

GRAIN MEAN DM% 87.6

STRAW TONNES/HECTARE

```
***** Tables of means *****
```

Р	0	P(P1)	P(P2)	P(P3)	Mean
OLD_RES					
0	0.50	3.04	4.15	3.74	2.86
D	1.22	3.73	3.79	4.24	3.25
N	0.16	3.50	3.80	3.66	2.78
Р	1.25	3.79	3.90	3.85	3.20
NPKNAMG	0.92	3.85	3.31	4.07	3.04
Mean	0.81	3.58	3.79	3.91	3.02

STRAW MEAN DM% 92.8

PLOT AREA HARVESTED 0.00538

04/R/EX/4

K TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

```
OLD_RES
```

0	5.77
D	6.87
N*	5.93
PK	6.92
N*PK	6.70
Mean	6.44

GRAIN MEAN DM% 87.7

STRAW TONNES/HECTARE

***** Tables of means *****

OLD_RES

0	3.42
D	3.72
N*	3.55
PK	4.03
N*PK	3.62
Mean	3.67

STRAW MEAN DM% 92.9

PLOT AREA HARVESTED 0.00538