

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Results of the Classical and Other Long-term Experiments 2004

Results of the  
Classical  
and other  
Long-term Experiments  
2004

Rothamsted Research

[Full Table of Content](#)

## 04/R/CS/477 - Rothamsted Continuous Maize

### Rothamsted Research

Rothamsted Research (2005) *04/R/CS/477 - Rothamsted Continuous Maize* ; Results Of The Classical And Other Long-Term Experiments 2004, pp 31 - 32 - DOI:

<https://doi.org/10.23637/ERADOC-1-261>

04/R/CS/477

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

**Sponsors:** P.R. Poulton.

The eighth year, forage maize and s. barley.

For previous years see 97-03/R/CS/477

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0.

**Treatments:-**

CROP	Crop and straw treatments:
M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

**Experimental diary:**

26-Sep-03 : B : Muriate of potash at 180 kg.  
          : B : Triple superphosphate at 170 kg.  
05-Nov-03 : T : BT, MT: Maize tops at 300 kg per plot  
          : B : Ploughed 30 cm wide furrows.  
09-Apr-04 : B : Glydate at 3.0 l in 200 l to maize plots.  
14-Apr-04 : B : Power harrow.  
          : T : (M)B, BT, B: Combination drilled, Optic, tr. Raxil S, at  
                  350 seeds/m<sup>2</sup> with the Accord 2 drill.  
          : T : (M)B, BT, B: Rolled.  
26-Apr-04 : B : Sulphur Gold (30% N, 7.6% S) at 320 kg.  
03-May-04 : T : (M)B, BT, B: Harmony M at 60 g in 200 l.  
14-May-04 : T : (B)M, MT, M: Flexitined.  
19-May-04 : T : (B)M, MT, M: Power harrowed.  
20-May-04 : T : (B)M, MT, M: Drilled, Hudson, tr. Mesuro1, at 10.2  
                  seeds/m<sup>2</sup> with the Nodet Gougis drill.  
22-Jun-04 : T : (B)M, MT, M tm)Samson at 1.5 l in 200 l.  
26-Aug-04 : T : (M)B, BT, B: Combine harvested plots for yield, swathed  
                  straw.  
01-Sep-04 : T : (M)B, BT, B: Baled.  
20-Sep-04 : T : (B)M, MT, M: Cut sample areas by hand, weighed and  
                  sampled.

**NOTE:** Forage maize and barley grain samples were taken for N analysis.

04/R/CS/477

**MAIZE**

Whole crop (at 100% dry matter) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
M	11.28
(B)M	12.26
MT	11.45
Mean	11.66

\*\*\* Standard errors of differences of means \*\*\*

CROP
1.113

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.364	11.7
MEAN DM%	27.0		
PLOT AREA HARVESTED	0.00108		

**SPRING BARLEY**

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

CROP	
(M)B	4.46
BT	3.98
B	3.90
Mean	4.11

\*\*\* Standard errors of differences of means \*\*\*

CROP
0.110

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Blocks.Plots	4	0.134	3.3
GRAIN MEAN DM%	83.2		
AVERAGE PLOT AREA HARVESTED	0.00512		