

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Results of the Classical and Other Long-term Experiments 2005

Results of the
Classical
and other
Long-term Experiments
2005

Rothamsted Research

[Full Table of Content](#)

05/R/PG/5 - Park Grass

Rothamsted Research

Rothamsted Research (2006) *05/R/PG/5 - Park Grass* ; Results Of The Classical And Other Long-Term Experiments 2005, pp 21 - 25 - DOI: <https://doi.org/10.23637/ERADOC-1-262>

05/R/PG/5

PARK GRASS

Object: To study the effects of organic manures and inorganic fertilisers and lime on old grass for hay.

The 150th year, hay.

For previous years see 'Details' 1977 and 1973 and 74-04/R/PG/5.

Treatments: Combinations of:-

Whole plots

1. **Manure** Fertilizers and organic manures:

N1	Plot 1	N1
K	Plot 2/1	K since 1996 (as 2/2 before)
None (FYM)	Plot 2/2	None (FYM until 1863)
None	Plot 3	None
P	Plot 4/1	P
N2P	Plot 4/2	N2 P
N1PKNaMg	Plot 6	N1 P K Na Mg
PKNaMg	Plot 7	P K Na Mg
PNaMg	Plot 8	P Na Mg
PKNaMg (N2)	Plot 9/1	P K Na Mg (N2 until 1989)
N2PKNaMg	Plot 9/2	N2 P K Na Mg
N2FNaMg	Plot 10	N2 P Na Mg
N3PKNaMg	Plot 11/1	N3 P K Na Mg
N3PKNaMgSi	Plot 11/2	N3 P K Na Mg Si
None	Plot 12	None
(FYM/F)	Plot 13/1	None (FYM/F until 1993/1995)
FYM/PM	Plot 13/2	FYM/PM (F until 1999)
PKNaMg (N2*)	Plot 14/1	P K Na Mg (N2* until 1989)
N2*PKNaMg	Plot 14/2	N2* P K Na Mg
PKNaMg (N2*)	Plot 15	P K Na Mg (N2* until 1875)
N1*PKNaMg	Plot 16	N1* P K Na Mg
N1*	Plot 17	N1*
N2KNaMg	Plot 18	N2 K Na Mg
FYM	Plot 19	FYM
FYM/N*PK	Plot 20	FYM/N*P K
N1, N2, N3:	48, 96, 144 kg N as sulphate of ammonia	
N1*, N2*:	48, 96 kg N as nitrate of soda (30 kg N to plot 20 in years with no farmyard manure)	
P:	35 kg P (15 kg P to plot 20 in years with no farmyard manure) as triple superphosphate in 1974 and since 1987, single superphosphate in other years	
K:	225 kg K (45 kg K to plot 20 in years with no farmyard manure) as sulphate of potash	
Na:	15 kg Na as sulphate of soda	
Mg:	10 kg Mg as sulphate of magnesia	
Si:	Silicate of soda at 450 kg	
FYM:	Farmyard manure at 35 t every fourth year	
F:	Fishmeal every fourth year to supply 63 kg N (stopped 1999; replaced by PM)	

05/R/PG/5

1. **Manure** Fertilizers and organic manures(cont.)
- PM Pelleted poultry manure at 2 t, every fourth year to supply 63 kg N (started 2003)
- Sub-plots
2. **Lime** Liming plots 1-18 (excluding 18/2):
- a Ground chalk applied as necessary to achieve pH7
- b Ground chalk applied as necessary to achieve pH6
- c Ground chalk applied as necessary to achieve pH5
- d None

NOTE: Lime was applied regularly at the same rate, to all 'a' and 'b' sub-plots of plots 1 to 17 (except 12) from 1924. Differential liming started in 1965 on certain 'b' and 'c' sub-plots (except on plot 12) and in 1976 on certain 'a' sub-plots (including plot 12) and 12b. Lime was applied in 2003, the fourth application in a triennial scheme of soil pH analysis and remedial chalk applications.

[This note was incorrect in 97-01/R/PG/5 Yield book entries.]

Lime Liming plots 18-20:

NOTE: Differential rates of lime were applied to sub-plots 2 and 3 regularly 1920-1974. Since 1975 plot 18-1 has been split into two for treatments 'c' and 'd' as above and plot 18-3 split into two for treatments 'a' and 'b'. Plots 19 and 20 received no further chalk after 1968; plot 18/2 no further chalk after 1972.

[This note was incorrect in 97-01/R/PG/5 Yield book entries.]

Experimental diary:

31-Jan-05 : T : : P applied.
: T : : K applied to plot 2/1.
02-Feb-05 : T : : K (remainder), Si, Na, Mg applied.
04-Feb-05 : T : : FYM applied.
~~27-Apr-05 : T : : N applied.~~
15-Mar-05 : B : : Rolled.
05-Apr-05 : T : : N applied (N* applied to plot 20 in error).
09-May-05 : : : Cut paths.
07-Jun-05 : : : Cut paths.
20-Jun-05 : T : : Cut sample areas for yield, sampled and weighed, and carted cut grass.
21-Jun-05 : T : : Cut sample areas for yield, sampled and weighed, and carted cut grass. Cut discards.
22-Jun-05 : B : : Turned hay.
23-Jun-05 : B : : Turned hay.
: B : : Rowed up and baled hay.
01-Nov-05 : T : : Cut sample areas for yield, sampled and weighed, and carted cut grass.
14-Nov-04 : B : : Cut discards and baled.

NOTE: Samples of herbage from both cuts were taken for chemical analysis. Unground samples of herbage from all plots from both cuts were archived.

05/R/PG/5

1ST CUT (20-21/6/05) DRY MATTER TONNES/HECTARE

***** Tables of means *****

Manure	Lime	a	b	c	d	Mean
N1	1	3.03	2.24	1.78	0.82	1.97
K	2/1	1.96	2.15	1.04	1.11	1.56
None (FYM)	2/2	1.87	2.29	0.94	1.04	1.53
None	3	1.86	2.26	1.20	1.30	1.65
P	4/1	2.79	2.84	2.09	1.90	2.40
N2P	4/2	3.35	2.89	3.53	2.14	2.98
N1PKNaMg	6	6.18	5.74			5.96
PKNaMg	7	5.88	6.15	4.18	2.67	4.72
PNaMg	8	2.48	2.56	2.34	2.16	2.38
PKNaMg (N2)	9/1	5.58	5.50	4.51	2.90	4.62
N2PKNaMg	9/2	6.52	6.40	5.09	4.45	5.62
N2PNaMg	10	3.56	3.17	3.42	3.32	3.37
N3PKNaMg	11/1	6.79	6.47	5.30	4.69	5.82
N3PKNaMgSi	11/2	7.01	7.11	5.61	5.68	6.35
None	12	2.46	2.28	1.53	1.41	1.92
(FYM/F)	13/1	4.00	4.00	3.12	2.83	3.49
FYM/PM	13/2	4.41	5.70	4.95	4.31	4.84
PKNaMg (N2*)	14/1	4.42	4.94	4.53	4.09	4.50
N2*PKNaMg	14/2	5.05	5.27	4.79	6.03	5.29
PKNaMg (N2*)	15	5.31	5.61	3.41	2.62	4.24
N1*PKNaMg	16	4.87	5.39	4.45	3.95	4.67
N1*	17	2.48	2.83	2.25	2.38	2.48
N2KNaMg	18	3.07	4.23	4.10	2.02	3.36
N2KNaMg	18/2					3.84
FYM	19/1					4.24
FYM	19/2					5.08
FYM	19/3					3.76
FYM/N*PK	20/1					5.80
FYM/N*PK	20/2					6.30
FYM/N*PK	20/3					5.53

1ST CUT MEAN DM% 30.1

05/R/PG/5

2ND CUT (1/11/05) DRY MATTER TONNES/HECTARE

***** Tables of means *****

	Manure	Lime	a	b	c	d	Mean
	N1	1	0.73	0.63	0.38	0.11	0.46
	K	2/1	0.76	0.62	0.50	0.39	0.56
	None (FYM)	2/2	0.51	0.77	0.47	0.39	0.53
	None	3	0.60	0.93	0.53	0.50	0.64
	P	4/1	0.87	0.62	0.57	0.37	0.61
	N2P	4/2	0.72	0.91	0.68	0.84	0.79
	N1PKNaMg	6	1.07	1.12			1.09
	PKNaMg	7	1.30	1.37	0.93	0.50	1.02
	PNaMg	8	0.44	0.56	0.57	0.58	0.54
	PKNaMg (N2)	9/1	1.29	1.17	0.85	0.29	0.90
	N2PKNaMg	9/2	1.12	1.28	1.05	2.11	1.39
	N2PNaMg	10	0.64	0.86	1.00	1.57	1.02
	N3PKNaMg	11/1	1.94	1.82	1.64	2.12	1.88
	N3PKNaMgSi	11/2	2.20	1.78	1.62	1.97	1.89
	None	12	0.81	1.07	0.94	0.64	0.87
	(FYM/F)	13/1	2.05	1.77	1.52	0.81	1.54
	FYM/PM	13/2	1.54	2.52	1.56	1.40	1.76
	PKNaMg (N2*)	14/1	1.30	1.38	1.06	0.91	1.16
	N2*PKNaMg	14/2	1.11	1.62	1.72	1.45	1.47
	PKNaMg (N2*)	15	1.10	1.15	0.70	0.37	0.83
	N1*PKNaMg	16	1.04	1.21	1.07	0.82	1.03
	N1*	17	0.62	0.86	0.81	0.82	0.78
	N2KNaMg	18	1.04	1.33	1.11	0.45	0.98
	N2KNaMg	18/2					1.66
	FYM	19/1					1.56
	FYM	19/2					1.77
	FYM	19/3					1.08
	FYM/N*PK	20/1					1.41
	FYM/N*PK	20/2					1.56
	FYM/N*PK	20/3					1.24

2ND CUT MEAN DM% 27.0

05/R/PG/5

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** Tables of means *****

	Manure	Lime	a	b	c	d	Mean
	N1	1	3.76	2.87	2.16	0.93	2.43
	K	2/1	2.72	2.76	1.54	1.49	2.13
	None (FYM)	2/2	2.37	3.05	1.41	1.43	2.06
	None	3	2.46	3.19	1.72	1.79	2.29
	P	4/1	3.65	3.46	2.66	2.27	3.01
	N2P	4/2	4.07	3.79	4.21	2.98	3.76
	N1PKNaMg	6	7.25	6.86			7.05
	PKNaMg	7	7.18	7.52	5.11	3.16	5.74
	PNaMg	8	2.92	3.12	2.90	2.74	2.92
	PKNaMg (N2)	9/1	6.88	6.67	5.36	3.19	5.52
	N2PKNaMg	9/2	7.64	7.68	6.14	6.56	7.01
	N2PNaMg	10	4.20	4.03	4.42	4.90	4.39
	N3PKNaMg	11/1	8.73	8.29	6.95	6.81	7.70
	N3PKNaMgSi	11/2	9.21	8.89	7.23	7.65	8.24
	None	12	3.26	3.35	2.48	2.05	2.79
	(FYM/F)	13/1	6.05	5.78	4.64	3.64	5.03
	FYM/PM	13/2	5.95	8.22	6.51	5.71	6.60
	PKNaMg (N2*)	14/1	5.72	6.32	5.59	5.00	5.66
	N2*PKNaMg	14/2	6.16	6.89	6.51	7.48	6.76
	PKNaMg (N2*)	15	6.42	6.77	4.12	2.99	5.07
	N1*PKNaMg	16	5.91	6.59	5.52	4.77	5.70
	N1*	17	3.10	3.68	3.05	3.20	3.26
	N2KNaMg	18	4.11	5.56	5.21	2.48	4.34
	N2KNaMg	18/2					5.50
	FYM	19/1					5.79
	FYM	19/2					6.85
	FYM	19/3					4.84
	FYM/N*PK	20/1					7.21
	FYM/N*PK	20/2					7.86
	FYM/N*PK	20/3					6.76

TOTAL OF 2 CUTS MEAN DM% 28.6