Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Results of the Classical and Other Long-term Experiments 2005

Results of the
Classical
and other
Long-term Experiments

Rothamsted Resea

Full Table of Content

05/R/CS/477 - Rothamsted Continuous Maize

Rothamsted Research

Rothamsted Research (2006) 05/R/CS/477 - Rothamsted Continuous Maize; Results Of The Classical And Other Long-Term Experiments 2005, pp 31 - 32 - DOI:

https://doi.org/10.23637/ERADOC-1-262

05/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

Sponsors: P.R. Poulton and A.J. Macdonald.

The ninth year, forage maize and s. barley.

For previous years see 97-04/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0.

Treatments: -

CROP	Crop and straw treatments:
(M)B	Continuous maize, stubble incorporated S. barley after five years maize, stubble incorporated
	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
В	Continuous spring barley, straw removed

Experimental diary:

```
: Maize tops at 300 kg per plot
07 - \text{Oct} - 04 : \mathbf{T} : BT, MT
                            : Muriate of potash at 180 kg.
29-Oct-04 : B :
                            : Triple superphosphate at 170 kg.
          : B :
                            : Ploughed 25 cm wide furrows.
01-Nov-04 : B :
07-Apr-05 : B :
                             : Springtined.
          : \mathbf{T} : (M)B, BT, B: Combination drilled, Optic, tr. Raxil S, at
                               350 \text{ seeds/m}^2 with the Accord drill.
          : T : (M)B, BT, B: Rolled.
                            : Sulphur Gold (30% N, 7.6% S) at 400 kg.
22-Apr-05 : B :
05-May-05: T: (B)M, MT, M: Power harrowed.
          : T : (B)M, MT, M: Drilled, Hudson, tr. Thiram, Methiocarb,
                               Fludioxonil, Metalaxyl M, at 10.2 seeds/m<sup>2</sup>
                               with the Nodet Gougis drill.
11-May-05 : T : (B)M, MT, M: Samson at 1.5 l in 200 l.
15-May-05 : T : (M)B, BT, B: tm)Corbel at 0.75 l in 200 l.
                               tm)Fandango at 1.0 1 in 200 1.
                               tm) Harmony M SX at 100 g in 200 l.
22-Jun-05 : \mathbf{T} : (B)M, MT, M: Dow Shield at 0.5 1 in 200 1.
13-Jul-05 : \mathbf{T} : (B)M, MT, M: Dow Shield at 1.0 l in 200 l.
30-Aug-05 : \mathbf{T} : (M)B, BT, B: Combine harvested plots for yield, swathed
                               straw.
01-Sep-05 : \mathbf{T} : (M)B, BT, B: Combine harvested discards, swathed straw.
02-Sep-04 : \mathbf{T} : (M)B, BT, B: Baled.
22-Sep-04 : T : (B)M, MT, M: Cut sample areas by hand, weighed and
                               sampled.
17-Oct-05 : T : (B)M, MT, M: Harvested discards.
```

NOTE: Forage maize and barley grain samples were taken for N analysis.

05/R/CS/477

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

**** Tables of means ****

CROP

M 11.94 (B)M 13.99 MT 12.34

Mean 12.76

*** Standard errors of differences of means ***

CROP

0.970

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv%

Blocks.Plots 4 1.188 9.3

MEAN DM% 30.3

PLOT AREA HARVESTED 0.00108

SPRING BARLEY

GRAIN TONNES/HECTARE

**** Tables of means ****

CROP

(M)B 5.31 BT 5.37 B 5.04

Mean 5.24

*** Standard errors of differences of means ***

CROP

0.281

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv%

Blocks.Plots 4 0.344 6.6

GRAIN MEAN DM% 89.4

PLOT AREA HARVESTED 0.00525