

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Results of the Classical and Other Long-term Experiments 2005

Results of the
Classical
and other
Long-term Experiments
2005

Rothamsted Research

[Full Table of Content](#)

05/W/CS/478 - Woburn Continuous Maize

Rothamsted Research

Rothamsted Research (2006) *05/W/CS/478 - Woburn Continuous Maize* ; Results Of The Classical And Other Long-Term Experiments 2005, pp 47 - 48 - DOI:

<https://doi.org/10.23637/ERADOC-1-262>

05/W/CS/478

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter - Woburn, Stackyard A I.

Sponsors: P.R. Poulton and A.J. Macdonald.

The ninth year, forage maize and s. barley.

For previous years see 97-04/W/CS/478.

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 9.0 x 25.0.

Treatments:

CROP	Crop and straw treatments:
M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize after three years of spring barley, straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

Experimental diary:

05-Oct-04	: T :	BT, MT	: Maize tops applied at 225 kg per plot.
01-Nov-04	: B :		: Muriate of potash at 250 kg.
	: B :		: Triple superphosphate at 180 kg.
03-Nov-04	: B :		: Ploughed 30 cm wide furrows.
07-Apr-05	: B :		: Rotary harrowed.
	: T :	(M)B, BT, B:	Drilled, Optic, tr. Raxil S, at 375 seeds/m ² with the Accord drill, rolled.
04-May-05	: T :	(B)M, MT, M:	Rotary harrowed, drilled, Hudson, tr. Thiram, Methiocarb, Fludioxonil, Metalaxyl M, at 10.2 seeds/m ² with the Nodet drill.
10-May-05	: T :	(B)M, MT, M:	pdq at 4.0 l in 220 l.
14-May-05	: B :		: Sulphur Gold (30% N, 7.6% S) at 320 kg.
30-May-05	: B :	(M)B, BT, B:	tm)Corbel at 0.5 l in 220 l.
	: B :		: tm)Acanto at 0.5 l in 220 l.
	: B :		: tm)Harmony M SX at 100 g in 220 l.
	: B :		: tm)Mn 500 Headland at 1.0 kg in 220 l.
	: B :		: tm)Unix at 0.5 kg in 220 l.
	: B :		: tm)Duplosan KV at 1.5 l in 220 l.
08-Jun-05	: T :	(B)M, MT, M:	tm)Gesaprim at 3.0 l in 220 l. tm)Phase 2 at 3.0 l in 220 l.
27-Jun-05	: T :	(B)M, MT, M:	Bromotril P at 2.5 l in 200 l.
	: T :	(M)B, BT, B:	tm)Amistar Opti at 0.5 l in 200 l.
	: B :		: tm)Opus at 0.5 l in 200 l.
03-Sep-05	: T :	(M)B, BT, B:	Combine harvested plots for yield, swathed straw
04-Sep-05	: T :	(M)B, BT, B:	Combine harvested discards, swathed straw
08-Sep-05	: T :	(M)B, BT, B:	Baled.
22-Sep-05	: T :	(B)M, MT, M:	Cut sample areas, weighed, and sampled.
09-Nov-05	: T :	(B)M, MT, M:	Cut discards.

05/W/CS/478

NOTE: Forage maize and barley grain samples were taken for N analysis.

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

CROP	
M	9.68
MT	7.12
(B)M	8.42
Mean	8.41

*** Standard errors of differences of means ***

CROP
1.788

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	2.190	26.0

MEAN DM% 37.8

PLOT AREA HARVESTED 0.00108

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

CROP	
(M)B	2.88
BT	2.26
B	2.20
Mean	2.45

*** Standard errors of differences of means ***

CROP
0.179

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.219	9.0

GRAIN MEAN DM% 86.9

PLOT AREA HARVESTED 0.00525