

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Results of the Classical and Other Long-term Experiments 2006

Results of the
Classical
and other
Long-term Experiments
2006

Rothamsted Research

[Full Table of Content](#)

06/R/EX/4 - Exhaustion Land

Rothamsted Research

Rothamsted Research (2007) *06/R/EX/4 - Exhaustion Land* ; Results Of The Classical And Other Long-Term Experiments 2006, pp 19 - 21 - DOI: <https://doi.org/10.23637/ERADOC-1-263>

06/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1856-1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since - Hoosfield.

The 151st year, w. wheat.

For previous years see 'Details' 1977, 1973 and 74-05/R/EX/4.

Treatments: All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876-1901:
- | | |
|---------|--|
| O | None |
| D | Farmyard manure at 35 t |
| N | 96 kg N as ammonium salts |
| P | 34 kg P as superphosphate |
| NPKNAMG | N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia |
2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P in the soil. (P1) (P2) and (P3) are residues of P applied annually 1986-1992:
- | | | |
|-------|---------|----------|
| | 2000-04 | 1986-92 |
| O | None | None |
| P(P1) | 20 kg P | 44 kg P |
| P(P2) | 20 kg P | 87 kg P |
| P(P3) | 20 kg P | 131 kg P |

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

plus

Whole plots (K test, previously N test until 1991)

- OLD RES** Residues of manures applied annually 1876-1901:
- | | |
|------|---|
| O | None |
| D | Farmyard manure at 35 t |
| N* | 96 kg N as nitrate of soda |
| PK | 34 kg P as superphosphate, 137 kg K as sulphate of potash |
| N*PK | N, P and K as above |

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

Experimental diary:

K test:

27-Sep-05 : T : P : P basal:(triple superphosphate at 98 kg), plots 2, 4, 6, 8 & 10.

P test:

27-Sep-05 : T : P : P test:(triple superphosphate at 98 kg), plots 011-013, 031-033, 051-053, 071-073, & 091-093.

28-Sep-05 : T : K : K basal/124.5 kg (muriate of potash at 250 kg)*,
plots 1, 3, 5, 7 & 9.

All plots

29-Sep-05 : B : : Keiserite (30 kg Mg)
Ploughed 25 cm wide furrows.

04-Oct-05 : B : : Cultipress.

07-Oct-05 : B : : Cultipressed, combination drilled, Xi19, tr.
Redigo Twin at 350 seeds/m², rolled.

17-Oct-05 : B : : Ice at 4.0 l in 200 l.

05-Dec-05 : B : : Hallmark with Zeon Technology at 50 ml in 200 l.

13-Mar-06 : B : : Ammonium sulphate (21% N) at 238 kg

18-Apr-06 : B : : 34.5% N at 580 kg.

21-Apr-06 : B : : tm)Opus at 0.75 l in 200 l.
: B : : tm)Bravo 500 at 1.0 l in 200 l.
: B : : tm)Flexity at 0.2 l in 200 l.

17-May-06 : B : : 34.5% N at 145 kg.

21-May-06 : B : : tm)Bravo 500 at 1.0 l in 200 l.
: B : : tm)Opus at 0.75 l in 200 l.
: B : : tm)Vivid at 0.4 l in 200l.
: B : : tm)Starane 2 at 0.75 l in 200 l.
: B : : tm)Ally Max SX at 42 g in 200 l.

06-Aug-06 : B : : Combine harvested discards, baled straw.

23-Aug-06 : B : : Combine harvested, plots for yield, straw swathed.
: B : : Straw sampled and weighed.

25-Aug-06 : B : : Combine harvested discards, swathed and baled
straw.

* this is wrongly entered for the 2001 - 2004 Yield Books which incorrectly stated that the basal K was 100 kg K.

NOTE: Samples of grain and straw were taken for chemical analysis.

NOTE:

STRAW DRY MATTER

Due to an error while weighing sub samples (fresh and dry) an average dry matter percent was calculated. The value was 87.8% (P TEST) and 87.7% (K TEST).

P TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

P_RES	O	P(P1)	P(P2)	P(P3)	Mean
OLD_RES					
O	1.74	7.88	8.34	8.01	6.49
D	4.72	8.85	8.45	8.36	7.60
N	1.20	7.77	8.92	8.12	6.50
P	4.87	8.56	8.66	8.00	7.52
NPKNAMG	3.75	8.38	7.82	8.80	7.19
Mean	3.26	8.29	8.44	8.26	7.06

GRAIN MEAN DM% 85.1

ESTIMATED STRAW TONNES/HECTARE

***** Tables of means *****

P_RES	O	P(P1)	P(P2)	P(P3)	Mean
-------	---	-------	-------	-------	------

OLD_RES					
O	0.85	5.17	6.00	6.21	4.56
D	2.83	6.19	6.43	6.51	5.49
N	0.77	5.19	6.29	6.10	4.59
P	2.89	6.10	6.19	5.90	5.27
NPKNAMG	2.30	6.17	6.19	6.37	5.26
Mean	1.93	5.77	6.22	6.22	5.03

STRAW MEAN DM% 87.8

PLOT AREA HARVESTED 0.00525
06/R/EX/4

K TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

OLD_RES	
O	6.51
D	6.92
N*	7.18
PK	7.39
N*PK	7.08
Mean	7.02

GRAIN MEAN DM% 84.9

ESTIMATED STRAW TONNES/HECTARE

***** Tables of means *****

OLD_RES	
O	4.49
D	4.90
N*	4.93
PK	5.50
N*PK	4.88
Mean	4.94

STRAW MEAN DM% 87.7

PLOT AREA HARVESTED 0.00525