

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2007

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments
2007

R/GC/8 Garden Clover

Rothamsted Research

Rothamsted Research (2007) *R/GC/8 Garden Clover* ; Yields Of The Field Experiments 2007, pp 31 - 34 - DOI: <https://doi.org/10.23637/ERADOC-1-217>

06/R/GC/8

GARDEN CLOVER

Object: To study yields and pathogens of red clover grown continuously - Manor Garden.

The 153rd year, red clover.

For previous years see 'Details' 1967 and 1973, and Yield Books for 74-05/R/GC/8.

Design: 2 blocks of 2 plots.

Whole plot dimensions: 1.00 x 1.40.

Treatments:

FUNG RES	Residual effects of fungicide to control <i>Sclerotinia trifoliorum</i> :
NONE	None
BENOMYL	Benomyl sprays during previous winters, last applied November 1989.

Experimental diary:

			Rate	Unit
05-Oct-05	p	Azural	6.00	l/10 l/ha
30-Nov-05	a	Hand dig		
	f	Magnesium Sulphate	520.00	kg/ha
	f	Triple Superphosphate	158.00	kg/ha
	f	Sulphate of Potash	300.00	kg/ha
	f	Chalk	1.25	t/ha
15-Mar-06	a	Erect rabbit fence		
19-Apr-06	a	Hand raked		
	a	Hand sow		
	s	Milvus	30.00	kg/ha
	a	Erect new fence and netting, completed 23-May-06		
13-Jul-06	s	Milvus, re-sow failed areas	30.00	kg/ha
17-Aug-06		First cut taken		
07-Nov-06		Second cut taken		

NOTE: Samples of clover taken from each cut for chemical analysis

06/R/GC/8

1ST CUT (17/8/06) DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL	Mean
	0.72	0.84	0.78

1ST CUT MEAN DM% 33.4

1ST CUT PLOT AREA HARVESTED 0.00014

2ND CUT (07/11/06) DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL	Mean
	0.92	1.25	1.09

2ND CUT MEAN DM% 18.9

2ND CUT PLOT AREA HARVESTED 0.00014

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL	Mean
	1.64	2.09	1.87

TOTAL OF 2 CUTS MEAN DM% 26.1

07/R/GC/8

GARDEN CLOVER

Object: To study yields and pathogens of red clover grown continuously - Manor Garden.

The 154th year, red clover.

For previous years see 'Details' 1967 and 1973, and Yield Books for 74-06/R/GC/8.

Design: 2 blocks of 2 plots.

Whole plot dimensions: 1.00 x 1.40.

Treatments:

FUNG RES	Residual effects of fungicide to control <i>Sclerotinia trifoliorum</i> :
NONE	None
BENOMYL	Benomyl sprays during previous winters, last applied November 1989.

Experimental diary:

			Rate	Unit
05-Apr-07	f	Magnesium Sulphate - Whole experiment	520.00	kg/ha
	f	Triple Superphosphate -Whole experiment	158.00	kg/ha
	f	Sulphate of Potash - Whole experiment	300.00	kg/ha
	f	Chalk – Whole experiment	1.25	t/ha
30-Apr-07	a	First Cut		
20-Jun-07	a	Second cut		
04-Oct-07	a	Third cut		

NOTE: Samples of clover taken from each cut for chemical analysis

07/R/GC/8

FIRST CUT (30/4/07) DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL
	3.84	4.23

Grand mean 4.03

1ST CUT MEAN DM% 16.6

SECOND CUT (20/06/07) DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL
	2.48	2.51

Grand mean 2.49

2ND CUT MEAN DM% 17.2

THIRD CUT (04/10/07) DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL
	1.85	1.76

Grand mean 1.80

3RD CUT MEAN DM% 19.5

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** Tables of means *****

FUNG_RES	NONE	BENOMYL
	8.16	8.49

Grand mean 8.33

TOTAL OF 3 CUTS MEAN DM% 17.8

PLOT AREA HARVESTED CUT 0.00014