

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2007

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments
2007

R/CS/477 & W/CS/478 Continuous Maize

Rothamsted Research

Rothamsted Research (2007) *R/CS/477 & W/CS/478 Continuous Maize* ; Yields Of The Field Experiments 2007, pp 55 - 60 - DOI: <https://doi.org/10.23637/ERADOC-1-217>

07/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Hoosfield

Sponsors: P. R. Poulton and A. J. Macdonald

The 11th year, forage maize and s. barley

For previous years see Yield Books for 97-06/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0

Treatments:-

CROP Crop and straw treatments:

M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

Experimental diary:

				Rate	Unit
03-Oct-06	f	BT,MT	Maize tops - Plots 3, 6, 9, 12, 16, 18	10.00	t/ha
12-Oct-06	f		Triple Superphosphate	171.00	kg/ha
	f		Muriate of Potash	181.00	kg/ha
19-Oct-06	a		Plough/ N		
12-Mar-07	a		Springtined		
04-Apr-07	a	(M)B, BT,B	Combination Drilled		
	s		Optic tr Raxil Pro	350.00	seeds/m ²
	a	(M)B, BT,B	Rolled whole experiment		
25-Apr-07	f		Double Top	356.00	kg/ha
01-May-07	a	(B)M, MT, M	Flexitined maize plots		
02-May-07	a	(B)M, MT, M	Power harrowed maize plots		
	a	(B)M, MT, M	Nodet drilled maize plots		
	s		Hudson tr Mesurol	10.20	seeds/m ²
	a	(B)M, MT, M	Rolled maize plots		
17-May-07	p		Fandango	1.00	l/200 l/ha
	p		Flexity	0.30	l/200 l/ha
	p		Alpha Briotril Plus 19/19	1.50	l/200 l/ha
	p		Optica	2.00	l/200 l/ha
02-Jun-07	p	(M)B, BT,B	Amistar Opti - barley	1.00	l/200 l/ha
	p		Corbel - barley	0.50	l/200 l/ha
14-Jun-07	p	(B)M, MT, M	Samson - maize plots	1.50	l/200 l/ha
19-Jun-07	p	(B)M, MT, M	Callisto - maize plots	0.75	l/200 l/ha

07/R/CS/477

20-Jun-07	a		Mow / Rotavate paths
03-Sep-07	a	(M)B, BT, B	Combine harvest discards
	a		Swath straw
04-Sep-07	a	(M)B, BT, B	Combine harvest, plots for yield
	a		Swath straw
18-Sep-07	a	M, MT, (B) M	Cut harvest strips, weighed and sampled maize
25-Sep-07	a	M, MT, (B) M	Cut maize discards

NOTE: Forage maize and barley grain samples were taken for N analysis.

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

Treatment	
M	6.90
(B)M	8.30
MT	7.20
Mean	7.46

*** Standard errors of differences of means ***

Treatment
1.342

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.643	22.0
Plot area harvested	0.00108		

07/R/CS/477

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
(M) B	4.71
BT	5.48
B	5.33
Mean	5.17

*** Standard errors of differences of means ***

Treatment
0.242

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.297	5.7
Grain mean dm%	83.1		
Plot area harvested	0.00504		

07/W/CS/478

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard AI

Sponsors: P. R. Poulton and A. J. Macdonald

The 11th year, forage maize and s. barley

For previous years see Yield Books for 97-06/W/CS/478

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 9.0 x 25.00

Treatments:-

CROP Crop and straw treatments:

M Continuous maize, stubble incorporated
(M)B S. barley after five years maize, stubble incorporated
MT Maize, stubble plus 10 t maize tops incorporated
(B)M Maize after three years of s. barley with straw removed
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
B Continuous spring barley, straw removed

Experimental diary:

				Rate	Unit
16-Oct-06	a	BT, MT	Applied maize tops to plots 2, 4, 12, 13, 16, 17	10.00	t/ha
07-Nov-06	a		Topped		
	f		Triple Superphosphate	171.00	kg/ha
	f		Muriate of Potash	181.00	kg/ha
14-Nov-06	a		Plough/ NE		
03-Apr-07	a		Flexitined		
05-Apr-07	a		Power Harrowed		
	a		Combination Drilled		
	s		Optic tr Raxil Pro	350.00	seeds/m ²
	a		Rolled		
01-May-07	a		Nodet Drilled		
	s		Hudson tr Mesuroil	10.20	seeds/m ²
02-May-07	f		Double Top	355.00	kg/ha
20-May-07	p		Fandango	1.00	l/200 l/ha
	p		Flexity	0.30	l/200 l/ha
	p		Alpha Briotril 24/16	1.50	l/200 l/ha
	p		Duplosan KV	2.00	l/200 l/ha
01-Jun-07	p	(B)M, MT, M	Callisto - maize	1.50	l/200 l/ha
19-Jun-07	p		Amistar Opti - barley	1.00	l/200 l/ha
	p		Standon Fenpropimorph 750 - barley	0.50	l/200 l/ha

07/W/CS/478

05-Sep-07	a	(M)B, BT, B	Combine harvest, plots for yield
	a		Swath straw
08-Sep-07	a	(B)M, MT, M	Baled
18-Sep-07	a		Cut harvest strips, weighed and sampled
25-Sep-07	a	(B)M, MT, M	Mowed and baled maize plots

Note: Forage maize and barley grain were taken for N analysis.

MAIZE

WHOLE CROP (100% DM) TONNES/HECTARE

***** Tables of means *****

Treatment	
M	6.06
MT	8.61
(B)M	7.12
Mean	7.26

*** Standard errors of differences of means ***

Treatment	
	0.903

***** Stratum standard errors and coefficients of variation *****

TP1Dm Total plant dry matter tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.106	15.2

MEAN DM% 27.4

PLOT AREA HARVESTED 0.00108

07/W/CS/478

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
(M) B	4.51
BT	5.59
B	4.82
Mean	4.97

*** Standard errors of differences of means ***

Treatment
0.079

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.097	2.0

GRAIN MEAN DM% 84.7

PLOT AREA HARVESTED 0.00525