Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 2007



Full Table of Content

R/CS/477 & W/CS/478 Continuous Maize

Rothamsted Research

Rothamsted Research (2007) *R/CS/477 & W/CS/478 Continuous Maize*; Yields Of The Field Experiments 2007, pp 55 - 60 - **DOI:** https://doi.org/10.23637/ERADOC-1-217

07/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Hoosfield

Sponsors: P. R. Poulton and A. J. Macdonald

The 11th year, forage maize and s. barley

For previous years see Yield Books for 97-06/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0

Treatments:-

CROP	Crop and straw treatments:
M (M)B MT (B)M BT B	Continuous maize, stubble incorporated S. barley after five years maize, stubble incorporated Maize, stubble plus 10 t maize tops incorporated Maize, after three years of s. barley with straw removed Continuous spring barley, straw removed plus 10 t maize tops incorporated Continuous spring barley, straw removed

Experimental diary:

				Rate	Unit
03-Oct-06	f	BT,MT	Maize tops - Plots 3, 6, 9, 12, 16, 18	10.00	t/ha
12-Oct-06	f		Triple Superphosphate	171.00	kg/ha
	f		Muriate of Potash	181.00	kg/ha
19-Oct-06	а		Plough/ N		
12-Mar-07	а	(MAND DT D	Springtined		
04-Apr-07	a	(M)B, BT,B	Combination Drilled	250.00	a a a da /aa 2
	S		Optic tr Raxil Pro	350.00	seeds/m ²
05 4 07	a	(M)B, BT,B	Rolled whole experiment	050.00	l/l
25-Apr-07	f	/D\N/ N/T N/	Double Top	356.00	kg/ha
01-May-07 02-May-07	a	(B)M, MT, M (B)M, MT, M	Flexitined maize plots Power harrowed maize plots		
02-iviay-01	a a	(B)M, MT, M	Nodet drilled maize plots		
	S	(B)IVI, IVII, IVI	Hudson tr Mesurol	10.20	seeds/m ²
	а	(B)M, MT, M	Rolled maize plots		
17-May-07	р		Fandango	1.00	I/200 I/ha
	р		Flexity	0.30	I/200 I/ha
	р		Alpha Briotril Plus 19/19	1.50	I/200 I/ha
	р		Optica	2.00	I/200 I/ha
02-Jun-07	р	(M)B, BT,B	Amistar Opti - barley	1.00	I/200 I/ha
	р	(D) 14 14T 14	Corbel - barley	0.50	I/200 I/ha
14-Jun-07	р	(B)M, MT, M	Samson - maize plots	1.50	I/200 I/ha
19-Jun-07	р	(B)M, MT, M	Callisto - maize plots	0.75	I/200 I/ha

07/R/CS/477

20-Jun-07	а		Mow / Rotavate paths
03-Sep-07	а	(M)B, BT, B	Combine harvest discards
	а		Swath straw
04-Sep-07	а	(M)B, BT, B	Combine harvest, plots for yield
	а		Swath straw
18-Sep-07	а	M, MT, (B) M	Cut harvest strips, weighed and
			sampled maize
25-Sep-07	а	M, MT, (B) M	Cut maize discards

NOTE: Forage maize and barley grain samples were taken for N analysis.

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

Treatment	
M	6.90
(B)M	8.30
MT	7.20

*** Standard errors of differences of means ***

7.46

${\tt Treatment}$

Mean

1.342

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	CV%
Blocks.Plots	4	1.643	22.0

Plot area harvested 0.00108

07/R/CS/477

SPRING BARLEY

GRAIN TONNES/HECTARE

**** Tables of means ****

Treatment

(M) B 4.71 BT 5.48 B 5.33 Mean 5.17

*** Standard errors of differences of means ***

Treatment

0.242

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv%

Blocks.Plots 4 0.297 5.7

Grain mean dm% 83.1

Plot area harvested 0.00504

07/W/CS/478

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard Al

Sponsors: P. R. Poulton and A. J. Macdonald

The 11th year, forage maize and s. barley

For previous years see Yield Books for 97-06/W/CS/478

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 9.0 x 25.00

Treatments:-

CROP Crop and straw treatments:

M Continuous maize, stubble incorporated
(M)B S. barley after five years maize, stubble incorporated
MT Maize, stubble plus 10 t maize tops incorporated
(B)M Maize after three years of s. barley with straw removed

BT Continuous spring barley, straw removed plus 10 t maize tops incorporated

B Continuous spring barley, straw removed

Experimental diary:

				Rate	Unit
16-Oct-06	а	BT, MT	Applied maize tops to plots 2, 4, 12, 13, 16, 17	10.00	t/ha
07-Nov-06	а		Topped		
	f		Triple Superphosphate	171.00	kg/ha
	f		Muriate of Potash	181.00	kg/ha
14-Nov-06	а		Plough/ NE		_
03-Apr-07	а		Flexitined		
05-Apr-07	а		Power Harrowed		
•	а		Combination Drilled		
	S		Optic tr Raxil Pro	350.00	seeds/m ²
	а		Rolled		
01-May-07	а		Nodet Drilled		
-	S		Hudson tr Mesurol	10.20	seeds/m ²
02-May-07	f		Double Top	355.00	kg/ha
20-May-07	р		Fandango	1.00	I/200 I/ha
	р		Flexity	0.30	I/200 I/ha
	p		Alpha Briotril 24/16	1.50	I/200 I/ha
	p		Duplosan KV	2.00	I/200 I/ha
01-Jun-07	р	(B)M, MT, M	Callisto - maize	1.50	I/200 I/ha
19-Jun-07	р		Amistar Opti - barley	1.00	I/200 I/ha
	p		Standon Fenpropimorph 750 - barley	0.50	I/200 I/ha

07/W/CS/478

05-Sep-07	а	(M)B, BT, B	Combine harvest, plots for yield
	а		Swath straw
08-Sep-07	а	(B)M, MT, M	Baled
18-Sep-07	а		Cut harvest strips, weighed and
			sampled
25-Sep-07	а	(B)M, MT, M	Mowed and baled maize plots

Note: Forage maize and barley grain were taken for N analysis.

MAIZE

WHOLE CROP (100% DM) TONNES/HECTARE

***** Tables of means *****

Treatment

M 6.06 MT 8.61 (B)M 7.12 Mean 7.26

*** Standard errors of differences of means ***

Treatment

0.903

***** Stratum standard errors and coefficients of variation *****

TPlDm Total plant dry matter tonnes/hectare

 Stratum
 d.f.
 s.e.
 cv%

 Blocks.Plots
 4
 1.106
 15.2

MEAN DM% 27.4

PLOT AREA HARVESTED 0.00108

07/W/CS/478

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment

(M) B 4.51 BT 5.59 B 4.82

Mean 4.97

*** Standard errors of differences of means ***

Treatment

0.079

**** Stratum standard errors and coefficients of variation ****

Stratum d.f. s.e. cv%

Blocks.Plots 4 0.097 2.0

GRAIN MEAN DM% 84.7

PLOT AREA HARVESTED 0.00525