

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2008

[Full Table of Content](#)



Results of the  
Classical and other  
Long-term Experiments  
2008

---

## R/EX/4 Exhaustion Land

### Rothamsted Research

Rothamsted Research (2009) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2008, pp 21 - 24 - DOI: <https://doi.org/10.23637/ERADOC-1-218>

08/R/EX/4

EXHAUSTION LAND

**Object:** To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 153<sup>rd</sup> year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-07/R/EX/4

**Treatments:** All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N	96 kg N as ammonium salts
P	34 kg P as superphosphate
NPKNAMG	N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992:

	2000-08	1986-92
O	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

**NOTE:** P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N*	96 kg N as nitrate of soda
PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
N*PK	N, P and K as above

**08/R/EX/4**

**2. K** Potassium applied annually from 2007 as muriate of potash

O None  
 K1 75 kg K<sub>2</sub>O (62.2 kg K)  
 K2 150 kg K<sub>2</sub>O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

**Experimental diary**

K Test:

			Rate	Unit
1-Oct-07	f	Muriate of Potash, plots 023, 043, 063, 083 & 103	125.00	kg/ha
	f	Muriate of Potash, plots 024, 044, 064, 084 & 104	250.00	kg/ha
	f	Basal P (triplesuperphosphate) plots 02, 04, 06, 08 & 10	98.0	Kg/ha

P test:

1-Oct-07	f	Triple Superphosphate, plots except 011 - 013, 031 - 033, 051 - 053, 071 - 073 & 091 - 093	98.00	kg/ha
	f	Basal K (muriate of potash) plots 01, 03, 05, 07 & 09	250.00	kg/ha

Selected plots:

6-Oct-07	f	Chalk, Plots 021, 022, 024, 061, 062, 063, 083, 102, 103, 104	2.00	t/ha
	f	Chalk, Plots 011, 023, 042, 044, 054, 064, 071, 082, 084	4.00	t/ha
	f	Chalk, Plots 041, 043, 051, 081, 101	6.00	t/ha

All plots

30-Sep-07	p	Glyphosate 360	3.00	l/200 l/ha
10-Oct-07	a	Plough/ S, completed 11-Oct-2007		
22-Oct-07	a	Combination Drilled		
	s	XI19 tr Redigo Twin + Deter	350.00	seeds/m <sup>2</sup>
23-Oct-07	a	Rolled		
30-Oct-07	p	Huron	5.00	kg/ha
2-Nov-07	p	Liberator	0.60	l/200 l/ha
	p	Alpha Trifluralin 48 EC	2.00	l/200 l/ha
17-Nov-07	p	Stomp 400 SC	3.30	l/200 l/ha
	p	Arelon 500	2.00	l/200 l/ha
	p	Hallmark with Zeon Technology	50.00	ml/200 l/ha
1-Apr-08	f	Sulphate of Ammonia	238.00	kg/ha
18-Apr-08	f	Nitraprill	580.00	kg/ha

**08/R/EX/4**

			Rate	Unit
8-May-08	p	Deuce	1.00	l/150 l/ha
	p	Bravo 500	0.75	l/150 l/ha
	p	Flexity	0.20	l/150 l/ha
	p	BASF 3C Chlormequat 720	1.00	l/150 l/ha
19-May 08	p	Ally Max SX	42.00	g/200 l/ha
	p	Starane 2	0.75	l/200 l/ha
21-May-08	f	Nitraprill	145.00	kg/ha
31-May-08	p	Amistar Opti	1.25	l/200 l/ha
	p	Opus Team	1.00	l/200 l/ha
6-Jun-08	a	Mow / Rotavate paths		
16-Jun-08	a	Mow / Rotavate paths		
25-Jul-08	a	Rogue wild oats/thistles/weeds		
27-Aug-08	a	Combine harvest, plots for yield		
	a	Swath straw		
	a	Sample, bale and weigh straw		
30-Aug-08	a	Baled		

NOTE: Samples of grain and straw were taken for chemical analysis.

**P TEST**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES OLD_RES	O	P1	P2	P3	Mean
O	3.41	8.96	9.28	9.80	7.86
D	7.50	10.21	10.53	10.84	9.77
N	2.83	8.95	10.23	10.31	8.08
P	6.53	10.07	10.20	10.45	9.31
NPKNAMG	6.73	9.71	10.56	10.90	9.48
Mean	5.41	9.58	10.16	10.46	8.90

GRAIN MEAN DM% 84.1

**STRAW TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES OLD_RES	O	P1	P2	P3	Mean
O	1.94	4.24	5.02	5.11	4.08
D	4.13	5.63	5.88	5.80	5.36
N	1.68	4.81	5.79	5.50	4.45
P	3.62	5.69	5.75	5.94	5.25
NPKNAMG	3.45	5.14	5.42	5.39	4.85
Mean	2.96	5.10	5.57	5.55	4.80

STRAW MEAN DM% 86.6

PLOT AREA HARVESTED 0.00538

**08/R/EX/4**

**K TEST**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

K Test	K0	K1	K2	Mean
<b>OLD_RES</b>				
O	9.26	10.60	10.80	9.98
D	10.07	11.00	11.35	10.62
N*	9.56	9.99	10.40	9.88
PK	10.28	10.14	10.72	10.36
N*PK	9.64	10.09	11.18	10.14
Mean	9.76	10.36	10.89	10.20
Rep	10	5	5	

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES	K_Test
s.e.d.	0.364	0.326	0.728	min.rep
		0.282	0.631	max-min
		0.230X	0.515	max.rep

GRAIN MEAN DM% 83.9

**STRAW TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

K_Test	K0	K1	K2	Mean
<b>OLD_RES</b>				
O	4.22	4.85	5.16	4.61
D	4.67	5.21	5.84	5.10
N*	4.82	4.63	4.84	4.78
PK	5.29	5.16	5.63	5.34
N*PK	4.59	4.76	5.52	4.86
Mean	4.72	4.92	5.40	4.94
Rep	10	5	5	

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES	K_Test
s.e.d.	0.203	0.181	0.405	min.rep
		0.157	0.351	max-min
		0.128X	0.286	max.rep

Stratum standard errors and coefficients of variation

=====

Straw (at 85% dry matter) tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.286	5.8

Straw Mean DM% 86.8