

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2009

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments
2009

R/EX/4 Exhaustion Land

Rothamsted Research

Rothamsted Research (2010) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2009, pp 22 - 25 - DOI: <https://doi.org/10.23637/ERADOC-1-219>

09/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 154th year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-08/R/EX/4

Treatments: All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:
 - O None
 - D Farmyard manure at 35 t
 - N 96 kg N as ammonium salts
 - P 34 kg P as superphosphate
 - NPKNAMG N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992:

	2000-09	1986-92
O	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:
 - O None
 - D Farmyard manure at 35 t
 - N* 96 kg N as nitrate of soda
 - PK 34 kg P as superphosphate, 137 kg K as sulphate of potash
 - N*PK N, P and K as above

09/R/EX/4

2. K Potassium applied annually from 2007 as muriate of potash

O None
 K1 75 kg K₂O (62.2 kg K)
 K2 150 kg K₂O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

Experimental diary

K Test:			Rate	Unit
30-Sep-08	f	Basal P (triple superphosphate) – plots 02, 04, 06, 08 and 10	75.00	kg/ha
	f	Muriate of Potash, plots 23, 43, 63, 83 & 103	125.00	kg/ha
	f	Muriate of Potash, plots 24, 44, 64, 84, 104	250.00	kg/ha
P Test			Rate	Unit
30-Sep-08	f	Triple Superphosphate – plots 011 – 013, 031 – 033, 051 – 053, 071 – 073 and 091-093	75.00	kg/ha
	f	Muriate of Potash, plots 01,03, 05, 07 & 09	250.00	kg/ha
All plots			Rate	Unit
06-Oct-08	a	Plough/ N		
11-Oct-08	a	Cultipressed		
16-Oct-08	a	Power Harrowed		
	a	Combination Drilled		
	s	XI-19 tr Redigo Deter	350.00	seeds/m ²
18-Oct-08	p	Liberator	0.60	l/200 l/ha
17-Dec-08	p	Stomp 400 SC	3.30	lt/ha
	p	Arelon 500	3.00	lt/ha
	p	Hallmark with Zeon Technology	50.00	ml/ha
09-Mar-09	f	Ammonium Sulphate	238.00	kg/ha
25-Mar-09	f	Kieserite	80.00	kg/ha
14-Apr-09	p	Pacifica	0.40	kg/ha
20-Apr-09	f	Nitram	580.00	kg/ha
	p	Cherokee	1.00	l/ha
02-May-09	p	Splice	1.00	l/ha
	p	Bravo 500	1.00	l/ha
	p	Talius	0.13	l/ha
	p	BASF 3C Chlormequat 720	2.25	l/ha
04-May-09	p	Ally Max SX	42.00	g/ha
	p	Agriguard Fluroxypyr	0.75	l/ha

09/R/EX/4

			Rate	Unit
13-May-09	f	Nitram	145.00	kg/ha
16-May-09	a	Mow / Rotavate paths		
28-May-09	p	Brutus	1.50	l/ha
	p	Amistar Opti	1.25	l/ha
02-Jun-09	a	Mow / Rotavate paths		
29-Jun-09	a	Mow / Rotavate paths		
15-Aug-09	a	Combine harvest, plots for yield		
	a	Sample, bale and weigh straw		

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

P_RES	O	P (P1)	P (P2)	P (P3)	Mean
OLD_RES					
O	2.64	5.05	5.21	5.62	4.63
D	4.04	6.74	6.96	7.14	6.22
N	2.23	5.43	6.17	6.30	5.03
P	3.38	5.89	6.78	6.95	5.75
NPKNAMG	3.65	5.46	6.40	7.05	5.64
Mean	3.19	5.71	6.30	6.61	5.45

GRAIN MEAN DM% 84.4

STRAW TONNES/HECTARE

***** Tables of means *****

P_RES	O	P (P1)	P (P2)	P (P3)	Mean
OLD_RES					
O	1.25	2.64	2.94	3.34	2.54
D	2.12	4.02	4.17	4.29	3.65
N	1.32	3.29	3.21	3.63	2.86
P	1.72	3.48	3.85	3.75	3.20
NPKNAMG	1.96	3.38	3.86	4.39	3.40
Mean	1.67	3.36	3.61	3.88	3.13

STRAW MEAN DM% 89.1%

09/R/EX/4

K TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

K_Test	K0	K1	K2	Mean
OLD_RES				
O	5.46	7.14	7.36	6.35
D	6.72	7.92	7.93	7.32
N*	5.85	7.00	7.38	6.52
PK	6.90	7.16	7.12	7.02
N*PK	6.44	6.67	7.52	6.77
Mean	6.27	7.18	7.46	6.80
rep.	10	5	5	

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES	K_Test
s.e.d.		0.284	0.634	min.rep
	0.317	0.246	0.549	max-min
		0.201X	0.448	max.rep

(No comparisons in categories where s.e.d. marked with an X)

Grain mean dm% 84.4

STRAW TONNES/HECTARE

***** Tables of means *****

K_Test	K0	K1	K2	Mean
OLD_RES				
O	2.68	3.89	3.99	3.31
D	3.34	4.20	4.42	3.83
N*	2.86	3.97	4.41	3.53
PK	3.79	4.15	4.04	3.94
N*PK	3.37	3.71	4.37	3.70
Mean	3.21	3.99	4.25	3.66
rep.	10	5	5	

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES	K_Test
s.e.d.		0.229	0.513	min.rep
	0.256	0.199	0.444	max-min
		0.162X	0.363	max.rep

(No comparisons in categories where s.e.d. marked with an X)

Straw mean dm% 89.5