Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 2009



Full Table of Content

R/GC/8 Garden Clover

Rothamsted Research

Rothamsted Research (2010) *R/GC/8 Garden Clover*; Yields Of The Field Experiments 2009, pp 32 - 33 - **DOI: https://doi.org/10.23637/ERADOC-1-219**

09/R/GC/8

GARDEN CLOVER

Object: To study yields and pathogens of red clover grown continuously - Manor Garden.

The 156th year, red clover.

For previous years see `Details' 1967 and 1973, and Yield books for 74-08/R/GC/8.

Design: 2 blocks of 2 plots.

Whole plot dimensions: 1.00 x 1.40.

Treatments:

FUNG RES	Residual effects of fungicide to control Sclerotinia trifoliorum:
NONE	None
BENOMYL	Benomyl sprays during previous winters, last applied November 1989.

Experimental diary:

20-Jan-09	f f f	Triple Superphosphate Chalk Magnesium Sulphate Potassium Sulphate	Rate 75.00 1.25 50.00 150.00	Unit t/ha t/ha t/ha 0 t/ha
12-May-09 30-Jun-09 19-Aug-09	a a a	First cut Second cut Third cut		

NOTE: Samples of clover taken from each cut for chemical analysis

1ST CUT (12/05/09) DRY MATTER TONNES/HECTARE

*****Tables of means******

Grand mean 3.98

FUNG RES	NONE	BENOMYL
—	4.22	3.73

1ST CUT MEAN DM% 17.9

09/R/GC/8

SECOND CUT (30/06/09) DRY MATTER TONNES/HECTARE

*****Tables of means******

Grand mean 4.06

FUNG_RES NONE BENOMYL 4.29 3.82

1ST CUT MEAN DM% 19.5

THIRD CUT (19/08/09) DRY MATTER TONNES/HECTARE

*****Tables of means******

Grand mean 2.35

FUNG_RES NONE BENOMYL 2.38 2.32

3RD CUT MEAN DM% 22.5

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

*****Tables of means******

Grand mean 10.38

FUNG_RES NONE BENOMYL 10.89 9.87

TOTAL OF 3 CUTS MEAN DM% 20.0

PLOT AREA HARVESTED CUT 1,2 & 3 0.00014