

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 2009

[Full Table of Content](#)



## R/CS/477 & W/CS/478 Continuous Maize

### Rothamsted Research

Rothamsted Research (2010) *R/CS/477 & W/CS/478 Continuous Maize ; Yields Of The Field Experiments 2009*, pp 54 - 59 - DOI: <https://doi.org/10.23637/ERADOC-1-219>

09/R/CS/477

## CONTINUOUS MAIZE

**Object:** To monitor the fate of organic carbon in the soil organic matter – Hoosfield

**Sponsors:** A. J. Macdonald

The 13<sup>th</sup> year, forage maize and s. barley

For previous years see Yield Books for 97-08/R/CS/477

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0

### Treatments:-

**CROP**      Crop and straw treatments:

M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

### Experimental diary

			Rate	Unit
06-Oct-08	a	Apply maize tops, plots 3, 6, 9, 12, 16, &18 at 300 kg/plot	10.00	t/ha
16-Oct-08	f	Triple Superphosphate	171.00	kg/ha
	f	Muriate of Potash	181.00	kg/ha
05-Nov-08	a	Plough/ N		
26-Mar-09	a	Springtined		
	a	Combination Drilled		
	s	Optic Tr Raxil Pro	350.00	seeds/m2
	a	Rolled		
11-May-09	a	Rotavate prep for maize		
12-May-09	a	Power Harrowed		
	a	Nodet Drilled		
	s	Hudson tr mesurol + thiram	10.20	seeds/m2
14-May-09	f	Double Top	356.00	kg/ha
20-May-09	p	Headland Charge	1.50	l/ha
	p	Duplosan KV	1.50	l/ha
	p	Harmony M SX	100.00	g/ha
	p	Fandango	1.00	l/ha
	p	Flexity	0.20	l/ha

09/R/CS/477

			Rate	Unit
04-Jun-09	p	Amistar Opti	1.00	l/ha
	p	Proline	0.30	l/ha
15-Jun-09	p	Callisto maize only	0.75	l/ha
	p	Samson maize only	1.00	l/ha
30-Jun-09	a	Mow / Rotavate paths		
12-Aug-09	a	Mow / Rotavate paths		
13-Aug-09	a	Mow / Rotavate paths cut paths		
27-Aug-09	a	Combine harvest, S. Barley plots for yield		
28-Aug-09	a	Combine harvest		
29-Aug-09	a	Baled		
10-Sep-09	a	Hand cut maize and removed crop		

## MAIZE

### WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
M	10.35
(B) M	11.02
MT	10.06
Mean	10.48

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	1.305

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.598	15.3
MEAN DM%	21.4		
PLOT AREA HARVESTED	0.00108		

09/R/CS/477

**SPRING BARLEY**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

**Treatment**

(M) B	4.65
BT	5.00
B	4.81
Mean	4.82

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.221

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	CV%
Blocks.Plots	4	0.270	5.6

Grain mean dm% 81.0

Plot area harvested 0.00525

09/W/CS/478

## CONTINUOUS MAIZE

**Object:** To monitor the fate of organic carbon in the soil organic matter – Woburn,  
Stackyard Al

**Sponsors:** A. J. Macdonald

The 13<sup>th</sup> year, forage maize and s. barley

For previous years see Yield Books for 97-08/W/CS/478

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 9.0 x 25.00

### Treatments:-

**CROP**      Crop and straw treatments:

M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

### Experimental diary

			Rate	Unit
02-Oct-08	a	Broadcast maize tops at 225 kg/plot, plots 2, 4, 12, 13, 16, and 17.	10.00	t/ha
06-Oct-08	a	Topped to tidy		
16-Oct-08	f	Triple Superphosphate	171.00	kg/ha
	f	Muriate of Potash	181.00	kg/ha
	a	Plough/ NE		
02-Apr-09	s	Optic tr Raxil Pro		
21-May-09	a	Rotavate		
	a	Drilled		
	s	Hudson tr Measurol	10.20	S/m2
30-May-09	a	Broadcast		
	f	Double Top	355.00	kg/ha
03-Jun-09	p	Opus	0.50	L in 200 l/ha
	p	Amistar	0.40	L in 200 l/ha
18-Jun-09	p	Callisto	0.75	l/ha
	p	Samson	0.50	l/ha
24-Aug-09	a	Combine harvest spring barley plots		
	a	Combine harvest discards		
26-Aug-09	a	Baled		
02-Sep-09	a	Remove bales		
03-Sep-09	a	Hand cut Maize plots and removed crop		

09/W/CS/478

**MAIZE**

**WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

**Treatment**

M	11.44
MT	11.25
(B) M	11.17
Mean	11.29

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.515

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.630	5.6
MEAN DM%	23.8		
PLOT AREA HARVESTED	0.00108		

**09/W/CS/478**

**SPRING BARLEY**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

**Treatment**

(M) B	3.43
BT	3.79
B	3.25
Mean	3.49

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.134

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	CV%
Blocks.Plots	4	0.164	4.7
Grain mean dm%	86.1		
Plot area harvested	0.00525		