Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 2010



Full Table of Content

# **R/EX/4 Exhaustion Land**

#### **Rothamsted Research**

Rothamsted Research (2011) *R/EX/4 Exhaustion Land*; Yields Of The Field Experiments 2010, pp 22 - 25 - **DOI:** https://doi.org/10.23637/ERADOC-1-220

#### **EXHAUSTION LAND**

**Object**: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 155th year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-09/R/EX/4

Treatments: All combinations of:-

Whole plots (P test)

1.	OLD RES	Residues of manures applied annually 1876 – 1901:
	O D N P NPKNAMG	None Farmyard manure at 35 t 96 kg N as ammonium salts 34 kg P as superphosphate N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia
2.	P	Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil.

(P1) (P2) and (P3) are residues of P applied annually

	2000-10	1986-92
0	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

1986-1992:

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

1. OLD RES

Whole plots (K test, previously N test until 1991

0	None
D	Farmyard manure at 35 t
N*	96 kg N as nitrate of soda
PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
N*PK	N, P and K as above

Residues of manures applied annually 1876 – 1901:

	2.	K	Potassium applied	annually from 20	007 as muriate of potash
--	----	---	-------------------	------------------	--------------------------

O None

 $\begin{array}{ccc} K1 & 75 \text{ kg } \text{K}_2\text{O } (62.2 \text{ kg K}) \\ K2 & 150 \text{ kg K}_2\text{O } (124.5 \text{ kg K}) \end{array}$ 

Whole plots

Nitrogen: 50 kg

50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

## **Experimental diary**

K Test 29-Sep-09	f f f	Basal P (triple superphosphate) – plots 02, 04, 06, 08 and 10 Muriate of Potash, plots 23, 43, 63, 83 & 103 Muriate of Potash, plots 24, 44, 64, 84, 104	75.00 125.00 250.00	Unit kg/ha kg/ha kg/ha
P Test 29-Sep-09	f	Triple Superphosphate – plots 011 – 013, 031 –	Rate	Unit
•		033, 051 – 053, 071 – 073 and 091- 093	75.00	kg/ha
	f	Muriate of Potash, plots 01,03, 05, 07 & 09	250.00	kg/ha
All Plots			Rate	Unit
29-Sep-09	а	Spread fertiliser		
30-Sep-09	а	Plough		
01-Oct-09	а	Cultipressed		
02-Oct-09	а	Cultipressed - Second time		
05-Oct-09	а	Combination Drilled		
	s	Drilled Xi19 – at 350 seeds per m <sup>2</sup>	166.00	kg/ha
	р	Liberator -200 lt water	0.60	l/ha
19-Mar-10	f	Sulphate of Ammonia - As indicated on plan	238.00	kg/ha
06-Apr-10	f	Kieserite	80.00	kg/ha
10-Apr-10	р	Cherokee - 146 I water	1.00	l/ha
15-Apr-10	f	Nitram	580.00	kg/ha
18-Apr-10	р	Attribut - 146 lt water	100.00	g/ha
	р	Amber - 146 lt water	1.00	l/ha
00 May 40	р	Oxytril CM - 146 lt water	1.00	l/ha
06-May-10	p	Bravo 500 - 200 lt water	1.00	l/ha
	р	Tracker - 200 It water	1.00 2.25	l/ha l/ha
12-May-10	p	Chlormequat 3C - 200 It water  Mow / Rotavate paths	2.23	I/IIa
18-May-10	a p	Tomahawk	1.00	l/ha
10-iviay-10	р р	Cleancrop Gallifrey	1.00	l/ha
19-May-10	f	Nitram	145.00	kg/ha
•				•

			Rate	Unit
02-Jun-10	р	Comet - 200 It water	0.60	l/ha
	р	Opus - 200 lt water	0.60	l/ha
03-Jun-10	а	Rotavated paths		
17-Jun-10	а	Cut paths		
14-Jul-10	а	Mow / Rotavate paths		
31-Aug-10	а	Combine harvest, plots for yield		
	а	Sample, bale and weigh straw		
03-Sep-10	а	Combine harvest discards		
04-Sep-10	а	Baled		

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST
GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES OLD_RES	0	P(P1)	P(P2)	P(P3)	Mean
0	2.27	5.74	6.48	7.14	5.41
D	4.14	7.26	7.80	7.59	6.70
N	1.61	6.71	7.73	7.94	6.00
Р	4.45	7.38	8.15	7.57	6.89
NPKNAMG	3.80	6.95	7.68	8.49	6.73
MEAN	3.25	6.81	7.57	7.75	6.34

GRAIN MEAN DM% 85.9%

#### STRAW TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES OLD_RES	0	P1	P2	P3	MEAN
0	0.82	2.54	3.37	3.52	2.56
D	2.12	3.81	4.31	3.97	3.55
N	0.84	3.25	3.87	3.80	2.94
Р	1.93	3.71	4.19	4.33	3.54
NPKNAMG	2.17	3.67	3.93	4.18	3.49
MEAN	1.58	3.40	3.93	3.96	3.22

STRAW MEAN DM% 93.5%

#### **K TEST**

#### **GRAIN TONNES/HECTARE**

\*\*\*\* Tables of means \*\*\*\*

K_TEST OLD RES	КО	K1	K2	Mean
0	7.43	7.93	7.85	7.66
D	7.62	8.02	8.01	7.82
N*	7.88	7.87	8.36	8.00
PK	7.83	7.62	8.00	7.82
N*PK	7.59	7.88	8.59	7.91
N 4 = A N 1	7.07	7.00	0.40	7.04
MEAN	7 67	7 86	R 16	7 84

## Standard errors of difference of means

	OLD_RES	K_TEST	OLD_RES	Table
	K_Test			
	unequal	unequal	4	rep.
	5	5	5	d.f.
min.rep	0.323	0.145		s.e.d.
max-min	0.280	0.125	0.162	
max.rep	0.229	0.102X		

(No comparisons in categories where s.e.d. marked with an X Grain mean dm%  $\,\,$  86.3

#### **STRAW TONNES/HECTARE**

\*\*\*\* Tables of means \*\*\*\*

K_TEST	K0	K1	K2	Mean
OLD_RES				
0	3.85	4.54	4.15	4.10
D	3.96	4.36	4.30	4.14
N*	4.18	4.21	4.31	4.22
PK	4.41	3.94	4.36	4.28
N*PK	4.01	4.15	4.23	4.10
MEAN	4.08	4.24	4.27	4.17
REP	10	5	5	

# Standard errors of difference of means

	OLD_RES	K_TEST	OLD_RES	Table
	K_Test			
	unequal	unequal	4	rep.
	5	5	5	d.f.
min.rep	0.460	0.206		s.e.d.
max-min	0.398	0.178	0.230	
max.rep	0.325	0.146X		

(No comparisons in categories where s.e.d. marked with an X Straw mean dm%  $93.4\,$