

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2010

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments

2010

R/EX/4 Exhaustion Land

Rothamsted Research

Rothamsted Research (2011) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2010, pp 22 - 25 - DOI: <https://doi.org/10.23637/ERADOC-1-220>

10/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986, on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 155th year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-09/R/EX/4

Treatments: All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:
 - O None
 - D Farmyard manure at 35 t
 - N 96 kg N as ammonium salts
 - P 34 kg P as superphosphate
 - NPKNAMG N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992:

	2000-10	1986-92
O	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:
 - O None
 - D Farmyard manure at 35 t
 - N* 96 kg N as nitrate of soda
 - PK 34 kg P as superphosphate, 137 kg K as sulphate of potash
 - N*PK N, P and K as above

10/R/EX/4

2. K Potassium applied annually from 2007 as muriate of potash

O	None
K1	75 kg K ₂ O (62.2 kg K)
K2	150 kg K ₂ O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

Experimental diary

K Test			Rate	Unit
29-Sep-09	f	Basal P (triple superphosphate) – plots 02, 04, 06, 08 and 10	75.00	kg/ha
	f	Muriate of Potash, plots 23, 43, 63, 83 & 103	125.00	kg/ha
	f	Muriate of Potash, plots 24, 44, 64, 84, 104	250.00	kg/ha
P Test			Rate	Unit
29-Sep-09	f	Triple Superphosphate – plots 011 – 013, 031 – 033, 051 – 053, 071 – 073 and 091- 093	75.00	kg/ha
	f	Muriate of Potash, plots 01,03, 05, 07 & 09	250.00	kg/ha
All Plots			Rate	Unit
29-Sep-09	a	Spread fertiliser		
30-Sep-09	a	Plough		
01-Oct-09	a	Cultipressed		
02-Oct-09	a	Cultipressed - Second time		
05-Oct-09	a	Combination Drilled		
	s	Drilled Xi19 – at 350 seeds per m ²	166.00	kg/ha
	p	Liberator -200 lt water	0.60	l/ha
19-Mar-10	f	Sulphate of Ammonia - As indicated on plan	238.00	kg/ha
06-Apr-10	f	Kieserite	80.00	kg/ha
10-Apr-10	p	Cherokee - 146 l water	1.00	l/ha
15-Apr-10	f	Nitram	580.00	kg/ha
18-Apr-10	p	Attribut - 146 lt water	100.00	g/ha
	p	Amber - 146 lt water	1.00	l/ha
	p	Oxytril CM - 146 lt water	1.00	l/ha
06-May-10	p	Bravo 500 - 200 lt water	1.00	l/ha
	p	Tracker - 200 lt water	1.00	l/ha
	p	Chlormequat 3C - 200 lt water	2.25	l/ha
12-May-10	a	Mow / Rotavate paths		
18-May-10	p	Tomahawk	1.00	l/ha
	p	Cleancrop Gallifrey	1.00	l/ha
19-May-10	f	Nitram	145.00	kg/ha

10/R/EX/4

			Rate	Unit
02-Jun-10	p	Comet - 200 lt water	0.60	l/ha
	p	Opus - 200 lt water	0.60	l/ha
03-Jun-10	a	Rotavated paths		
17-Jun-10	a	Cut paths		
14-Jul-10	a	Mow / Rotavate paths		
31-Aug-10	a	Combine harvest, plots for yield		
	a	Sample, bale and weigh straw		
03-Sep-10	a	Combine harvest discards		
04-Sep-10	a	Baled		

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

P_RES	O	P(P1)	P(P2)	P(P3)	Mean
OLD_RES					
O	2.27	5.74	6.48	7.14	5.41
D	4.14	7.26	7.80	7.59	6.70
N	1.61	6.71	7.73	7.94	6.00
P	4.45	7.38	8.15	7.57	6.89
NPKNAMG	3.80	6.95	7.68	8.49	6.73
MEAN	3.25	6.81	7.57	7.75	6.34

GRAIN MEAN DM% 85.9%

STRAW TONNES/HECTARE

***** Tables of means *****

P_RES	O	P1	P2	P3	MEAN
OLD_RES					
O	0.82	2.54	3.37	3.52	2.56
D	2.12	3.81	4.31	3.97	3.55
N	0.84	3.25	3.87	3.80	2.94
P	1.93	3.71	4.19	4.33	3.54
NPKNAMG	2.17	3.67	3.93	4.18	3.49
MEAN	1.58	3.40	3.93	3.96	3.22

STRAW MEAN DM% 93.5%

10/R/EX/4

K TEST

GRAIN TONNES/HECTARE

***** Tables of means *****

K_TEST OLD_RES	KO	K1	K2	Mean
O	7.43	7.93	7.85	7.66
D	7.62	8.02	8.01	7.82
N*	7.88	7.87	8.36	8.00
PK	7.83	7.62	8.00	7.82
N*PK	7.59	7.88	8.59	7.91
MEAN	7.67	7.86	8.16	7.84

Standard errors of difference of means

Table	OLD_RES	K_TEST	OLD_RES K_Test	
rep.	4	unequal	unequal	
d.f.	5	5	5	
s.e.d.		0.145	0.323	min.rep
	0.162	0.125	0.280	max-min
		0.102X	0.229	max.rep

(No comparisons in categories where s.e.d. marked with an X
Grain mean dm% 86.3

STRAW TONNES/HECTARE

***** Tables of means *****

K_TEST OLD_RES	K0	K1	K2	Mean
O	3.85	4.54	4.15	4.10
D	3.96	4.36	4.30	4.14
N*	4.18	4.21	4.31	4.22
PK	4.41	3.94	4.36	4.28
N*PK	4.01	4.15	4.23	4.10
MEAN	4.08	4.24	4.27	4.17
REP	10	5	5	

Standard errors of difference of means

Table	OLD_RES	K_TEST	OLD_RES K_Test	
rep.	4	unequal	unequal	
d.f.	5	5	5	
s.e.d.		0.206	0.460	min.rep
	0.230	0.178	0.398	max-min
		0.146X	0.325	max.rep

(No comparisons in categories where s.e.d. marked with an X
Straw mean dm% 93.4