

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2010

[Full Table of Content](#)



Results of the  
Classical and other  
Long-term Experiments

2010

---

## R/CS/477 & W/CS/478 Continuous Maize

### Rothamsted Research

Rothamsted Research (2011) *R/CS/477 & W/CS/478 Continuous Maize* ; Yields Of The Field Experiments 2010, pp 52 - 57 - DOI: <https://doi.org/10.23637/ERADOC-1-220>

10/R/CS/477

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter – Hoosfield

**Sponsors:** A. J. Macdonald

The 14<sup>th</sup> year, forage maize and s. barley

For previous years see Yield Books for 97-09/R/CS/477

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0

**Treatments:-**

**CROP** Crop and straw treatments:

- M Continuous maize, stubble incorporated
- (M)B S. barley after five years maize, stubble incorporated
- MT Maize, stubble plus 10 t maize tops incorporated
- B(M) S. barley, after ten years of Maize, straw removed
- BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
- B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010

**Experimental diary**

			Rate	Unit
14-Sep-09	a	Spread maize on plots - 300 kg on each plot	10.00	t/ha
29-Sep-09	f	MOP	181.00	kg/ha
	f	TSP	171.00	kg/ha
	a	Spread fertiliser		
	a	Spread fertiliser		
06-Oct-09	a	Subsoiled - Headlands only		
09-Oct-09	a	Plough		
11-Mar-10	p	Rosate 36 - 200 lt water	6.00	l/ha
06-Apr-10	a	Springtined		
	a	Flexitined - tramlines only		
07-Apr-10	a	Flexitined - Headlands only		
08-Apr-10	s	Optic - Spring barley plots	350.00	seeds/m2
	a	Flexitined		
	a	Combination Drilled		
09-Apr-10	a	Rolled		
26-Apr-10	f	Double Top	356.00	kg/ha
	a	Power harrowed - Maize area		
	a	Flexi Tined - Maize area		
27-Apr-10	s	Hudson	10.20	seeds/msq
	a	Nodet Drilled		
28-Apr-10	a	Rolled - Maize plots		

**10/R/CS/477**

24-May-10	p	Kestral - started	0.50	l/ha
	p	Jenton - started	0.50	l/ha
	p	Bravo 500 - started	1.00	l/ha
25-May-10	p	Kestral	0.50	l/ha
	p	Jenton	0.50	l/ha
	p	Bravo 500	1.00	l/ha
26-May-10	p	Headland Charge - 200 lt water	1.50	l/ha
	p	Harmony M SX - 200 lt water	100.00	g/ha
31-May-10	p	Pirlid- 200 lt water	0.35	l/ha
04-Jun-10	p	Axial - 200 lt water	0.40	l/ha
	p	Axial - 200 lt water	0.40	l/ha
	p	Adigor - 200 lt water	1.00	l/ha
	p	Adigor - 200 lt water	1.00	l/ha
	p	Callisto - 200 lt water	0.75	l/ha
	p	Samson Extra - 200 lt water	0.50	l/ha
18-Jun-10	a	Cut paths		
23-Jun-10	p	Bravo 500 - 200 lt water	1.00	l/ha
	p	Bravo 500 - 200 lt water	1.00	l/ha
	p	Mobius - 200 lt water	0.43	l/ha
	p	Standon Fenpropimorph 750 - 200 lt water	0.50	l/ha
	p	Corbel - 200 lt water	0.50	l/ha
14-Jul-10	a	Mow / Rotavate paths		
21-Aug-10	a	Combine harvest barley plots for yield		
	a	Baled		
27-Sep-10	a	Harvest Maize Plots		
	a	Other operation, - cut maize discards		
28-Sep-10	a	Other operation, - cut maize discards		

**MAIZE**

**WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
M	11.02
MT	10.32
Mean	10.67

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	1.684

**10/R/CS/477**

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	2	2.062	19.3
MEAN DM%	31.4		
PLOT AREA HARVESTED	0.00108		

**SPRING BARLEY**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
(M)B	3.25
BT	3.87
B	2.88
B(M)	4.21
Mean	3.55

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.319

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.390	11.0
Grain mean dm%	83.0		
Plot area harvested	0.00525		

10/W/CS/478

**CONTINUOUS MAIZE**

**Object:** To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard AI

**Sponsors:** A. J. Macdonald

The 14<sup>th</sup> year, forage maize and s. barley

For previous years see Yield Books for 97-09/W/CS/478

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 9.0 x 25.00

**Treatments:-**

**CROP** Crop and straw treatments:

- M Continuous maize, stubble incorporated
- (M)B S. barley after five years maize, stubble incorporated
- MT Maize, stubble plus 10 t maize tops incorporated
- B(M) S. barley, after ten years of maize, straw removed
- BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
- B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010

**Experimental diary**

			Rate	Unit
16-Sep-09	a	Spread maize on plots - BT and MT plots	10.00	t/ha
21-Sep-09	p	Nufosate Ace - 200 lt water	4.00	l/ha
23-Sep-09	f	MOP	181.00	kg/ha
	a	Broadcast		
	f	TSP	171.00	kg/ha
14-Oct-09	a	Plough		
11-Apr-10	a	Harrowed		
19-Apr-10	s	Optic tr Raxil Pro	350.00	seeds/m2
19/04/2010	a	Combination Drilled		
	a	Rolled		
28-Apr-10	s	Hudson tr MesuroI	10.20	seeds/m2
	a	Nodet Drilled		
17-May-10	f	Double top	356.00	kg/ha
02-Jun-10	p	Opus - 200 lt water	0.60	l/ha
	p	Corbel - 200 lt water	0.50	l/ha
22-Jun-10	p	Callisto - 220 lt water	1.00	l/ha
	p	Samson - 220 lt water	0.75	l/ha
09-Sep-10	a	Combine harvest, plots for yield - barley		
	a	Swath straw		
21-Sep-10	a	Baled and removed		
30-Sep-10	a	Harvest Maize Plots - weighed and sampled		
09-Oct-10	a	Mown - maize plots		

10/WCS/478

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
M	7.06
MT	5.53
Mean	6.29

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.484

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	2	0.593	9.4
MEAN DM%	39.7		

PLOT AREA HARVESTED 0.00108

10/W/CS/478

SPRING BARLEY

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

**Treatment**

(M)B	2.21
BT	2.25
B	1.94
B(M)	3.26
Mean	2.41

\*\*\*Standard errors of differences of means\*\*\*

Table	Treatment
s.e.d.	0.124

\*\*\*Stratum standard errors and coefficients of variation\*\*\*

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.151	6.3

Grain mean dm% 84.4

Plot area harvested 0.00525