

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2011

[Full Table of Content](#)



Results of the  
Classical and other  
Long-term Experiments  
2011

---

## R/EX/4 Exhaustion Land

### Rothamsted Research

Rothamsted Research (2012) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2011, pp 24 - 27 - DOI: <https://doi.org/10.23637/ERADOC-1-221>

11/R/EX/4

EXHAUSTION LAND

**Object:** To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 156<sup>th</sup> year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-10/R/EX/4

**Treatments:** All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N	96 kg N as ammonium salts
P	34 kg P as superphosphate
NPKNAMG	N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P in the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992:

	2000-11	1986-92
O	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

**NOTE:** P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N*	96 kg N as nitrate of soda
PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
N*PK	N, P and K as above

## 11/R/EX/4

2. K Potassium applied annually from 2007 as muriate of potash

O	None
K1	75 kg K <sub>2</sub> O (62.2 kg K)
K2	150 kg K <sub>2</sub> O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

### Experimental diary

			Rate	Unit
<b>K Test</b>				
07-Oct-10	f	Basal P (triple superphosphate) - plots 02,04,06,08 and 10	75	kg/ha
		Muriate of Potash - plots 23,43,63,83,103	125	kg/ha
		Muriate of Potash - plots 24,44,64,84,104	250	kg/ha
<b>P Test</b>				
07-Oct-10	f	Triple Super Phosphate - plots 011-013,031-033,051-053, 071-073, 091-093	75	kg/ha
07-Oct-10	f	Muriate of Potash - plots 011-014, 031-034, 051-054, 071-074, 091-094.	250	kg/ha
<b>All Plots</b>				
10-Oct-10	a	Ploughed		
10-Oct-10	a	Ploughed		
13-Oct-10	a	Cultipressed		
15-Oct-10	s	Drilled Xi 19 trt Anchor - 350 seeds / metre sq	145	kg/ha
16-Oct-10	a	Rolled		
17-Oct-10	p	Sprayed Regatta - water volume = 200 lt/ha	0.6	l/ha
14-Mar-11	f	Applied Ammonium Sulphate Fertiliser	238	kg/ha
28-Mar-11	p	Sprayed Cherokee - Water volume = 118 lt/ha. Applied to WW area only	1.25	l/ha
06-Apr-11	f	Applied Kieserite	80	kg/ha
13-Apr-11	f	Applied Nitram	580	kg/ha
05-May-11	p	Sprayed Bravo 500, Tracker,	1.0	l/ha
		Agriguard Chlormequat 720,	2.25	l/ha
		Ally Max	42	g/ha
		and Starane 2 - 200 lt/ha water	0.75	l/ha
10-May-11	f	Applied Nitram	146	kg/ha
16-May-11	a	Cut paths		
19-May-11	p	Sprayed Opus, Comet 200	0.8	l/ha
		and Bravo 500 - 100 l/ha water	0.6	l/ha
			1.0	l/ha
23-May-11	a	Cut paths		

03-Jun-11 a Rotavated paths  
 08-Jun-11 a Cut paths  
 20-Jun-11 a Cut paths  
 01-Aug-11 a Cut paths  
 12-Aug-11 a Combined O+Es - Opened up trials with commercial  
 combine ready for yields to be taken  
 12-Aug-11 a Baled O+Es - Baled area discard area cut to open out  
 trials  
 16-Aug-11 a Straw weights  
 16-Aug-11 a Combined - O+Es  
 17-Aug-11 a straw baled

**P TEST**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES	O	P(P1)	P(P2)	P(P3)	Mean
OLD_RES					
O	2.54	4.97	5.35	5.76	4.65
D	4.40	7.32	7.26	7.41	6.60
N	1.76	6.15	7.27	6.70	5.47
P	3.91	7.28	8.21	7.42	6.70
NPKNAMG	3.50	5.62	7.04	7.72	5.97
MEAN	3.22	6.27	7.03	7.00	5.88

GRAIN MEAN DM% 86.0%

**STRAW TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

P_RES	O	P1	P2	P3	MEAN
OLD_RES					
O	0.71	1.42	1.27	1.69	1.27
D	1.38	2.02	1.95	1.95	1.83
N	0.66	1.82	2.00	2.27	1.69
P	1.15	2.32	2.09	2.17	1.93
NPKNAMG	1.07	1.64	1.75	2.11	1.64
MEAN	1.00	1.85	1.81	2.04	1.67

STRAW MEAN DM% 84.1%

11/R/EX/4

**K TEST**

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

K_TEST	KO	K1	K2	Mean
OLD_RES				
O	6.24	7.64	7.36	6.87
D	7.81	8.25	7.98	7.96
N*	6.69	6.75	7.39	6.88
PK	7.43	6.50	7.62	7.25
N*PK	7.00	6.61	7.80	7.10
MEAN	7.03	7.15	7.63	7.21

Standard errors of difference of means

Table	OLD_RES	K_TEST	OLD_RES	
rep.	4	unequal	K_Test	
d.f.	5	5	unequal	
s.e.d.		0.181	5	min.rep
	0.202	0.157		max-min
		0.128X	0.286	max.rep

(No comparisons in categories where s.e.d. marked with an X  
Grain mean DM% 86.6

**STRAW TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

K_TEST	K0	K1	K2	Mean
OLD_RES				
O	1.56	2.39	1.94	1.87
D	2.12	2.52	2.02	2.19
N*	1.62	1.75	2.33	1.83
PK	2.11	2.01	1.96	2.05
N*PK	1.55	1.76	2.55	1.85
MEAN	1.79	2.09	2.16	1.96
REP	10	5	5	

Standard errors of difference of means

Table	OLD_RES	K_TEST	OLD_RES	
rep.	4	unequal	K_Test	
d.f.	5	5	unequal	
s.e.d.		0.124	5	min.rep
	0.139	0.108		max-min
		0.088X	0.197	max.rep

(No comparisons in categories where s.e.d. marked with an X  
Straw mean DM% 85.1